

AFWAL-TR-88-1060

E&V REFERENCE MANUAL

Bard S. Crawford Peter G. Clark

The Analytic Sciences Corporation 55 Walker's Brook Drive Reading, MA 01867

July 1988


Interim Report for Period June 1985 - March 1988

AD-A197 388



Approved for Public Release; Distribution is Unlimited

AVIONICS LABORATORY
AIR FORCE WRIGHT AERONAUTICAL LABORATORIES
AIR FORCE SYSTEMS COMMAND
WRIGHT-PATTERSON AIR FORCE BASE, OHIO 45433-6543



NOTICE

When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data, is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This report has been reviewed by the Office of Public Affairs. (ASD/PA) and is releasable to the National Technical Information Service (NTIS). At NTIS, it will be available to the general public, including foreign nations.

This technical report has been reviewed and is approved for publication.

Project Engineer

4 May 1988
Date

FOR THE COMMANDER

Edward Rrater, y EDWARD RASKA, JR, Maj, USAF

Date 1988

Acting Deputy Chief

AFWAL/AAA

If your address has changed, if you wish to be removed from our mailing list, or if the addressee is no longer employed at your organization please notify AFWAL/AAAF, Wright-Patterson AFB, OH 45433-6543 to help us maintain a current mailing list.

Copies of this report should not be returned unless return is required by security considerations, contractual obligations, or notice on a specific document.

ᡏᠣᠮᠪᠯᠮᠪᢌᠮᠪᢌᠻᡡᡳᡙᡳᡊᢣᡊᡓᡊᡓᠽᡛᢛᢗᡈᡶᠪᡮᠪᡮᠪᡮᠪᡮᠪᡮᠪᡮ᠘ᡮ᠘ᡮ᠘ᡮ᠘ᡶ᠘ᡛ᠘ᢋᡳᠸᢣᡳᡳᡳᡳᡳᡳᡳᡳᡳᡳᡳᡳᡳᡳᡳᡳᡳᡳᡳᡳᡳᡳᡳᡳᡳᡳᡳᡳᡳᡳᡳᡳᡳᡳ

SECURITY CLASSIFICATION OF THIS PAGE					
REPORT	DOCUMENTATIO	N PAGE			Form Approved OMB No. 0704-0188
1a. REPORT SECURITY CLASSIFICATION		16. RESTRICTIVE	MARKINGS		
UNCLASSIFEID					
2a. SECURITY CLASSIFICATION AUTHORITY		3. DISTRIBUTION	I/AVAILABILITY	OF REPORT	
2b. DECLASSIFICATION / DOWNGRADING SCHED	ULE	Approved	for Public	Release	
			tion is Unl		
4. PERFORMING ORGANIZATION REPORT NUMB	JER(S)	5. MONITORING	ORGANIZATION	REPORT NU	MBER(S)
M. C		AFWAL-TR-	88-1060		
TASC No. TR-5234-3 6a. NAME OF PERFORMING ORGANIZATION	6b. OFFICE SYMBOL	7a. NAME OF M	ONITORING ORG	ANIZATION	
The Analytic Sciences	(if applicable)				al Laboratories
Corporation			Laboratory		
6c. ADDRESS (City, State, and ZIP Code)		7b. ADDRESS (C	ty, State, and Zi	P Code)	
55 Walker's Brook Drive		Wright-Pa	atterson AF	B, OH 45	6433-6543
Reading, MA 01867				•	
8a. NAME OF FUNDING/SPONSORING	8b. OFFICE SYMBOL	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER F33615-85-C-1812			
ORGANIZATION	(If applicable)				
Ada Joint Program Office		F33615-85	-C-1812		
8c. ADDRESS (City, State, and ZIP Code)		10. SOURCE OF FUNDING NUMBERS			
Room 3E114 (1211 S. Fern St)		PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.	WORK UNIT ACCESSION NO.
The Pentagon		63226	2853	01	01
Washington, D.C. 20301-3080 11. TITLE (Include Security Classification)		03220	2033	01	01
E&V Reference Manual, Version	n 1.0 (U)				
12. PERSONAL AUTHOR(S)					
Crawford, Bard S., Clark, Pet 13a, TYPE OF REPORT 113b, TIME (ter, G.				DACE COUNT
	Jun 85 TOLS Mar 8	14. DATE OF REPO	ki (rear, monti	n, Day) 15.	PAGE COUNT 341
Interim Technical FROM 16. SUPPLEMENTARY NOTATION	<u> </u>	, 1900,	, 2		
A companion document titled	"E&V Guidebook" :	is scheduled	for releas	e in Sep	tember 1988.
	18. SUBJECT TERMS (Continue on reven	se if necessary a	nd identify l	by block number)
17. COSATI CODES	FIELD GROUP SUB-GROUP EVALUATION				
FIELD GROUP SUB-GROUP	EVALUATION				
	VALIDATION				
FIELD GROUP SUB-GROUP 09 02	VALIDATION	MING SUPPORT	ENVIRONMEN	ITS (APSE	(s)
FIELD GROUP SUB-GROUP 09 02 19. AB\$TRACT (Continue on reverse if necessary)	VALIDATION Ada PROGRAM y and identify by block n	umber)			
FIELD GROUP SUB-GROUP 09 02 19. ABSTRACT (Continue on reverse if necessary The Ada community, inclu	VALIDATION Ada PROGRAM y and identify by block n uding government	<i>umber)</i> , industry, a	and a ¢ ademi	lc persor	nnel, needs the
FIELD GROUP SUB-GROUP 09 02 19. ABSTRACT (Continue on reverse if necessary The Ada community, included apability to assess APSEs (A	VALIDATION Ada PROCRAM y and identify by block n uding government Ada Programming	<i>umber</i>) , industry, a Support Envi	and a c ademi ronments) a	ic person	nnel, needs the components
FIELD GROUP SUB-GROUP 09 02 19. ABSTRACT (Continue on reverse if necessary The Ada community, included a capability to assess APSEs (A and to determine their conformation)	VALIDATION Ada PROGRAMM y and identify by block n uding government Ada Programming S rmance to applica	<i>umber</i>) , industry, a Support Envi able standar	and a c ademi ronments) a ds (e.g., D	ic person and their OOD-STD-1	nnel, needs the components
FIELD GROUP SUB-GROUP 09 02 19. ABSTRACT (Continue on reverse if necessary The Ada community, included apability to assess APSEs (A	VALIDATION Ada PROGRAMM y and identify by block in uding government Ada Programming S rmance to applicate equired to fully quired by a sing	number) , industry, a Support Envir able standare satisfy this le governmen	and a d ademi ronments) a ds (e.g., D s need is e t-sponsored	ic person and their DOD-STD-lextensive i, profes	nnel, needs the components l838, the CAIS and largely ssional society-

task is to provide a focal point for addressing the need by:

- Identifying and defining specific technology requirements, (1)
- (2) Developing selected elements of the required technology,
- (3) Encouraging others to develop some elements, and
- Collecting information describing existing elements.

(See Reverse)	
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT UNCLASSIFIED/UNLIMITED X SAME AS RPT. DTIC USERS	21. ABSTRACT SECURITY CLASSIFICATION
	22b. TELEPHONE (Include Area Code) 22c. OFFICE SYMBOL (513)255-5648 AFWAL/AAAF-3

DD Form 1473, JUN 86

Previous editions are obsolete.

SECURITY CLASSIFICATION OF THIS PAGE

19. (Cont.)

This information will be made available to DoD components, other government agencies, industry and academia.

The purpose of the E&V Reference Manual (this document) is to provide information that will help users to:

- (1) Gain an overal understanding of APSEs and approaches to their assessment.
- (2) Find useful reference information (e.g., definitions) about specific elements and relationships between elements, and
- (3) Find criteria and metrics for assessing tools and APSEs, and techniques for performing such assessment.

The latter are to be found (or referenced) in a companion document called the E&V Guidebook.



Accesion For	1
NTIS CRASI DTIC TAB Ununnomiced Justification	
By Distriction/	
Avadatic ty Dist Availant Space	3101
A-I	

POSSESSE SERVICES CONTRACTOR DESCRIPTION OF PROPERTY O

EXECUTIVE SUMMARY

The Ada community, including government, industry, and academic personnel, needs the capability to assess APSEs (Ada Programming Support Environments) and their components and to determine their conformance to applicable standards (e.g., DoD-STD-1838, the CAIS standard). The technology required to fully satisfy this need is extensive and largely unavailable; it cannot be acquired by a single government-sponsored, professional society-sponsored, or private effort. The purpose of the APSE Evaluation and Validation (E&V) task is to provide a focal point for addressing the need by:

- (1) Identifying and defining specific technology requirements,
- (2) Developing selected elements of the required technology.
- (3) Encouraging others to develop some elements, and
- (4) Collecting information describing existing elements.

This information will be made available to DoD components, other government agencies, industry and academia.

The purpose of the E&V Reference Manual (this document) is to provide information that will help users to:

- (1) Gain an overall understanding of APSEs and approaches to their assessment,
- (2) Find useful reference information (e.g., definitions) about specific elements and relationships between elements, and
- (3) Find criteria and metrics for assessing tools and APSEs, and techniques for performing such assessment.

The latter are to be found (or referenced) in a companion document called the E&V Guidebook.

Chapter 4 and later chapters are "formal chapters" built around a standard format and formal grammar. Each of the formal chapters corresponds to one index of an overall E&V Classification Schema. The schema adopts a relational model of the subject and process of E&V. This model will allow the user to arrive at E&V techniques through many different paths, and provides a means to extract useful information along the way. Keywords: ADA Programming Language: Computer Program Documentation (jhd)

Yearly updates and extensions to this manual are planned. Therefore, comments and suggestions are welcome. Please send comments electronically (preferred) to szymansk@ajpo.sei.cmu.edu or by regular mail to Mr. Raymond Szymanski, AFWAL/AAAF, Wright Patterson AFB, OH 45433-6543.

TABLE OF CONTENTS

		Page
EXECUTIVE SUM	MMARY	ES-1
List of Figures		xii
List of Tables		xiv
1. INTRODI 1.1 1.2 1.3 1.4	JCTION Purpose of the Manual Users of the Manual Background Organization of the Manual	1-1 1-1 1-2 1-4 1-6
2. USE OF 2.1 2.2 2.3 2.4 2.5	THE REFERENCE SYSTEM System Organization Description: Direct Reference Cross Reference Guidebook Reference Reference Framework	2-1 2-2 2-5 2-6 2-7 2-10
3. WHOLE 3.1 3.2	APSE ISSUES APSE Definitions and Alternative Names Views of an APSE 3.2.1 APSE Viewed as a Collection of Tools 3.2.2 APSE Viewed as a Methodology-Support System 3.2.3 APSE Viewed as an Information Management System 3.2.4 APSE Viewed as a User-Oriented, Interactive System 3.2.5 APSE Viewed as a Knowledge-Based Expert System 3.2.6 APSE Viewed as a Stable Framework	3-1 3-1 3-3 3-3 3-4 3-4 3-5 3-5 3-6
3.3	Key Attributes of Whole APSEs 3.3.1 Performance Attributes 3.3.2 Design Attributes 3.3.3 Adaptation Attributes	3-6 3-7 3-9 3-9
3.4	Approaches to Whole-APSE E&V 3.4.1 Benchmarks and Test Suites 3.4.2 Questionnaires 3.4.3 Monitored Experiments 3.4.4 Decision Aids	3-10 3-10 3-11 3-12 3-12
4. LIFE CY 4.1	CLE PHASES System Concepts 4.1.1 Management	4-1 4-3 4-3

88

D

8

100 m

8

No.

10

28

N

NO.

8

X

688

110

			Page
	4.1.3	Analysis	4-5
	4.1.4	Operation and Support	4-6
4.2		Requirements Analysis	4-7
7.4	4.2.1	Management	4-7
	4.2.2	Transformation	4-8
	4.2.3	Analysis	 4-9
	4.2.4	Operation and Support	4-10
4.3	Software	Requirements Analysis	4-11
4.0	4.3.1	Management	4-11
	4.3.2	Transformation	4-12
	4.3.3	Analysis	4-13
	4.3.4	Operation and Support	4-14
4.4		ary Design	4-15
7.7	4.4.1	Management	4-15
	4.4.2	Transformation	4-16
	4.4.3	Analysis	4-17
	4.4.4	Operation and Support	4-18
4.5	Detailed	Design	4-19
4.5	4.5.1	Management	4-19
	4.5.2	Transformation	4-20
	4.5.3	Analysis	4-21
	4.5.4	Operation and Support	4-22
4.6		and Unit Testing	4-23
,	4.6.1	Management	4-23
	4.6.2	Transformation	4-24
	4.6.3	Analysis	4-25
	4.6.4	Operation and Support	4-26
4.7		egration and Testing	4-27
	4.7.1	Management	4-27
	4.7.2	Transformation	4-28
	4.7.3	Analysis	4-29
	4.7.4	Operation and Support	4-30
4.8	CSCI Te		4-31
	4.8.1	Management	4-31
	4.8.2	Transformation	4-32
	4.8.3	Analysis	4-33
	4.8.4	Operation and Support	4-34
4.9		Integration and Testing	4-35
	4.9.1	Management	4-35
	4.9.2	Transformation	4-36
	4.9.3	Analysis	4-37
	4.9.4	Operation and Support	4-38
4.10		nal Testing and Evaluation	4-39
	4.10.1	Management	4-39
	4.10.2	Transformation	4-40
	4 10 3	Analysis	4-41

COCCO MORRORIA DESCRIPCIÓN DESCRIPCIÓN DESCRIPCIÓN DE COCCO

			Page
	4.11	4.10.4 Operation and Support Change Requirements 4.11.1 Management 4.11.2 Transformation 4.11.3 Analysis	4-42 4-43 4-43 4-44
	4.12	4.11.4 Operation and Support Global 4.12.1 Management 4.12.2 Transformation 4.12.3 Analysis 4.12.4 Operation And Support	4-46 4-47 4-47 4-48 4-49 4-50
5.	APSE 5.1	TOOL CATEGORIES Computer Management System 5.1.1 Command Language Processor 5.1.2 Archive, Backup, and Retrieval System 5.1.3 Security System 5.1.4 Job Scheduler 5.1.5 Resource Controller 5.1.6 File Manager 5.1.7 Import/Export System 5.1.8 On-Line Assistance Processor 5.1.9 Data Base Manager	5-1 5-3 5-3 5-3 5-4 5-4 5-4 5-4 5-5
	5.2	Project Management System 5.2.1 Cost Estimator 5.2.2 Quality Analyzer 5.2.3 Scheduler 5.2.4 Work Breakdown Structure 5.2.5 Resource Estimator 5.2.6 Tracking 5.2.7 Configuration Manager 5.2.8 Problem Report Analyzer	5-6 5-6 5-6 5-7 5-7 5-7 5-7 5-8
	5.3	5.2.9 Change Request Analyzer Compilation System 5.3.1 Program Library Manager 5.3.2 Syntax-Directed Editor 5.3.3 Compiler 5.3.4 Assembler 5.3.5 Linker 5.3.6 Loader 5.3.7 Interpreter 5.3.8 Runtime Library	5-8 5-9 5-9 5-9 5-10 5-10 5-10 5-11
	5.4	Document System 5.4.1 Document Manager 5.4.2 Word Processor	5-12 5-12 5-12

8

3

N N

180

8

T.

288

N

Ø

2000

			<u>Page</u>
	5.4.4	Graphics Generator	5–13
	5.4.5	Formatter	5–13
5.5	Desktop :		5–14
	5.5.1	Spreadsheet	5–14
	5.5.2	Calculator	5–14
	5.5.3	Address Book	5–14
	5.5.4	Electronic Mail	5–15
	5.5.5	Phone Book	5–15
	5.5.6	Electronic Conferencing	5-15
	5.5.7	Calendar	5–15
	5.5.8	Dictionary	5–16
5.6	Static An	alyzer System	5-17
	5.6.1	Comparator	5–17
	5.6.2	Data Flow Analyzer	5–17
	5.6.3	Functional Analyzer	5–17
	5.6.4	Interface Analyzer	5-18
	5.6.5	Traceability Analyzer	5–18
	5.6.6	Testability Analyzer	5–18
	5.6.7	Test Condition Analyzer	5–18
	5.6.8	Quality Analyzer	5–19
	5.6.9	Complexity Measurer	5-19
	5.6.10	Correctness Checker	5–19
	5.6.11	Completeness Checker	5-19
	5.6.12	Consistency Checker	5-20
	5.6.13	Reusability Analyzer	5-20
	5.6.14	Syntax And Semantics Checker	5-20
	5.6.15	Reachability Analyzer	5-20
	5.6.16	Cross Referencer	5-21
	5.6.17	Maintainability Analyzer	5-21
	5.6.18	Invocation Analyzer	5-21
	5.6.19	Scanner	5-21
	5.6.20	Structured Walkthrough Tool	5-22
	5.6.21	Auditor	5-22
	5.6.22	Error Checker	5-22
	5.6.23	Statistical Analyzer	5-22
	5.6.24	Statistical Profiler	5-23
	5.6.25	Structure Checker	5-23
	5.6.26	Type Analyzer	5-23
	5.6.27	Units Analyzer	5-23
	5.6.28	I/O Specification Analyzer	5-24
	5.6.29	Sizing Analyzer	5-24
5.7		Analyzer System	5-25
	5.7.1	Requirements Simulator	5-25
	5.7.2	Requirements Prototype	5-25
	5.7.3	Simulation and Modelling Tools	5-25
	574	Design Prototype	5-26

CONTRACTOR | PROSPER | PRO

				<u>Page</u>
		5.7.5	Debugger	5-26
		5.7.6	Executable Assertion Checker	5-26
		5.7.7	Constraint Evaluator	5-26
		5.7.8	Coverage/Frequency Analyzer	5-27
		5.7.9	Mutation Analyzer	5-27
		5.7.10	Testing Analyzer	5-27
		5.7.11	Regression Testing Analyzer	5-27
		5.7.12	Resource Utilization Analyzer	5-28
		5.7.13	Emulator	5-28
		5.7.14	Timing Analyzer	5-28
		5.7.15	Tuning Analyzer	5-28
		5.7.16	Reliability Analyzer	5-29
		5.7.17	Real Time Analyzer	. 5-29
		5.7.18	Formal Verification System	5-29
		5.7.19	Symbolic Execution System	5-29
6.	ATTRI	BUTES		6-1
	6.1	Performa		6-10
		6.1.1	Efficiency	6-11
		6.1.2	Integrity	6–12
		6.1.3	Reliability	6-13
		6.1.4	Survivability	6-14
		6.1.5	Usability	6-15
	6.2	Design		6-16
		6.2.1	Correctness	6–17
		6.2.2	Maintainability	6–18
		6.2.3	Verifiability, Testability	6–19
	6.3	Adaptati		6-20
		6.3.1	Expandability, Flexibility	6-21
		6.3.2	Interoperability	6-22
		6.3.3	Reusability	6-23
		6.3.4	Transportability	6-24
	6.4		e-Oriented Criteria	6-25
		6.4.1	Accuracy	6-25
		6.4.2	Anomaly Management, Fault or Error Tolerance, Robustness	6–26
		6.4.3	Application Independence	6-27
		6.4.4	Augmentability	6-28
		6.4.5	Autonomy	6-29
		6.4.6	Capacity	6-30
		6.4.7	Commonality (Data and Communication)	6-31
		6.4.8	Communication Effectiveness	6-32
		6.4.9	Completeness	6-33
		6.4.10	Consistency	6-34

20

Z,

888

8

200

B

0.3

a a

88

183

333

K.

8

				Page
		.11	Cost	6-35
		.12	Distributedness	6-36
	6.4	.13	Document Accessibility	6–37
	6.4	.14	Functional Overlap	6-38
	6.4	.15	Functional Scope	6-39
	6.4	.16	Generality	6-40
	6.4	.17	Granularity	6-41
	6.4	.18	Maturity	6-42
	6.4	.19	Modularity	6-43
	6.4	.20	Operability, Communicativeness	6-44
	6.4	.21	Power	6-45
	6.4	.22	Processing (Execution) Effectiveness	6-47
	6.4	.23	Proprietary Rights	6-48
	6.4	.24	Reconfigurability	6-49
		.25	Rehostability	6-50
		.26	Required Configuration	6-51
		.27	Retargetability	6-52
		.28	Self-Descriptiveness	6-53
		.29	Simplicity	6-54
		.30	Software Production Vehicle(s)	6-55
		.31	Storage Effectiveness	6-56
		.32	System Accessibility	6-57
		.33	System Clarity	6-58
		.34	System Compatibility	6-59
		.35	Traceability .	6-60
		.36	Training	6-61
		.37	Virtuality	6-62
		.38	Visibility. Test Availability	6-63
7.	FUNCTIONS	6		7-1
			mation	7-3
	7.1		Editing	7-4
			7.1.1.1 Text	7-5
			7.1.1.2 Data	7-6
			7.1.1.3 Graphics	7-7
	7.1	.2	Formatting	7-8
			7.1.2.1 MIL-STD Format	7-9
			7.1.2.2 Table Of Contents	7-10
			7.1.2.3 Predefined and User-Defined Forms	7-11
	7.1	.3	On-Line Assistance Processing	7-12
		.4	Sort/Merge	7-13
	7.1		Graphics Generation	7-14
	7.1		Translation	7-15
			7.1.6.1 Systems Requirements	7-16
			7.1.6.2 Software Requirements	7-17

THE REPORT OF THE PROPERTY OF

				Page
		7.1.6.3 Requirements	s To Natural Language	7-18
		7.1.6.4 Preliminary D	esign	7-19
		7.1.6.5 Detailed Des	ign	7-20
		7.1.6.6 Assembling		7-21
		7.1.6.7 Compilation		7-22
		7.1.6.8 Conversion		7-23
		7.1.6.9 Macro Expan		7-24
		7.1.6.10 Structure Pre		7-25
		7.1.6.11 Body Stub G		7-26
		7.1.6.12 Preamble Ge		7-27
		7.1.6.13 Linking/Load		7-28
		7.1.6.14 Interpretation		7-29
	7.1.7	Synthesis		7-30
		7.1.7.1 Design Gene	ration	7-31
		7.1.7.2 Requirement	s Reconstruction	7-32
		7.1.7.3 Program Gei	reration	7-33
		7.1.7.4 Source Reco	instruction	7-34
		7.1.7.5 Decompilation	n	7-35
		7.1.7.6 Disassemblin	9	7-36
7.2	Manage			7-37
	7.2.1			7-38
		7.2.1.1 Data Base (7-39
		7.2.1.2 Documentation		7-40 7-41
		7.2.1.3 File Manager		7-41
		7.2.1.4 Electronic M	all Opforopoing	7-43
		7.2.1.5 Electronic Of	Management	7-43 7-44
		7.2.1.5 Electronic Co 7.2.1.6 Specification 7.2.1.7 Program Libi 7.2.1.8 Test Data M 7.2.1.9 Evaluation R	ran Management	7-45
		7.2.1.7 Flogram Library	any Management	7-46
		7.2.1.0 Test Data W	anayement	7-47
		7.2.1.10 Performance	Monitoring	7-48
	7.2.2	Project Management	Worldoning	7-49
	,	7.2.2.1 Cost Estimat	ion	7-50
		7.2.2.2 Quality Spec		7-51
		7.2.2.3 Scheduling	incation	7-52
		7.2.2.4 Work Break	lown Structure	7-53
		7.2.2.5 Resource Es		7-54
		7.2.2.6 Tracking		7-55
		7.2.2.7 Configuration	Management	7-56
		7.2.2.8 Quality Asse		7-57
	7.2.3	Computer System Ma		7-58
			anguage Processing	7-59
		7.2.3.2 Input/Output		7-60
		7.2.3.3 Kernel		7-61
		7.2.3.4 Math/Statistic	cs	7-62
		7235 Runtime Env		7 62

8

8

8

N.

			<u>Page</u>
		7.2.3.6 Import/Export	7-64
7.3	Analysis		7-65
	7.3.1	Static Analysis	7-66
		7.3.1.1 Comparison	7–67
		7.3.1.2 Spelling Checking	7–68
		7.3.1.3 Data Flow Analysis	7–69
		7.3.1.4 Functional Analysis	7-70
	•	7.3.1.5 Interface Analysis	7-71
		7.3.1.2 Spelling Checking 7.3.1.3 Data Flow Analysis 7.3.1.4 Functional Analysis 7.3.1.5 Interface Analysis 7.3.1.6 Traceability Analysis 7.3.1.7 Testability Analysis 7.3.1.8 Test Condition Analysis 7.3.1.8 Openity Analysis	7-72
		7.3.1.7 Testability Analysis	7-73
		7.3.1.8 Test Condition Analysis	7-74
		7.3.1.9 Quality Analysis	7-75
		7.3.1.10 Complexity Measurement	7-76
		7.3.1.11 Correctness Checking	7-77
		7.3.1.12 Completeness Checking	7-78
		7.3.1.13 Consistency Checking	7-79
		7.3.1.14 Reusability Analysis	7-80
		7.3.1.15 Syntax And Semantics Checking	7-81
		7.3.1.16 Reachability Analysis	7-82
		7.3.1.17 Cross Reference	7-83
		7.3.1.18 Maintainability Analysis	7-84
		7.3.1.19 Invocation Analysis	7-85
		7.3.1.20 Scanning	7-86
		7.3.1.21 Structured Walkthrough	7–87
		7.3.1.22 Auditing	7-88
		7.3.1.23 Error Checking	7-89
		7.3.1.24 Statistical Analysis	7-90
		7.3.1.25 Statistical Profiling	7-91
		7.3.1.26 Structure Checking	7-92
		7.3.1.27 Type Analysis	7-93
		7.3.1.28 Units Analysis	7-94
		7.3.1.29 I/O Specification Analysis	7-95
		7.3.1.30 Sizing Analysis	7-96
	7.3.2	Dynamic Analysis	7-97
		7.3.2.1 Requirements Simulation	7-98
		7.3.2.2 Requirements Prototyping	7-99
		7.3.2.3 Simulation And Modeling	7-100
		7.3.2.4 Design Prototyping	7–101
		7.3.2.5 Debugging	7-102
		7.3.2.6 Executable Assertion Checking	7-103
		7.3.2.7 Constraint Evaluation (Contention)	7-104
		7.3.2.8 Coverage/Frequency Analysis	7-105
		7.3.2.9 Mutation Analysis	7-106
		7.3.2.10 Testing	7-107
		7.3.2.11 Regression Testing	7-108
		7.3.2.12 Resource Utilization	7-109

		Page	2
	7.3.2.13 Emulation 7.3.2.14 Timing 7.3.2.15 Tuning 7.3.2.16 Reliability Analysis 7.3.2.17 Real Time Analysis 7.3.3 Formal Verification 7.3.4 Symbolic Execution 7.3.5 Problem Report Analysis 7.3.6 Change Request Analysis 7.3.6.1 Change Impact Analysis	is 7-11 7-11 7-11 7-11 7-11	12345678
APPENDIX A	CITATIONS	A-1	
APPENDIX B	GLOSSARY	B-1	
B. 1	Acronyms and Abbreviations	B-1	
APPENDIX C	FORMAL GRAMMAR	C-1	
C.1 C.2 C.3	Formal References Indexes Formal Chapters C.3.1 Chapter Components C.3.2 Chapter Entries C.3.3 Formal Chapter Ordering	C-1 C-2 C-2 C-2 C-4 C-4	
C.4 C.5	Table of Contents Citations	C-5 C-5	
INDEX		index	(–

8

LIST OF FIGURES

Figure		<u>Page</u>
1.1-1	Uses of the Reference System	1-2
1.1-2	Examples of Reference Manual Information	1–3
1.1-3	Examples of Guidebook Information	1-3
2.1-1	Reference Manual Organization	2-3
2.1-2	Reference Material Indexes	2-3
2.1-3	Text Frames	2-4
2.2-1	Sample Attributes Index Frame	2-5
2.2-2	Example of Direct Reference: User A	2-6
2.3-1	Sample Life Cycle Phase Index Frame	2-7
2.3-2	Example of Cross Reference: User B	2-8
2.4-1	Sample Functions Index Frame	2-9
2.4-2	Example of Guidebook Reference: Use C	2-9
2.5-1	The Schema as Framework for the Reference Manual	2-10
4-1	Life Cycle Phase Relationships	4–2
5-1	Tool Belationships	5-1

LIST OF FIGURES (Continued)

<u>Figure</u>		Page
6–1	Attribute Relationships	6-9
7-1	Function Relationships	. 7-2

LIST OF TABLES

Table		Page
1.2-1	Reference Manual Users	1-4
2.5-1	E&V Categories	2-12
6-1	Top Level Attribute Hierarchy	6-2
6-2	Complete Attribute Hierarchy	6-3
6-3	Examples of Application/Environment Characteristics and Related Software Quality Factors	6-5
6-4	Complementary Software Quality Factors	6-6
6-5	Beneficial and Adverse Effects of Criteria on Software Quality Factors	6-8

88

8

XX

30

INTRODUCTION

1.1 PURPOSE OF THE MANUAL

1.

This document is a product of the Ada Programming Support Environment (APSE) Evaluation and Validation (E&V) Task sponsored by the Ada Joint Program Office. It is one of a pair of companion documents known as the E&V Reference System, consisting of:

- E&V Reference Manual
- E&V Guidebook.

The purpose of the Reference Manual is to provide a collection of information to support a variety of users. The collection is organized in accordance with a Classification Schema described in Chapter 2. It should help users to:

- Gain an overall understanding of APSEs and approaches to the assessment of APSE performance, quality and conformance to applicable standards.
- Find useful reference information, such as definitions of specific elements of the Classification Schema, and relationships between elements.
- Find criteria and metrics for assessing specific components, combinations of components and "whole APSEs," and locate relevant E&V techniques.

The Reference Manual includes many "pointers" to sections in the Guidebook and other documents which describe E&V techniques. Figure 1.1–1 illustrates the relationship between the Reference Manual and the Guidebook. Figures 1.1–2 and 1.1–3 illustrate the types of information to be extracted from each document. Chapter 2 provides a more detailed description of the structure and uses of the Reference System.




Figure 1.1–1 Uses of the Reference System

1.2 USERS OF THE MANUAL

Classes of people who are expected to be users of this manual are listed in Table 1.2-1. They are described in terms of their relationships to deliverable software, tools, APSEs, and APSE E&V technology. They may be associated with Government, industry, or academia. The table was adapted from material in the report of the E&V Workshop [@ E&V Workshop 1984].*

The format used for references is associated with the "formal grammar" used beginning with Chapter 4. See further explanations in Chapter 2 and Appendix C.




Figure 1.1-2 Examples of Reference Manual Information




Figure 1.1-3 Examples of Guidebook Information

While the manual is designed to be of use to people of all the classes listed, the <u>primary users are expected to be the APSE/tool users and the E&V technology users</u>. These are people with highly technical backgrounds and technical/managerial interests in evaluating and selecting tools and APSEs. This expectation has strongly influenced the structure and style of the manual. The primary users are likely to consult both the Reference Manual and the Guidebook. Many of the other classes of users listed in Table 1.2–1 are likely to consult the Reference Manual only.

N

TABLE 1.2-1
REFERENCE MANUAL USERS

CLASS	DESCRIPTION
Software Acquisition Personnel	Government program officers and commercial program managers who let contracts for software development
APSE/Tool Users	Project managers, librarlans, system engineers, software engineers
APSE/Tool Builders	Environment/tool designers, implementers, managers, marketing personnel
E&V Technology Users	Government, commercial and university personnel applying E&V technology
E&V Technology Builders	Anyone developing E&V assessment techniques (E&V Task contractors, etc)
Investors	Anyone funding development or use of 2&V technology (Congress, AJPO, corporations, etc.

1.3 BACKGROUND

In June 1983 the Ada Joint Program Office (AJPO) proposed the formation of the E&V Task and a tri-service E&V Team, with the Air Force designated as lead

service. In October 1983 the Air Force officially accepted responsibility as lead service and designated the Air Force Wright Aeronautical Laboratories (AFWAL) at Wright Patterson Air Force Base as lead organization. In April 1984 an E&V Workshop was held at Airlie, Virginia. The purpose of the workshop was to solicit participation of industry representatives in the E&V Task. Many of the participants in the workshop have chosen to remain involved as Distinguished Reviewers, and additional industry participants have subsequently become involved in E&V Team activities.

The E&V Team publishes an annual public report. The following paragraph is quoted from the 1987 version [@E&V Report 1987] of the report:

"The Ada community, including government, industry, and academic personnel, needs the capability to assess APSEs (Ada Programming Support Environments) and components and to determine their conformance to applicable standards (e.g., DoD-STD-1838, the CAIS standard). The technology required to fully satisfy this need is extensive and largely unavailable; it cannot be acquired by a single government-sponsored, professional society-sponsored, or private effort. The purpose of the APSE Evaluation and Validation (E&V) task is to provide a focal point for addressing the need by (1) identifying and defining specific technology requirements, (2) developing selected elements of the required technology, (3) encouraging others to develop some elements, and (4) collecting information describing existing elements. This information will be made available to DoD components, other government agencies, industry, and academia."

The team public reports contain much additional information for the interested reader. Three competitive contracts have been awarded under the E&V task. These are:

- Technical Support contract awarded June 1985
- Ada Compiler Evaluation Capability (ACEC) contract awarded February 1987
- CAIS Implementation Validation Capability (CIVC) contract awarded May 1987.

The major purpose of the first of these contracts is to create and update elements of the E&V Reference System, including this manual. The purpose of the

second and third contracts is to create two specific elements (ACEC and CIVC) of the needed E&V technology.

10

1.4 ORGANIZATION OF THE MANUAL

<u>Chapter 2</u> discusses the structure of the E&V Reference System (Reference Manual plus Guidebook) and the Classification Schema upon which that structure is based. Specific directions as to how to use the manual are also included.

<u>Chapter 3</u> provides a general discussion of "whole APSE" issues, in which an APSE is viewed as more than the sum of its parts. Key whole-APSE attributes are discussed along with general approaches to whole-APSE assessment.

<u>Chapter 4 and subsequent chapters</u> are "formal chapters" built around a standard format and formal grammar. Each of the formal chapters corresponds to one index of the Classification Schema. The structure and use of these chapters are the focus of the material found in Chapter 2.

The <u>appendices</u> include a description of the formal grammar, a glossary of acronyms and abbreviations, a document citation list, and a composite index.

2. USE OF THE REFERENCE SYSTEM

This chapter provides a step-by-step explanation of how to use the E&V Reference System and the Classification Schema upon which the system is based. Section 2.1 describes the organization of the material. Sections 2.2, 2.3, and 2.4 contain illustrations of uses of the system, presented in increasing levels of sophistication. Section 2.5 provides a global, conceptual view of the system framework. User A (Section 2.2) consults an index of the Reference Manual to find the description of a term that is an element of that index. User B (Section 2.3) consults an index to find an element and several cross references to related elements in another index. User C (Section 2.4) consults a combination of indexes to find references to sections in the Guidebook, which contain explanations of relevant Evaluation or Validation techniques. Brief definitions of several key words and expressions follow:

E&V - Evaluation and Validation

Evaluation - Assessing performance and quality

Validation - Assessing conformance to a standard

E&V Reference System - Two documents:

the E&V Reference Manual and the E&V Guidebook

E&V Classification Schema - A set of indexes that provide a

framework for the E&V Reference

Manual.

The schema was initially described in an earlier "E&V Classification Schema Report" [@E&V Classification], which was used as the starting point for the schema defined in this manual. Subsequent changes in the schema will be updated in future versions of this manual; the schema report will not be updated.


ያሄን እኔ የጀመር እና የመመር የመውር የመውር የመመር የመር የመር የሚያ እንደ የሚያ የመር የመር የመር የመር ለመስፈትር የመር የመር የመር የመር የመር የመር የመር የመር

2.1 SYSTEM ORGANIZATION

The entire reference system can be viewed as a structure of multiple indexes. For example, there is a function index and a life cycle phase index, among others. The structure is analogous to the card catalog system in a public library, with its author index, title index, and subject index. To use the card catalog in the library, you must first locate the card that corresponds to the author, title, or subject in which you are interested. Similarly, to use the Reference Manual, you first find the element(s) in which you are interested. The way to do this is to begin by looking at the Table of Contents or the Index at the back of the manual to locate the element(s) in the "formal chapters." The names of the indexes that are formal chapters within the Reference Manual are:

- Life Cycle Phases (Chapter 4)
- APSE Tool Categories (Chapter 5)
- Attributes (Chapter 6)
- Functions (Chapter 7).

Figures 2.1-1, 2.1-2, and 2.1-3 provide a pictorial view of the organization of the Reference Manual, particularly the structure of the reference material contained in the "middle section." The chapters of this middle section are organized in a consistent, formal manner, using a formal grammar (described in Appendix C). A typical chapter corresponds to one index of the schema. A typical index is organized as a hierarchical structure of elements. For every element there is a "text frame" that has (in general) three parts as shown in Fig. 2.1-3. The text frames are built using the formal grammar. (Details of the formal grammar need not concern the user. It was employed because of the possibility of a future on-line, electronic version of the system, supported by advanced updating and information retrieval techniques.)



index of the Classification Schema. These chapters are organized in a consistent, formal manner.




Figure 2.1-2 Reference Material Indexes




Figure 2.1-3 Text Frames

2.2 DESCRIPTION: DIRECT REFERENCE

Our first example of the use of the Reference Manual is "User A" who consults the Attributes Index to find the description of the term "Storage Effectiveness." Figure 2.2-1 is a copy of Section (or Text Frame) 6.4.31. User A may find this frame, for example, by browsing through the Table of Contents or by looking up the term "Storage Effectiveness" in the main Index at the back of the manual. Note that the text frame contains Cross References and Guidebook References as well, but this need not concern User A, who simply seeks a description. The User A scenario is pictorially represented in Fig. 2.2-2, where the boxes are analogous to cabinets in a library card catalog system.

6.4.31 Storage Effectiveness

Description:

Those characteristics of the software which provide for minimum utilization of storage resources in performing functions. [@RADC 1985] The choice between alternative source code constructions based on those taking the minimum number of words of object code or in which the information-packing . . . is high. [@DACS 1979]

Cross References:

Software Quality Factors:	
[Efficiency	6.1.1

Beneficial Quality Factors:

Adverse Quality Factors:	
[Maintainability	6.2.2,
Verifiability, Testability	6.2.3,
Transportability	6.3.4]

Guidebook References:

[Compilation	7.1.6.7, @GB: IDA Benchmarks	6.1;
Compilation	7.1.6.7, @GB: ACEC	6.2]

Figure 2.2-1 Sample Attributes Index Frame




Figure 2.2-2 Example of Direct Reference: User A

2.3 CROSS REFERENCE

Our second example of use of the Reference Manual is "User B" who would like to know the names and descriptions of functions associated with a particular life cycle phase. User B first consults the Life Cycle Phases Index, Chapter 4, which outlines the various activities performed under the DoD-STD-2167 model [@DoD-STD-2167] for project development. Chapter 4 relates the life cycle phases to the functions typically found within an APSE and the deliverables that are produced in each of the phases. A sample Life Cycle Phases Index Frame is shown in Fig. 2.3-1. This frame represents the sixth phase [4.6 Coding and Unit Testing] and the second group of activities [4.6.2 Transformation] covered in each phase. The Software Development File is the deliverable for this group of activities. User B finds 16 functions that might be performed during this activity listed in the text frame. In each case another text frame is cross referenced in Chapter 7, the Functions Index, where more information about this function is found. The User B scenario is pictorially represented in Fig. 2.3-2.

4.6.2 <u>Transformation</u>	
Cross References:	
Deliverables:	(005)
(Software Development File	(SDF)]
Functions:	
[Text Editing	7.1.1.1,
Predefined and User-Defined Forms	7.1.2.3,
Assembling	7.1.6.6,
Compilation	7.1.6.7,
Conversion	7.1.6.8,
Macro Expansion	7.1.9.9,
Structure Preprocessing	7.1.6.10,
Body Stub Generation	7.1.6.11,
Preamble Generation	7.1.6.12,
Linking/Loading	7.1.6.13,
Interpretation	7.1.6.14,
Requirements Reconstruction	7.1.7.2,
Program Generation	7.1.7.3,
Source Reconstruction	7.1.7.4,
Decompilation	7.1.7.5,
Disassembling	7,1.7.6]

Figure 2.3-1 Sample Life Cycle Phase Index Frame

2.4 GUIDEBOOK REFERENCE

Our third example of use of the Reference Manual is "User C" who would like to look up a function, learn what attributes are associated with it, and find evaluation techniques relevant to particular function-attribute pairs. User C first consults the Function Index, Chapter 7. A sample Function Index Frame [7.1.6.7 Compilation] is shown in Fig. 2.4-1. Functions are related to life cycle phases and tools. In the example, the function, Compilation, is related to three life cycle phases: Coding and Unit Testing, CSC Integration and Testing, and CSCI Testing. The user of the manual can refer to Chapter 4 to find more information about these phases. The Compiler is the tool that performs the function Compilation. Information about compilers can be found in Chapter 5. User C is interested in evaluation of the




Figure 2.3-2 Example of Cross Reference: User B

W

B

KA

compilation function with respect to various attributes. For example, the function-attribute pair Compilation-Processing Effectiveness is represented by the fourth and fifth items under Guidebook References in this text frame. This pair points to sections in the Guidebook called IDA Benchmarks and ACEC which provide additional information on these two E&V techniques. A user of the Reference Manual can find references to these two techniques in the Attribute Index or the Function Index. The User C scenario is pictorially represented in Fig. 2.4-2.

7.1.6.7 Compilation		
Description:		
Translating a computer program exinto object code. [@Kean 1985]	expressed in a procedural or problem-oriente	ed language
Cross References:		
Life Cycle Phases: [Coding And Unit Testing CSC Integration And Testing CSCI Testing	4.6.2, 4.7.2, 4.8.2]	
Tools: [Compiler	5.3.3]	
Guidebook References:		
[Capacity Completeness Power Processing Effectiveness Processing Effectiveness Storage Effectiveness Storage Effectiveness	6.4.6, @GB: IDA Benchmarks 6.4.9, @GB: ACVC 6.4.21, @GB: Compilation Checklist 6.4.22, @GB: IDA Benchmarks 6.4.22, @GB: ACEC 6.4.31, @GB: IDA Benchmarks 6.4.31, @GB: ACEC	6.1; 8.1; 5.1.3; 6.1; 6.2; 6.1; 6.2]

Figure 2.4-1 Sample Functions Index Frame




Figure 2.4-2 Example of Guidebook Reference: User C

2.5 REFERENCE FRAMEWORK

Figure 2.5-1 depicts the Classification Schema as an internal framework for the Reference Manual. The schema provides paths, within and between indexes, that users can follow to extract information directly or to find sections in the Guidebook that describe elements of E&V technology. The figure also indicates the direct relationships, that is, types of cross references and Guidebook references featured in the Reference Manual.

200 CONTROL DOMESTICAL DOMESTICAL DOMESTICAL DESCRIPTION OF THE PERSON O

X

K

A

00




Figure 2.5-1 The Schema as Framework for the Reference Manual

The Function Index is seen to be directly related to all of the other indexes. Thus, it is drawn in a central position in the diagram, indicating a kind of central importance. Attributes, also, play a central role in the overall E&V process, in two ways. First, many assessment objectives are defined in terms of function-attribute pairs, such as compilation-efficiency and editing-power. Second, other attributes (those not "pairing-up" with functions) represent factors or criteria by which APSEs or APSE components are assessed, independent of the functions performed. Examples of the latter are: maintainability, interoperability, maturity, and cost.

Besides the direct relationships indicated in Fig. 2.5-1, indirect relationships can also be useful and are constructed by combining two or more direct relationships. For example, since phases and functions are related and functions and tools are related, it is possible to determine the relationships between phases and tools. It should be noted that not all such constructions will be useful. Such a useless relationship might be life cycle phases and attributes related via function.

The conceptual structure pictured in Fig. 2.5-1 has an open-ended quality in several ways. First, there is no fixed number of indexes; more can be added as desired. As each new index is added a new section of the Reference Manual can be added, providing appropriate definitions and cross-references to other indexes. The new index would be represented by an additional block along the "main diagonal." Second, each individual index may have elements added to it as new understanding of the various aspects of APSEs and the E&V process is gained. The process of modifying the structure of an individual index in this way would take place within the boxes. Finally, the off-diagonal space, above and below the main diagonal, represents the notion that any two-way relationship may be included in the system. Thus, any section may be referenced by other sections, and any section may reference other sections. Also, any two indexes may be involved in a relationship of the type that defines an E&V objective or points to an E&V technique in the Guidebook. Although many of the potential combinations are not expected to be useful or relevant to E&V purposes, the structure permits the consideration of all possibilities.

The procedures described in the Guidebook are organized into chapters by the E&V Category of the procedure. The E&V Categories are described in Table 2.5-1. The two factors which determine what category is appropriate are

TABLE 2.5-1 E&V CATEGORIES

CATEGORY/ GUIDEBOOK CHAPTER	BASIS FOR ASSESSMENT	MECHANISM	CHARACTERIZATION
A/Chapter 5	Qualitative Judgment	Informal (e.g., Questionnaire)	Subjective Evaluation
B/Chapter 6	Metric	Test Suite	Objective Evaluation
C/Chapter 7	Conformance to a Standard	Informal	Intermediate
D/Chapter 8	Conformance to a Standard	Test Suite	Validation
E/Chapter 9	Conformance to a Standard	Purely Formal Test Suite	Formal Validation

whether a standard exists with which to measure the attribute and what the mechanism is to measure the degree to which the APSE or APSE component possesses the attribute. The categories assigned to a function-attribute pair or functionally independent attribute may change as E&V standards are identified or new techniques are developed where none previously existed. For that reason, techniques for a given attribute or function-attribute pair may span several E&V Categories. Category A through E techniques are found in Chapters 5 through 9 of the Guidebook, respectively.

70

WHOLE APSE ISSUES

3.

This chapter is intended as a starting place for those interested in selecting or assessing an APSE considered as a "whole entity" that is "more than the sum of its parts." The chapter, therefore, cannot be organized in the index/text frame style of other chapters in this manual, because that style fits the view of an APSE as a collection of components or functions that can be evaluated one at a time and "added up." Here we take the opposite view — that the APSE is a total system which serves a project team across an entire software development life cycle — and that it should be evaluated in terms of overall project goals and team productivity, rather than in terms of individual atomic functions.

Although the technology of "whole APSE assessment" is (at this writing) very immature, there are many helpful materials in the open literature. This chapter may be considered a guide to that literature. It is organized to address the following types of questions:

What is an APSE?

How can whole APSEs be viewed?

What are the key whole APSE attributes?

How can whole APSEs be assessed?

Where can relevant information be found?

The first four questions are addressed in Sections 3.1 through 3.4, respectively. Various references to other sections of the E&V Reference Manual (RM), the E&V Guidebook (GB), and open-literature sources are distributed throughout the chapter.

3.1 APSE DEFINITIONS AND ALTERNATIVE NAMES

The acronym APSE stands for "Ada Programming Support Environment." The term "Programming Support Environment" is defined in the "IEEE Standard Glossary of Software Engineering Terminology" [@IEEE 1983] as

"An integrated collection of tools accessed via a single command language to provide programming support capabilities throughout the software life-cycle. The environment typically includes tools for design, editing, compiling, loading, testing, configuration management, and project management."

Thus, one useful definition of an APSE is the above quotation along with the stipulation that there be at least one Ada compiler among the tools provided. A similar definition for the term IPSE, which stands for "Integrated Project Support Environment," is given [@Lehman and Turski 1987] as

"An embodiment of software technology in a collection of tools for capture, representation, control, refinement, transformation, and other manipulation of project related information."

The second name and definition are broader than the first because they refer to total "project" support and information, rather than "programming" support and programs. The distinction between the two is highlighted not only in the Lehman and Turski paper, but in many others, including a survey paper by Houghton and Wallace [@Houghton and Wallace 1987]. The latter uses the following terms to characterize most existing environments:

- Framing Environments
- Programming Environments
- General Environments.

Framing environments concentrate on the early stages of the life cycle and tend to be methodology-specific. Programming environments concentrate on the latter part of the life cycle and are oriented toward programming, debugging, and testing. General environments contain basic tools that support all phases of the life cycle and tend to be methodology-free.

Both of the above definitions and discussion are limited in that they are tied to one, traditional view of an APSE. In this view an APSE (or IPSE) is seen as a collection of tools. The following section presents additional views, any of which may become increasingly important to those who wish to select or evaluate APSEs of the future.

\$6\$\$600.05655 \$6.000.05000 \$600.05000 \$7.00 \$7.00 \$7.00 \$7.00 \$7.00 \$7.00 \$7.00 \$7.00 \$7.00 \$7.00 \$7.00 \$7.00

Additional acronyms found in the literature on this same general topic are listed below, among others mentioned previously.

APSE - Ada Programming Support Environment

IPSE - Integrated Project Support Environment

PSE - Programming Support Environment

SDE - Software Development Environment

SEE - Software Engineering Environment

The term SDE, for example, has been used in the title of several ACM-sponsored conferences, and is the subject of an IEEE tutorial [@IEEE 1981]. All of the above are possible key words, under which may be found useful material on whole APSEs or whole APSE E&V, the subject of this chapter.

A definition of an APSE, based on the concept of a collection of tools, is limited in the sense that it describes only a portion of the total environment for software development. As discussed in the paper "The Ecology of Software Environments" [@Wasserman 1981a], the total environment or "surroundings" includes such things as the computer itself, peripheral storage and display devices, project management practices, organizational characteristics, and external constraints such as governmental directives and physical workspace factors. All of the above will influence the development and application of whole APSE evaluation techniques.

3.2 VIEWS OF AN APSE

Various ways of viewing an APSE are summarized briefly below. The views differ in terms of both <u>how</u> an APSE is seen — that is, what sort of conceptual model does the viewer hold — and <u>by whom</u> is the APSE viewed — for example, the APSE user would typically have a different view than the APSE builder. The views presented are not necessarily mutually exclusive; an individual's view of a specific APSE may combine aspects of several of the following notions.

3.2.1 APSE Viewed as a Collection of Tools

This is the traditional view of programming support environments, and is consistent with the standard definition quoted in the previous section. An advantage of

taking this view is that it permits the viewer to characterize an APSE in terms of elements of a functional taxonomy, such as that provided in Chapter 7 [Functions 7]. The characterization can be stated in terms of yes/no answers to a long list of clearly defined questions — is function x.y.z provided or is it not? A disadvantage of this view is that it may cause the viewer to neglect the crucial whole-APSE issues that are the subject of this chapter, and which are impossible to express in terms of a composition of individual low-level functions.

One version of this view is given in the Stoneman Report [@DoD 1980], which pictures a multi-layered, extensible collection built around an inner kernel (KAPSE) and a surrounding minimal (MAPSE) layer of essential tools. This version may have more relevance for APSE builders than for APSE users, since users need not necessarily be aware of the layer in which a particular tool resides.

3.2.2 APSE Viewed as a Methodology-Support System

In this view an APSE is seen as a system that supports a particular development methodology or a particular model of the software development process. It might be strongly tied to a standard set of deliverable products and phases such as those required by the U.S. Department of Defense [@DoD-STD-2167] for mission critical software. It might be based upon a coherent software development and maintenance methodology, such as that described in "Life-Cycle Support in the Ada Environment" [@McDermid and Ripken 1984]. The latter expresses the view that, "The purpose of a tool is to support a method by automating some aspect of the use or application of the method."

3.2.3 APSE Viewed as an Information Management System

In this view primary emphasis is placed on how project information is stored, retrieved, manipulated, and maintained over the entire life cycle. A key issue is the set of interfaces between tools and the project data base [@Houghton and Wallace 1987]; the data base may be considered a tool that is used by other tools and therefore is the interface between them. Another key issue is the control of access to information, and how this is affected by data structure models — such as hierarchical, relational, transactional, etc. McDermid [@McDermid 1985] envisions

three generations of environments as follows. The first generation would be a conventional collection of Ada tools tied to a Unix-like environment. The second generation would be based on a data base schema that provides appropriate life cycle support, but has a static, non-adaptive structure. The third generation would provide a dynamic, adaptive information management system that can encapsulate any underlying data base schema.

Another key set of issues to be addressed are those specific to the Ada compilation process. A unique feature of the Ada language is that inter-unit dependencies exist at compilation time. Source code units can be compiled separately, but not independently. The implications of this feature are discussed further in Section 3.3.1 under Integrity.

3.2.4 APSE Viewed as a User-Oriented, Interactive System

This view emphasizes user interfaces and human factors. According to the authors of a survey paper [@Houghton and Wallace 1987], "Many systems that measure poorly in terms of human factors, including most traditional operating systems, have withstood the test of time. . . . The real users are the systems programmers or gurus." (But, in the future) "Software engineering environments . . . should not require a system expert as an interface between the software engineer and the environment." A conference overview paper [@Henderson 1987] sees "a trend toward the use of graphics." The desire for graphical interactive workstations is echoed in a paper on personal development systems [@Gutz et al 1981] with the words, "time sharing is an idea whose time is gone." An important set of issues concerns the different roles of various users of the system, different modes of use for each, and how the system orients its support to the current user/mode. An influential set of concepts has come from the world of artificial intelligence, such as the "incremental enrichment" style of LISP program development [@Barstow and Shrobe 1981].

3.2.5 APSE Viewed as a Knowledge-Based Expert System

In this view components of an APSE (or conceivably the entire APSE) are created as expert systems based on the past experience of human experts in specific

domains. One issue of IEEE Expert [@IEEE Expert 1986] contains a collection of papers which address this possibility. A paper in this collection [@Zualkernan et al 1986] outlines some steps to determine the feasibility of this approach and treats the specific area of software testing as a case study. This view may be considered a special, advanced case of the preceding view, where the style of user-interaction is that of an "expert assistant."

3

8

3

8

B

8

M

3.2.6 APSE Viewed as a Stable Framework

This view has been advocated by C.M. McKay of U. Houston Clear Lake [@McKay 1987], and is motivated by the need to support large, complex, non-stop, distributed, long-lived systems such as the NASA Space Station. The APSE is viewed as a stacle framework to which new or improved tools can be added over time without interfering with or invalidating previous work. The framework is defined in terms of standard phases and deliverables, in one dimension, and stable interface sets separating tools and various classes of objects, in the other dimension. Ideally, the stability of the framework and its interface sets will allow both the flight system and its support environment to evolve incrementally as reliable, maintainable systems.

3.3 KEY ATTRIBUTES OF WHOLE APSES

This section provides a brief discussion of what appear to be some of the key whole-APSE attributes. The discussion is organized in accordance with the attribute taxonomy [Attributes 6] given in Chapter 6 of this manual, which employs three top-level "acquisition concern" categories:

- Performance Attributes (6.1)
- Design Attributes (6.2)
- Adaptation Attributes (6.3).

Under each of these is a second-level set of "quality factors", such as Efficiency, Integrity, etc. These are further decomposed into "criteria", some of which apply to more than one quality factor. All the criteria attributes are listed alphabetically in Section 6.4 of the Attributes Index.

The definitions given in Chapter 6 are very component-oriented. For example, the definition of Efficiency [Efficiency 6.1.1] includes the words, "The extent to which a component fulfills its purpose using a minimum of computing resources." A whole-APSE version of the definition of Efficiency might read, "The extent to which an APSE supports life cycle phases using a minimum of development-team resources." This same kind of language modification is used throughout the discussion to follow.

The selection of attributes highlighted below has been influenced by discussions within the E&V Team and by the following papers (some of which make reference to many other papers): "Toward Integrated Software Development Environments" [@Wasserman 1981b], "Software Development Environment Issues as Related to Ada" [@Notkin and Haberman 1981], "Essential Properties of IPSEs" [@Lehman and Turski 1987], and "Characteristics and Functions of Software Engineering Environments: An Overview" [@Houghton and Wallace 1987].

A quotation from another paper by Wasserman [@Wasserman 1981a] perhaps best sets the stage for this discussion of key whole-APSE attributes. He says. "The goal is to create an environment that not only enhances developer productivity but also supports the creation of <u>superior products</u>."

3.3.1 Performance Attributes

[Efficiency 6.1.1] - As stated above, efficiency, in the whole-APSE context, is measured in terms of resources used by an entire team in performing an entire phase or major "chunk" of work during development of a software product. This attribute is clearly related to the overall project goal of team productivity.

[Integrity 6.1.2] - This attribute deals with the extent to which access to the software environment or other data is controlled, especially for the purposes of monitoring status, preserving integrity of different versions, and controlling changes. It is an attribute of an important set of management functions that greatly influence team productivity and product quality.

A critical aspect of this attribute concerns the treatment of the unique Ada feature (discussed in Section 3.2.3) associated with inter-unit dependencies. In

managing Ada program library units strict rules apply to the order of compilation. As a project is developed, obsolete units need to be recompiled, compilation order changes, and Ada closure sets may be redefined. Therefore, the APSE's management of Ada source and object modules should be assessed with these special requirements in mind.

[Usability/Anomaly Management 6.1.5/6.4.2]

and

[Usability/Cost 6.1.5/6.4.11]

and

[Usability/Maturity 6.1.5/6.4.18] - These are the aspects of usability that naturally concern managers and controllers of facility investment resources. Anomaly management affects the probability that an APSE will be functionally ready at some specified point in time. It must operate, of course, on available hardware. Absence of such availability in a timely way would naturally be disastrous.

8

V

Cost includes the cost of purchase or lease, installation, user assistance, and maintenance. Its importance is self-evident.

Maturity is the extent to which an APSE has been used in the development of deliverable software by typical users and to which the feedback from that use has been reflected in improvements.

[Usability/Operability 6.1.5/6.4.20]

and

[Usability/Training 6.1.5/6.4.36] - These represent the human-factors aspects of usability such as ease-of-use, ease-of-learning, on-line help features, and consistency of interfaces. This set of attributes will have a major influence not only on long-term productivity, but on the early acceptance of an APSE by individuals and the team as a whole. The resulting impact on motivation and team spirit can be crucial.

3.3.2 Design Attributes

[Correctness/Completeness 6.2.1/6.4.9] – This is the extent to which an APSE supports the complete set of operations necessary to perform its intended function, which is to provide full support to a development team across an entire product life cycle. This attribute could be interpreted in a minimal way, listing only truly essential (MAPSE) functions necessary for a particular project. Alternatively, it could be interpreted as a list of functions desired to provide the capability to produce high-quality products.

[Maintainability/Self-Descriptiveness 6.2.2/6.4.28] - In the whole-APSE context the aspect of this attribute to be emphasized concerns the underlying data base or schema used to store and retrieve project data. In one of the papers cited above [@Lehman and Turski 1987] this attribute was called data-structuredness. The Ada-Europe document "Selecting an Ada Environment" [@Lyons and Nissen 1986] says, "It is now generally recognized that the totality of information that a project must store, consists not only of individual entities containing data but also of the relationships between them, such as the facts that a particular object file has been compiled from a particular source file, that a source file implements a particular specification, or that an error report relates to a particular release of a system."

[Verifiability. Testability 6.2.3] – This is the extent to which an APSE facilitates evaluation of its own performance, so that productivity and quality metrics can be gathered and analyzed. It is through the use of this attribute that the extensibility (see below) of an APSE can be exploited effectively in a continual process of improvement.

3.3.3 Adaptation Attributes

[Expandability/Augmentability 6.3.1/6.4.4] – This is the extent to which an APSE facilitates the addition of new capabilities in response to needs that go beyond its original requirements. The new capabilities could include new functions, expanded data capacity, or new types of data relationships. The word used to describe this feature in several of the papers cited above is extensibility. Given the current state of the art and rapid pace of change of environment technology, the presence of this

quality (however it is achieved) appears necessary in order to provide a path for evolutionary improvements.

[Interoperability/Commonality 6.3.2/6.4.7] - This is the ability of APSEs to exchange data base objects and their relationships without conversion of formats, and the use of interface standards (e.g., CAIS [@CAIS]) to facilitate such exchanges.

8

[<u>Transportability</u> 6.3.4] - This is the extent to which an APSE supports the movement of software components to or from another APSE without change in functionality or reprogramming, and the use of interface standards (e.g., CAIS) to facilitate such movements.

3.4 APPROACHES TO WHOLE-APSE E&V

This section provides a brief discussion of approaches to whole-APSE assessment, including both evaluation of performance and quality, and validation of conformance to standards. References to Guidebook sections and other documents are included, in cases where there are known examples of existing assessors or assessment products under development. Such assessors can be categorized generally as either "tools" or "aids." A more refined breakdown is the following:

- Benchmarks and Test Suites (Tools)
- Questionnaires (Aids)
- Monitored Experiments (Aids that may use Tools)
- Decision Aids (Aids that may use Tools and other Aids).

These are discussed, in turn, in the following four subsections.

3.4.1 Benchmarks and Test Suites

Benchmarks are standard tests used to measure the execution, performance or acceptability of an APSE function or set of functions. A test suite is an organized collection of such tests. The Ada Compiler Validation Capability

[@ACVC 1986] is a test suite designed to test conformance of an Ada compiler to the formal definition of the language [@DoD 1983]. A prototype compiler performance evaluation test suite has been generated by the Institute for Defense Analysis [@GB: 6.1], and a more carefully engineered set known as the ACEC or Ada Compiler Evaluation Capability [@GB: 6.2] is being developed, under an E&V Task contract, by the Boeing Company. Another collection of Ada compiler performance tests has been gathered by the ACM SIGAda Performance Issues Working Group [@PIWG 1987]. Results of these tests, run on a number of commercial compilers, will be published in the open literature.

3.4.2 Questionnaires

Questionnaires are used to gather data from vendors or users of tools and APSEs. Examples of such data might include specification parameters, design features, historical information, typical usage scenarios, implementation strategies, enhancement plans or desires, and problem reports. An early example, in Ada terms, of such a questionnaire was one applied to the evaluation of the ROLM Ada Work Center [@Castor 1983].

A whole-APSE-oriented example of the use of questionnaires is the book "Selecting an Ada Environment" [@Lyons and Nissen 1986], which is synopsized in the E&V Guidebook [@GB: 4.12]. The book is organized around background discussions of various topics followed by appropriate questions addressing each topic. The final chapter begins with the following set of high-level questions appropriate for a potential purchaser of an APSE:

- a) What does the environment consist of?
- b) In particular, what tools are supplied?
- c) What are the deliverables?
- d) What does it cost?
- e) What support is available?
- f) Can extra tools be added to the environment easily?
- g) What are the conditions of use (number of users, involvement of third parties, etc)?

Tanan kantangan yang ang kangan kangan ang mangan kangan ang kangan kangan kangan kangan kangan kangan kangan k

h) What hardware and software resources (including licenses) are needed to support the environment?"

More detailed questions follow, under specific headings such as support, interfaces, and other issues.

3.4.3 Monitored Experiments

Monitored experiments, based on model projects involving an aggregation of APSE functions or tools, can be performed using APSEs or APSE components to gather data in a systematic and controlled manner. These experiments can be used for both qualitative and quantitative assessments of the functionality, usability, and performance, as well as for the more informal characteristics of APSEs.

3.4.4 Decision Aids

Decision aids allow a user to assess an APSE from a particular point of view. Decision aids may combine the results of a number of tests, questionnaires, and/or monitored experiments, each of which is weighted according to its value for the view being considered [@GB 3].

LIFE CYCLE PHASES

This chapter deals with the life cycle phases served by the support environment. The foundation for this discussion is DoD-STD-2167 [@DoD-STD-2167]. The phases that are chosen to represent the progression of activities depend on the view that a person has of the APSE. If one thinks of the APSE as only providing an environment for developing software, then the phases can be limited to the following six:

- Software Requirements Analysis
- Preliminary Design
- Detailed Design
- Coding and Unit Testing
- CSC Integration and Testing
- CSCI Testing.

However, if one sees the APSE as providing support across the entire system life cycle (Integrated Project Support Environment, or IPSE, rather than APSE) [Whole APSE Issues 3.], then the following five phases should be added as well:

- System Concepts
- System Requirements Analysis
- System Integration and Testing
- Operational Testing and Evaluation
- Change Requirements.

Of the above five phases, the first two precede the six software development phases and the next two follow the six phases in the overall system life cycle. The last phase, change requirements, is a phase that may be started in parallel with any of the other phases and addresses the issues of enhancement, error correction, and modification.

Also, a global life cycle 'phase' is introduced. This is not a true life cycle phase, but is really a phase-less abstraction. This 'phase' provides a convenient way to show that certain functions perform services across the entire life cycle that are not specific to a single phase or group of phases. An example of a global function is general purpose text editing.

Chapter 5 of DoD-STD-2167 lists the detailed activities for each of the six software development life cycle phases. These activities fall into the following four general areas:

8

- Management
- Transformation
- Analysis
- Operation and Support.

These four activities are used as a second-level of classification under each top-level life cycle phase division of this chapter.

Figure 4-1 shows the relationships between the life cycle phases and the other elements in the Reference Manual. Each of the life cycle phases are described in the following sections and under each section are four subsections that deal with each of the general areas of activities. The functions specified for each of the life cycle phases are those that are typically used in the phase.




Figure 4-1 Life Cycle Phase Relationships

4.1 SYSTEM CONCEPTS

Description:

4.1.1 Management

Cross References:

Deliverables:

Functions:

4.1.2 Transformation

Cross References:

Deliverables:

Functions: [Text Editing

7.1.1.1]

4.1.3 Analysis

Cross References:

Deliverables:

Functions:

D

88

88

4.1.4 Operation And Support

Cross References:

Deliverables:

Functions:

4.2 SYSTEM REQUIREMENTS ANALYSIS

Description:

4.2.1 Management

Cross References:

Deliverables:

Functions:

4.2.2 Transformation

Cross References:

Deliverables:	
[Operational Concept Document	(OCD),
System/Segment Specification	(SSS),
Prime Item Development Specification]	
Functions:	
[Text Editing	7.1.1.1,
Predefined and User-Defined Forms	7.1.2.3,
System Requirements Translation	7.1.6.1,
Requirements to Natural Language Translation	7.1.6.31

4.2.3 Analysis

Cross References:

Deliverables:

Functions:

[Requirements Simulation 7.3.2.1, Requirements Prototyping 7.3.2.2]

V

8

253

80

888

8

4.2.4 Operation And Support

Cross References:

Deliverables:

Functions:

4.3 SOFTWARE REQUIREMENTS ANALYSIS

Description:

Those activities of the life cycle pertaining to the establishment of system requirements and a complete set of functional, performance, and interface requirements for each CSCI. [@DoD-STD-2167: 5.1]

4.3.1 Management

Cross References:

Deliverables:

[Software Development Plan	(SDP),
Software Standards and Procedures Manual	(SSPM),
Software Configuration Management Plan	(SCMP),
Software Quality Evaluation Plan	(SQEP)]

Functions:

[Predefined and User-Defined Forms	7.1.2.3,
Specification Management	7.2.1.6,
Program Library Management	7.2.1.7,
Resource Estimation	7.2.2.51

4.3.2 Transformation

Cross References:

Deliverables:	
[Operational Concept Document	(OCD),
Software Requirements Specification	(SRS),
Interface Requirements Specification	(IRS)
Functions:	
[Text Editing	7111
	7.1.1.1,
Predefined and User-Defined Forms	7.1.2.3,
Software Requirements Translation	7.1.6.2,
Requirements to Natural Language Translation	7.1.6.31

4.3.3 Analysis

Cross References:

Deliverables:

Functions:	
[Tracking	7.2.2.6,
Data Flow Analysis	7.3.1.3,
Functional Analysis	7.3.1.4,
Interface Analysis	7.3.1.5,
Traceability Analysis	7.3.1.6,
Testability Analysis	7.3.1.7,
Test Condition Analysis	7.3.1.8,
Quality Analysis	7.3.1.9,
Requirements Simulation	7.3.2.1,
Requirements Prototyping	7.3.2.2]

4.3.4 Operation And Support

Cross References:

Deliverables:

Functions:

4.4 PRELIMINARY DESIGN

Description:

Those activities in the life cycle pertaining to the development of a modular, top-level design of each CSCI from the software requirements. [@DoD-STD-2167: 5.2]

4.4.1 Management

Cross References:

Deliverables:

[Software	Development Plan		(SDP),
Software	Standards and Procedures	Manual	(SSPM).
Software	Configuration Management	Plan	(SCMP),
Software	Quality Evaluation Plan		(SQEP)]

Functions:

[Predefined and User-Defined Forms	7.1.2.3,
Specification Management	7.2.1.6,
Program Library Management	7.2.1.7,
Resource Estimation	7.2.2.5]

8

88

4.4.2 Transformation

Cross References:

[Software Top Level Design Document Software Detailed Design Document Interface Design Document Data Base Design Document	(STLDD), (SDDD), (IDD), (DBDD)]
Functions:	
[Text Editing	7.1.1.1,
Predefined and User-Defined Forms	7.1.2.3,
Preliminary Design Translation	7.1.6.4,
Design Generation	7.1.7.1,
Requirements Reconstruction	7.1.7.2]

4.4.3 Analysis

Cross References:

Deliverables:	
(Software Test Plan	(STP)]
Eurotione	
Functions:	- 4 0 0
[Predefined and User-Defined Forms	7.1.2.3,
Tracking	7.2.2.6,
Interface Analysis	7.3.1.5,
Quality Analysis	7.3.1.9,
Complexity Measurement	7.3.1.10,
Completeness Checking	7.3.1.12,
Consistency Checking	7.3.1.13,
Cross Reference	7.3.1.17,
Invocation Analysis	7.3.1.19,
Scanning	7.3.1.20,
Structured Walkthrough	7.3.1.21
Simulation and Modeling	7.3.2.3,
Design Prototyping	7.3.2.4,
Formal Verification	7.3.3]

4.4.4 Operation And Support

Cross References:

Deliverables:	
[Computer System Operator's Manual	(CSOM),
Software User's Manual	(SUM),
Computer System Diagnostic Manual	(CSDM),

Computer Resources Integrated Support Document (CRISD)]

Functions:

[Predefined and User-Defined Forms 7.1.2.3]

4.5 DETAILED DESIGN

Description:

Those activities in the life cycle pertaining to the development of a modular, detailed design of each CSCI from the preliminary design. [@DoD-STD-2167: 5.3]

4.5.1 Management

Cross References:

Deliverables:

[Software	Development Plan		(SDP),
Software	Standards and Procedures	Manual	(SSPM),
Software	Configuration Management	Plan	(SCMP),
Software	Quality Evaluation Plan		(SQEP)]

Functions:

[Predefined and User-Defined Forms	7.1.2.3,
Specification Management	7.2.1.6,
Program Library Management	7.2.1.7,
Resource Estimation	7.2.2.5]

4.5.2 Transformation

Cross References:

Deliverables: [Software Detailed Design Document Interface Design Document Data Base Design Document Software Development File	(SDDD), (IDD), (DBDD), (SDF)]
Functions:	7444
[Text Editing	7.1.1.1,
Predefined and User-Defined Forms	7.1.2.3,
Detailed Design Translation	7.1.6.5,
Design Generation	7.1.7.1,
Requirements Reconstruction	7.1.7.2]

4.5.3 Analysis

Cross References:

Deliverables:	
[Software Test Description	(STD)]
Functions:	
[Predefined and User-Defined Forms	7.1.2.3,
Tracking	7.2.2.6,
Interface Analysis	7.3.1.5,
Quality Analysis	7.3.1.9,
Complexity Measurement	7.3.1.10,
Completeness Checking	7.3.1.12,
Consistency Checking	7.3.1.13,
Cross Reference	7.3.1.17,
Invocation Analysis	7.3.1.19,
Scanning	7.3.1.20,
Structured Walkthrough	7.3.1.21,
Simulation and Modeling	7.3.2.3,
Design Prototyping	7.3.2.4,
Formal Verification	7.3.3,
Symbolic Execution	7.3.4]

4.5.4 Operation And Support

Cross References:

Deliverables: [Computer System Operator's Manual Software User's Manual Computer System Diagnostic Manual Computer Resources Integrated Support Document Software Programmer's Manual Firmware Support Manual	(CSOM), (SUM), (CSDM), (CRISD), (SPM), (FSM)]
Functions: [Predefined and User-Defined Forms	7.1.2.3]

4.6 CODING AND UNIT TESTING

Description:

Those activities in the life cycle pertaining to the coding and testing of each unit comprising the detailed design. [@DoD-STD-2167: 5.4]

4.6.1 Management

Cross References:

Deliverables:

[Software Development Plan		(SDP),
Software Standards and Procedures	Manual	(SSPM),
Software Configuration Management	Plan '	(SCMP),
Software Quality Evaluation Plan		(SQEP)]

Functions:

28

[Predefined and User-Defined Forms	•	7.1.2.3,
Program Library Management		7.2.1.7,
Test Data Management		7.2.1.8,
Resource Estimation		7.2.2.5]

4.6.2 Transformation

Cross References:

Deliverables:	
[Software Development File	(SDF)]
	, in the
Functions:	
	7444
[Text Editing	7.1.1.1,
Predefined and User-Defined Forms	7.1.2.3,
Assembling	7.1.6.6,
Compilation	7.1.6.7,
Conversion	7.1.6.8,
Macro Expansion	7.1.6.9.
Structure Preprocessing	7.1.6.10.
	- · · · · · · · · · · · · · · · · · · ·
Body Stub Generation	7.1.6.11,
Preamble Generation	7.1.6.12,
Linking/Loading	7.1.6.13,
Interpretation	7.1.6.14,
Requirements Reconstruction	7.1.7.2,
Program Generation	7.1.7.3.
Source Reconstruction	7.1.7.4,
Decompilation	7.1.7.5,
	7.1.7.6]
Disassembling	7.1.7.0]

4.6.3 Analysis

Cross References:

Deliverables:	
	PR)]
Functions:	
	2.3,
	2.6,
	1.3,
	1.5,
Quality Analysis 7.3.	1.9,
Complexity Measurement 7.3.	1.10,
Completeness Checking 7.3.	1.12,
Consistency Checking 7.3.	1.13,
Cross Reference 7.3.	1.17,
Invocation Analysis 7.3.	1.19,
	1.20,
	1.21,
	1.22,
	1.23,
	1.24,
	1.25.
	1.26.
	1.27.
	1.28.
	1.29,
	2.5,
	2.6.
	2.7,
	2.8,
	2.9.
	2.10,
	2.11,
	2.12,
	2.13.
	2.14,
	2.15,
Formal Verification 7.3	
Symbolic Execution 7.3	

4.6.4 Operation And Support

Cross References:

Delivera	bles:
----------	-------

[Computer System Operator's Manual	(CSOM).
Software User's Manual	(SUM),
Computer System Diagnostic Manual	(CSDM)]

Functions:

[Predefined and User-Defined Forms 7.1.2.3]

4.7 CSC INTEGRATION AND TESTING

Description:

Those activities in the life cycle pertaining to the integration of units of code and the performance of informal tests on aggregates of integrated units.

[@DoD-STD-2167: 5.5]

4.7.1 Management

Cross References:

Deliverables:

[Software Development Plan	(SDP),
Software Standards and Procedures Manual	(SSPM),
Software Configuration Management Plan	(SCMP),
Software Quality Evaluation Plan	(SQEP)1

Functions:

[Predefined and User-Defined Forms	7.1.2.3,
Program Library Management	7.2.1.7,
Test Data Management	7.2.1.8,
Resource Estimation	7.2.2.5]

8

8

8

4.7.2 Transformation

Cross References:

Deliverables:	
(Software Development File	(SDF)]
Functions:	
	7111
[Text Editing	7.1.1.1,
Predefined and User-Defined Forms	7.1.2.3,
Assembling	7.1.6.6,
Compilation	7.1.6.7,
Conversion	7.1.6.8,
Macro Expansion	7.1.6.9,
Structure Preprocessing	7.1.6.10,
Body Stub Generation	7.1.6.11,
Preamble Generation	7.1.6.12,
Linking/Loading	7.1.6.13,
Interpretation	7.1.6.14,
Requirements Reconstruction	7.1.7.2,
Program Generation	7.1.7.3,
Source Reconstruction	7.1.7.4,
Decompilation	7.1.7.5,
Disassembling	7.1.7.6]

4.7.3 Analysis

Cross References:

Deliverables:	
[Software Test Procedure	(STPR)]
Functions:	
[Predefined and User-Defined Forms	7.1.2.3,
Tracking	7.2.2.6,
Data Flow Analysis	7.3.1.3,
Interface Analysis	7.3.1.5,
Quality Analysis	7.3.1.9,
Complexity Measurement	7.3.1.10,
Completeness Checking	7.3.1.12,
Consistency Checking	7.3.1.13,
Cross Reference	7.3.1.17,
Invocation Analysis	7.3.1.19,
Scanning	7.3.1.20,
Structured Walkthrough	7.3.1.21,
Auditing	7.3.1.22,
Error Checking	7.3.1.23,
Statistical Profiling	7.3.1.25,
Structure Checking	7.3.1.26,
Type Analysis	7.3.1.27,
Units Analysis	7.3.1.28,
I/O Specification Analysis	7.3.1.29,
Debugging	7.3.2.5,
Executable Assertion Checking	7.3.2.6,
Constraint Evaluation (Contention)	7.3.2.7,
Coverage/Frequency Analysis	7.3.2.8,
Mutation Analysis	7.3.2.9,
Testing	7.3.2.10,
Regression Testing	7.3.2.11,
Resource Utilization	7.3.2.12,
Emulation	7.3.2.13,
Timing Analysis	7.3.2.14,
Tuning	7.3.2.15,
Symbolic Execution	7.3.4,
Problem Report Analysis	7.3.5]

4.7.4 Operation And Support

Cross References:

Deliverables:

[Computer System Operator's Manual (CSOM), Software User's Manual (SUM), Computer System Diagnostic Manual (CSDM)]

Functions:

[Predefined and User-Defined Forms 7.1.2.3]

4.8 CSCI TESTING

Description:

Those activities in the life cycle pertaining to the conduct of formal tests on each CSCI and the recording/analysis of test results. [@DoD-STD-2167: 5.6]

4.8.1 Management

Cross References:

Da	iva	rah	les:
	IIVI 🕶		153.

[Software Devi	elopment Plan		(SDP),
Software Stan	idards and Procedures	Manual	(SSPM),
Software Con	figuration Management	Plan	(SCMP),
Software Qua	lity Evaluation Plan		(SQEP)]

Functions:

7.1.2.3,
7.2.1.7,
7.2.1.8,
7.2.2.5]

4.8.2 Transformation

Cross References:

Processor Beautiful Processor Beautiful

Deliverables: [Software Product Specification Version Description Document Software Development File	(SPS), (VDD), (SDF)]
Functions:	
[Import/Export	7.2.3.6,
Assembling	7.1.6.6,
Compilation	7.1.6.7,
Conversion	7.1.6.8,
Macro Expansion	7.1.6.9,
Structure Preprocessing	7.1.6.10,
Preamble Generation	7.1.6.12,
Linking/Loading	7.1.6.13,
Interpretation	7.1.6.14]

4.8.3 Analysis

Cross References:

Deliverables:	
(Software Test Report	(STR)]
Functions:	
[Predefined and User-Defined Forms	7.1.2.3,
Tracking	7.2.2.6,
Quality Analysis	7.3.1.9,
Debugging	7.3.2.5,
Coverage/Frequency Analysis	7.3.2.8,
Testing	7.3.2.10,
Regression Testing	7.3.2.11,
Resource Utilization	7.3.2.12,
Emulation	7.3.2.13,
Timing Analysis	7.3.2.14,
Tuning	7.3.2.15,
Problem Report Analysis	7.3.5]

4.8.4 Operation And Support

Cross References:

	•
Deliverable	Э.

[Computer System Operator's Manual (CSOM), Software User's Manual (SUM), Computer System Diagnostic Manual (CSDM)]

Functions:

[Predefined and User-Defined Forms 7.1.2.3]

4.9 SYSTEM INTEGRATION AND TESTING

Description:

Those activities in the life cycle pertaining to the successive integration and testing of CSCIs and HWCIs to validate that the complete system is properly integrated and satisfies system requirements.

4.9.1 Management

Cross References:

Deliverables:

Functions:

፲፻፸፫፻፻፸፫፻፸፫፻፫፻፫፻፫፻፫፻፫፻፫፻፫፻፫፻፫ አለው ውጤት ውሎት መተውቀር የውጣው ውጥ የተናለፈ የለቀው ያውድው የያለፈተዋ የለያለፈት የለያለፈት የለት ለተፈት በአለው የ

4.9.2 Transformation

Cross References:

Deliverables:

unctions:	
[Import/Export	7.2.3.6,
Assembling	7.1.6.6,
Compilation	7.1.6.7,
Conversion	7.1.6.8,
Macro Expansion	7.1.6.9,
Structure Preprocessing	7.1.6.10,
Preamble Generation	7.1.6.12,
Linking/Loading	7.1.6.13,
Interpretation	7.1.6.14]

4.9.3 Analysis

Cross References:

Deliverables:

Functions: [Import/Export Problem Report Analysis

7.2.3.6, 7.3.5]

8

N

4.9.4 Operation And Support

Cross References:

Deliverables:

Functions:

4.10 OPERATIONAL TESTING AND EVALUATION

Description:

88

Those activities in the life cycle where the system is tested and evaluated in surroundings which are as operationally realistic as possible to determine that the system will satisfactorily perform the mission for which it was designed.

4.10.1 Management

Cross References:

Deliverables:

Functions:

[Evaluation Results Management

7.2.1.9]

4.10.2 Transformation

Cross References:

Deliverables:

Functions:	
[Assembling	7.1.6.6,
Compilation	7.1.6.7,
Conversion	7.1.6.8,
Macro Expansion	7.1.6.9,
Structure Preprocessing	7.1.6.10,
Preamble Generation	7.1.6.12,
Linking/Loading	7.1.6.13,
Interpretation	7.1.6.14]

8

M.

4.10.3 Analysis

Cross References:

Deliverables:

Functions: [Import/Export Problem Report Analysis

7.2.3.6, 7.3.5]

8

<u>X</u>

<u>00</u>

88

4.10.4 Operation And Support

Cross References:

Deliverables:

Functions:

4.11 CHANGE REQUIREMENTS

Description:

Those activities in the life cycle pertaining to the support (error detection/correction) and enhancement of the operational CSCIs. Often, this activity will result in a series of software developments potentially requiring tool features (besides Global features) different from all preceding life cycle activities.

4.11.1 Management

Cross References:

Deliverables:

Functions:

4.11.2 Transformation

Cross References:

[Engineering Change Proposal Specification Change Notice	(ECP), (SCN)]
Functions:	
[Predefined and User-Defined Forms	7.1.2.3,
Assembling	7.1.6.6,
Compilation	7.1.6.7,
Conversion	7.1.6.8,
Macro Expansion	7.1.6.9.
Structure Preprocessing	7.1.6.10,
Preamble Generation	7.1.6.12,
Linking/Loading	7.1.6.13.
Interpretation	7.1.6.14]

4.11.3 Analysis

Cross References:

Deliverables:

Functions:

[Change Impact Analysis

7.3.6.1]

4.11.4 Operation And Support

Cross References:

Deliverables:

Functions:

4.12 GLOBAL

Description:

Represents those general support features which include common (in implementation and use) software elements or functions. Global features can be included in each life cycle activity.

4.12.1 Management

Cross References:

Deliverables:

Functions:

ilictions.	
[Data Base (Object) Management	7.2.1.1,
Documentation Management	7.2.1.2,
File Management	7.2.1.3,
Electronic Mail	7.2.1.4,
Electronic Conferencing	7.2.1.5,
Cost Estimation	7.2.2.1,
Quality Specification	7.2.2.2,
Scheduling	7.2.2.3,
Work Breakdown Structure	7.2.2.4,
Configuration Management	7.2.2.7,
Command Language Processing	7.2.3.1,
Input/Output Support	7.2.3.2,
Kernel	7.2.3.31

K

4.12.2 <u>Transformation</u>

Cross References:

Deliverables:

Section of the section of

COMPANY DATE OF THE PROPERTY O

Functions:	
[Text Editing	7.1.1.1,
Graphics Editing	7.1.1.3,
MIL-STD Format	7.1.2.1,
Table of Contents	7.1.2.2,
On-Line Assistance Processing	7.1.3,
Sort/Merge	7.1.4,
Graphics Generation	7.1.5,
Runtime Environment	7.2.3.5]

•	97 388	8 AE	RSION S CRAN	LUATIO 10(U) FORD E	ANALYI T AL.	JUL 8	8 TASC	CORP	READI	MANUAL NG MA F/G		2/	'4
incln:	SSIFIE		WAL-TK	5000					# .				HINTERN I
Ξ.		 	111111111111111111111111111111111111111	# . # . # .	# ·	# . # . # .	1	# #			# ·	T -	
			4444	# . # . # .							X		
	F 1	Miles I	Baselinean W Walter Walter Walter William	Theresees to the second			Williams WC 1	Tomas Tomas Tomas	E i	Engineer Figure	The second	The second	Termont III
			Tagosos E		=			E		<u>=</u>		Tenur	Parameter 1
	# ·	1	14(8)			Teamer.	The state of the s			Paramotos W	With the second	-	By a
		Thyponen We :	Engeneration 1		Parameter 1		=		Thomason William				_



CONTRACTOR OF CONTRACTOR OF CONTRACTOR

4.12.3 Analysis

Cross References:

Deliverables:

Functions:	
[Math/Statistics	7.2.3.6,
Comparison	7.3.1.1,
Spelling Checking	7.3.1.2]

4.12.4 Operation And Support

Cross References:

Deliverables:

Functions:

3

XXX

APSE TOOL CATEGORIES

5.

This chapter deals with APSEs, toolsets, and tools. E&V technology is always applied to APSEs or their components and thus this index will be a natural starting point for many users of the RM. The following sections describe the APSE and its components and relate the components to functions as shown in Fig. 5–1. The relationships between tools and functions given in this chapter are typical (or traditional) relationships. The real capabilities should be determined by the tool specifications, marketing claims, or the like.

There is also a relationship between tools and attributes. Some attributes are related to qualities of the function(s) performed (such as completeness) by the software, while other attributes relate to non-functional aspects (such as modularity) of the software. Thus, to determine how to assess a tool, both the tool-function relationships and the attributes must be explored to identify the metrics to be used.

APSEs are the highest level of toolset. APSEs should contain all the tools and toolsets needed to support the full spectrum of project activities. APSEs, like




Figure 5-1 Tool Relationships

toolsets, have characteristics that may be assessed as a whole [Whole APSE Issues 3.]. Toolsets are one or more tools which are intimately coupled and support a related set of functions within the APSE. Tools are the smallest APSE components which can be independently acquired. Each section in this chapter describes a toolset category that might be found in an APSE. The subsections within each section give the tool categories that comprise the toolset. Not all toolsets are necessary for an APSE; likewise, for a specific toolset, all tools may not always be present.

0

ᢟᢟᢟᡛᢂᠮᢝᡮᡱᡮᢔᠻᠯᡮᡮᡮᡮᡮᡮᡮᡮᡮᡮᡮᡮᡮᡮᢥᡳᡳᡳᡳᡳᡳ᠘ᢣᢗᡮᡚᡮᡚᡮᡚᡮᡚᡀᡚᡚᡚᡚᡚᡚᡚᡚᡚᡚ᠘ᢣ᠘ᢣ᠘ᢣ᠘ᢣ᠘ᢣ᠘ᡓ᠘ᠪ᠘ᡠ᠘ᢣ᠒ᢣᢗᡘᠵᢗᡳᠺᡳᡳᡳᡳᡳᡳᡳᡳᡳᡳ

5.1 COMPUTER MANAGEMENT SYSTEM

Description:

Those tools needed to access, use, and maintain the hardware and software which consists of the APSE and the system on which it runs.

5.1.1 Command Language Processor

Cross References:

Functions:

[Command Language Processing

7.2.3.1]

5.1.2 Archive, Backup, and Retrieval System

Cross References:

Functions:

[Import/Export

7.2.3.6]

5.1.3 <u>Security System</u>

Cross References:

Functions:

[Kernel

7.2.3.3]

5.1.4 Job Scheduler

Cross References:

Functions:

[Runtime Environment

7.2.3.5]

5.1.5 Resource Controller

Cross References:

Functions:

[Runtime Environment

7.2.3.5]

N

N

8

N

5.1.6 File Manager

Cross References:

Functions:

[File Management

7.2.1.3]

5.1.7 Import/Export System

Cross References:

Functions:

[Import/Export

7.2.3.6]

5.1.8 On-Line Assistance Processor

Cross References:

Functions:

[On-Line Assistance Processing

7.1.3]

5.1.9 Data Base Manager

Cross References:

Functions:

[Data Base Management

7.2.1.1]

5.2 PROJECT MANAGEMENT SYSTEM

Description:

Those tools needed to plan, develop, and maintain an applications system.

5.2.1 Cost Estimator

Cross References:

Functions: [Cost Estimation

7.2.2.1]

7.2.2.2.

7.2.2.8]

8

D

197

W.

00

5.2.2 Quality Analyzer

Cross References:

Functions:

[Quality Specification Quality Assessment

5.2.3 Scheduler

Cross References:

Functions: [Scheduling

7.2.2.3]

5.2.4 Work Breakdown Structure

Cross References:

Functions: [Work Breakdown Structure

7.2.2.4]

5.2.5 Resource Estimator

Cross References:

Functions:

[Resource Estimation

7.2.2.5]

5.2.6 Tracking

Cross References:

Functions:

[Tracking

7.2.2.6]

5.2.7 Configuration Manager

Cross References:

Functions:

(Configuration Management

7.2.2.7]

5.2.8 Problem Report Analyzer

Cross References:

Functions:

[Problem Report Analysis

7.3.5]

5.2.9 Change Request Analyzer

Cross References:

Functions:

[Change Request Analysis

7.3.6]

5.3 COMPILATION SYSTEM

Description:

Those tools needed to produce and run software systems.

5.3.1 Program Library Manager

Cross References:

Functions:

[Program Library Management 7.2.1.7]

5.3.2 Syntax-Directed Editor

Cross References:

Functions:

[Text Editing 7.1.1.1, Syntax And Semantics Checking 7.3.1.15]

5.3.3 Compiler

Cross References:

Functions:

[Compilation 7.1.6.7]

5.3.4 Assembler

Cross References:

Functions: [Assembling

7.1.6.6]

5.3.5 Linker

Cross References:

Functions: [Linking/Loading

7.1.6.13]

5.3.6 Loader

Cross References:

Functions: [Linking/Loading

7.1.6.13]

5.3.7 Interpreter

Cross References:

Functions: [Interpretation

7.1.6.14]

5.3.8 Runtime Library

Cross References:

Functions:	
[Input/Output Support	7.2.3.2.
Math/Statistics	7.2.3.4,
Runtime Environment	7.2.3.5]

5.4 DOCUMENT SYSTEM

Description:

Those tools needed to develop and produce documents.

5.4.1 Document Manager

Cross References:

Functions:

[Document Management 7.2.1.2]

5.4.2 Word Processor

Cross References:

Functions:

[Text Editing 7.1.1.1, Syntax And Semantics Checking 7.3.1.15]

5.4.3 Spell Checker

Cross References:

Functions:

[Spelling Checking 7.3.1.2]

5.4.4 **Graphics Generator**

Cross References:

Functions: [Graphics Generation

7.1.5]

5.4.5 Formatter

Cross References:

Functions: [Formatting

7.1.2]

5.5 DESKTOP SYSTEM

Description:

Those tools needed to do the every-day, administrative tasks of business.

5.5.1 Spreadsheet

Cross References:

Functions:

[Formatting Math/Statistics

7.1.2, 7.2.3.4]

5.5.2 Calculator

Cross References:

Functions:

[Math/Statistics

7.2.3.4]

5.5.3 Address Book

Cross References:

Functions: [Sort/Merge

7.1.4]

ᡮ ᠯ

5.5.4 Electronic Mail

Cross References:

Functions:

[Electronic Mail

7.2.1.4]

5.5.5 Phone Book

Cross References:

Functions:

(Sort/Merge

7.1.4]

5.5.6 Electronic Conferencing

Cross References:

Functions:

[Electronic Conferencing

7.2.1.5]

5.5.7 Calendar

Cross References:

Functions:

[Scheduling

7.2.2.3]

5.5.8 Dictionary

Cross References:

Functions: [Sort/Merge

7.1.4]

B

88

5.6 STATIC ANALYZER SYSTEM

Description:

Those tools needed to do analysis of software systems without actually executing the program(s) being analyzed.

5.6.1 Comparator

Cross References:

Functions: [Comparison

7.3.1.1]

5.6.2 Data Flow Analyzer

Cross References:

Functions:

[Data Flow Analysis

7.3.1.3]

5.6.3 Functional Analyzer

Cross References:

Functions:

[Functional Analysis

7.3.1.4]

5.6.4 Interface Analyzer

Cross References:

Functions:

[Interface Analysis

7.3.1.5]

5.6.5 Traceability Analyzer

Cross References:

Functions:

[Traceability Analysis

7.3.1.61

5.6.6 Testability Analyzer

Cross References:

Functions:

[Testability Analysis

7.3.1.7]

5.6.7 Test Condition Analyzer

Cross References:

Functions:

[Test Condition Analysis

7.3.1.8]

5.6.8 Quality Analyzer

Cross References:

Functions: [Quality Analysis

7.3.1.9]

5.6.9 Complexity Measurer

Cross References:

Functions:

[Complexity Measurement

7.3.1.10]

5.6.10 Correctness Checker

Cross References:

Functions:

[Correctness Checking

7.3.1.11]

5.6.11 Completeness Checker

Cross References:

Functions:

[Completeness Checking

7.3.1.12]

5.6.12 Consistency Checker

Cross References:

Functions:

[Consistency Checking

7.3.1.131

5.6.13 Reusability Analyzer

Cross References:

Functions:

[Reusability Analysis

7.3.1.14]

5.6.14 Syntax And Semantics Checker

Cross References:

Functions:

[Syntax And Semantics Checking

7.3.1.15]

5.6.15 Reachability Analyzer

Cross References:

Functions:

[Reachability Analysis

7.3.1.16]

5.6.16 Cross Referencer

Cross References:

Functions:

(Cross Reference

7.3.1.17]

5.6.17 Maintainability Analyzer

Cross References:

Functions:

[Maintainability Analysis

7.3.1.18]

5.6.18 Invocation Analyzer

Cross References:

Functions:

[Invocation Analysis

7.3.1.19]

5.6.19 <u>Scanner</u>

Cross References:

Functions:

(Scanning

7.3.1.20]

5.6.20 Structured Walkthrough Tool

Cross References:

Functions:

[Structured Walkthrough

7.3.1.21]

0

X

60

Ø,

O.

8

3

3

5.6.21 Auditor

Cross References:

Functions: [Auditing

7.3.1.22]

5.6.22 Error Checker

Cross References:

Functions:

[Error Checking

7.3.1.23]

5.6.23 Statistical Analyzer

Cross References:

Functions:

[Statistical Analysis

7.3.1.24]

5.6.24 Statistical Profiler

Cross References:

Functions:

[Statistical Profiling 7.3.1.25]

5.6.25 Structure Checker

Cross References:

Functions:

[Structure Checking 7.3.1.26]

5.6.26 Type Analyzer

Cross References:

Functions:

[Type Analysis 7.3.1.27]

5.6.27 Units Analyzer

Cross References:

Functions:

[Units Analysis 7.3.1.28]

5.6.28 I/O Specification Analyzer

Cross References:

Functions:

[I/O Specification Analysis

7.3.1.29]

5.6.29 Sizing Analyzer

Cross References:

Functions:

[Sizing Analysis

7.3.1.30]

5.7 DYNAMIC ANALYZER SYSTEM

Description:

Those tools needed to do analysis of software systems while actually executing the program(s) or some representation of the system being analyzed.

5.7.1 Requirements Simulator

Cross References:

Functions:

[Requirements Simulation

7.3.2.1]

5.7.2 Requirements Prototype

Cross References:

Functions:

(Requirements Prototyping

7.3.2.21

5.7.3 Simulation And Modelling Tools

Cross References:

Functions:

[Simulation And Modelling

7.3.2.3]

5.7.4 Design Prototype

Cross References:

Functions:

[Design Prototyping

7.3.2.4]

5.7.5 Debugger

Cross References:

Functions:

[Debugging

7.3.2.5]

5.7.6 Executable Assertion Checker

Cross References:

Functions:

(Executable Assertion Checking

7.3.2.6]

N

1

5.7.7 Constraint Evaluator

Cross References:

Functions:

[Constraint Evaluation

7.3.2.7]

5.7.8 Coverage/Frequency Analyzer

Cross References:

Functions: [Coverage/Frequency Analysis

7.3.2.8]

5.7.9 Mutation Analyzer

Cross References:

Functions:

[Mutation Analysis

7.3.2.9]

5.7.10 Testing Analyzer

Cross References:

Functions:

[Testing

7.3.2.10]

5.7.11 Regression Testing Analyzer

Cross References:

Functions:

[Regression Testing

7.3.2.11]

5.7.12 Resource Utilization Analyzer

Cross References:

Functions:

[Resource Utilization

7.3.2.12]

5.7.13 Emulator

Cross References:

Functions:

(Emulation

7.3.2.13]

5.7.14 Timing Analyzer

Cross References:

Functions:

(Timing Analysis

7.3.2.14]

5.7.15 Tuning Analyzer

Cross References:

Functions:

[Tuning

7.3.2.15]

5.7.16 Reliability Analyzer

Cross References:

Functions:

[Reliability Analysis

7.3.2.16]

5.7.17 Real Time Analyzer

Cross References:

Functions:

[Real Time Analysis

7.3.2.17]

5.7.18 Formal Verification System

Cross References:

Functions:

[Formal Verification

7.3.3]

5.7.19 Symbolic Execution System

Cross References:

Functions:

[Symbolic Execution

7.3.4]

5-30 Blank

THIS PAGE LEFT INTENTIONALLY BLANK

6. <u>ATTRIBUTES</u>

Attributes are the characteristics of tools or "whole APSEs" which the E&V user evaluates (or validates) to make assessments and comparisons. Therefore, the attributes are integral to finding E&V technology since all E&V technology is used to assess tools or APSEs for one or more attributes. This manual uses a hierarchy of software attributes derived from one presented in a report by the Rome Air Development Center [@RADC 1985]. The focus of the report is planning and designing quality into application software throughout the software life cycle.

Nevertheless, the report provides an excellent framework for understanding all the issues that surround software quality and is recommended for those users seeking more details into this complex process. The RADC report is therefore chosen as a basis for this section of the E&V Reference Manual even though the focus here is on system and support software and also on specifying and assessing attributes for software that is already developed. The remainder of this introductory section is used to summarize some of the issues that must be dealt with in understanding the software attributes. These are:

- The attribute hierarchy
- The functional dependence of attributes
- Guidance in the selection of attributes
- Attribute interrelationships.

The first two levels of the attribute hierarchy are shown in Table 6-1. The highest level of the hierarchy (performance, design, and adaptation) show three broad categories of acquisition concerns to potential users with regard to software. The next level shows quality factors which are user-oriented terms, each representing an aspect of software (or tool) quality. The quality factors can themselves be decomposed into various criteria as shown in Table 6-2. The criteria are software-oriented terms representing software characteristics. The degree to which these characteristics are

TABLE 6-1
TOP LEVEL ATTRIBUTE HIERARCHY

G-04769

40

70

X

ACQUISITION CONCERN	USER CONCERN	QUALITY FACTOR
	HOW WELL DOES IT UTILIZE A RESOURCE?	EFFICIENCY
0505001441105	HOW SECURE IS IT?	INTEGRITY
PERFORMANCE- HOW WELL DOES IT FUNCTION?	WHAT CONFIDENCE CAN BE PLACED IN WHAT IT DOES?	RELIABILITY
	HOW WELL WILL IT PERFORM UNDER ADVERSE CONDITIONS?	SURVIVABILITY
	HOW EASY IS IT TO USE?	USABILITY
DESIGN-	HOW WELL DOES IT CONFORM TO THE REQUIREMENTS?	CORRECTNESS
HOW WELL IS IT DESIGNED?	HOW EASY IS IT TO REPAIR?	MAINTAINABILITY
DESIGNED :	HOW EASY IS IT TO VERIFY ITS PERFORMANCE?	VERIFIABILITY, TESTABILITY
	HOW EASY IS IT TO EXPAND, CHANGE, OR UPGRADE ITS CAPABILITY OR PERFORMANCE?	EXPANDABILITY, FLEXIBILITY
ADAPTATION- HOW ADAPTABLE	HOW EASY IS IT TO INTERFACE WITH ANOTHER SYSTEM?	INTEROPERABILITY
IS IT?	HOW EASY IS IT TO CONVERT FOR USE IN ANOTHER APPLICATION?	REUSABILITY
	HOW EASY IS IT TO TRANSPORT?	TRANSPORTABILITY

present in the software is an indication of the degree of presence of a quality factor. The criteria can support more than one of the software quality factors at the next higher level.

The quality criteria can also be decomposed into metrics which are software-oriented details of the software characteristics. These metrics represent specific questions, checklists, or other tests that are used to determine the extent to which the tool has that characteristic. The metrics must often be tailored to the particular function(s) that the software performs. Other metrics do not deal with functionality, but with aspects of the software that are independent of the function(s)

TABLE 6-2 COMPLETE ATTRIBUTE HIERARCHY

ſ				FRE	204	ANC		0	ESIG	N	ADAPTATION				
4	ACQUISITION CONCERN			-	6.1				6.2		_	6.	3		
ZBW0Z00 Z0-4-8-C000	CRITERION/ SECTION	DA .	- MEE-0-MEO>	2 INTEGRITY	J RELIABILITY	4 008>-><8-1-F	S DN(B-J-F)	- CORRECTZWSS	N 24-2-4-248-1-+>	3 >WR-E-<8-L-T>	- MX8-22>3XW	2 -2-64006648-1	S REUNAB-L-TY		
WOZY ZUM	ACCURACY ANOMALY MANAGEMENT (FAULT OR ERROR TOLERANCE, ROBUSTNESS AUTONOMY CAPACITY COMMUNICATION EPPECTIVENESS COST DISTRIBUTEDNESS MATURITY OPERABLITY (COMMUNICATIVENESS) POWER PROCESSING (EXECUTION) EPPECTIVENESS RECONFIGURABLITY REQUIRED COMPGURATION STORAGE EPPECTIVENESS SYSTEM ACCESSIBILITY TRANING	6.4.1 6.4.2 6.4.6 6.4.6 6.4.1 6.4.12 6.4.16 6.4.20 6.4.21 6.4.22 6.4.24 6.4.25 6.4.26 6.4.26 6.4.26 6.4.31 6.4.32 6.4.32	×	×	×	x	x x x x x x								
20-480	COMPLETENESS CONSISTENCY TRACEASUTY VISIOUTY (TEST AVAILABILITY)	6.4.6 6.4.10 6.4.36 6.4.38						×××	×	×					
4048-45-02	APPLICATION INDEPENDENCE AUGMENTABLITY COMMONALITY (DATA AND COMMUNICATION) DOCUMENT ACCESSIBLITY FUNCTIONAL OVERLAP FUNCTIONAL SCORE GENERALITY REHOSTABLITY (INDEPENDENCE) RETARGETABLITY (INDEPENDENCE) SYSTEM CLARITY SYSTEM COMPATBLITY VIRTUALITY	6.4.3 6.4.4 6.4.7 6.4.13 6.4.14 6.4.15 6.4.16 6.4.25 6.4.27 6.4.33 6.4.34 6.4.34									××××	x x x	XXXXX		
CHAMERA	GRANDLARITY MODULARITY PROPRIETARY RIGHTS SELF-DESCRIPTIVENESS SMIPLICITY SOFTWARE PRODUCTION VEHICLE (S)	6.4.17 6.4.16 6.4.23 6.4.28 6.4.29 6.4.30			×	×	X		X X X X X X	X X X	X X X X X X	×	X X X		

performed. Because of the possible functional dependence of the software quality metrics, the metrics are not listed in this manual, but are found in the Guidebook [@GB].

The RADC report not only defines the software quality factors, criteria, and metrics, it also provides guidance for their selection and use. In particular, there is guidance for selecting attributes based on:

W

T

- System characteristics
- Complementary factors
- Shared criteria
- Attribute interrelationships.

The desired software quality factors should be tailored to the characteristics of the software being built and the development environment. In fact, some of the tools selected for the development environment will probably be based on the system characteristics. For example, if a tool or environment is to have a long life cycle, the E&V user should be concerned with expandability and maintainability. Likewise, if the system being built is a real-time application, the developer should consider acquiring tools that can assess the efficiency of the system. Table 6-3 lists some application and environment characteristics and the related software quality factors that are likely to be important.

Another consideration when selecting quality factors to be assessed is the effect of low quality levels among complementary factors. Four factors are complementary to most other factors and should influence the selection of important factors. Table 6-4 shows the complementary factors:

- Reliability
- Correctness
- Maintainability
- Verifiability.

TABLE 6-3

EXAMPLES OF APPLICATION/ENVIRONMENT CHARACTERISTICS AND RELATED SOFTWARE QUALITY FACTORS

G-04765

APPLICATION/ENVIRONMENT CHARACTERISTICS	SOFTWARE QUALITY FACTORS
HUMAN LIVES AFFECTED	INTEGRITY RELIABILITY CORRECTNESS VERIFIABILITY, TESTABILITY SURVIVABILITY
LONG LIFE CYCLE	MAINTAINABILITY EXPANDABILITY, FLEXIBILITY
EXPERIMENTAL SYSTEM OR HIGH RATE OF CHANGE	EXPANDABILITY, FLEXIBILITY
EXPERIMENTAL TECHNOLOGY IN HARDWARE DESIGN	TRANSPORTABILITY
MANY CHANGES OVER LIFE CYCLE	REUSABILITY EXPANDABILITY, FLEXIBILITY
REAL TIME APPLICATION	EFFICIENCY RELIABILITY CORRECTNESS
ON-BOARD COMPUTER APPLICATION	EFFICIENCY RELIABILITY CORRECTNESS SURVIVABILITY
PROCESSING OF CLASSIFIED INFORMATION	INTEGRITY
INTERRELATED SYSTEMS	INTEROPERABILITY
INTERACTIVE SYSTEMS	USABILITY
BATCH SYSTEMS	EFFICIENCY RELIABILITY CORRECTNESS

TABLE 6-4
COMPLEMENTARY SOFTWARE QUALITY FACTORS

G-04768

QUALITY FACTOR QUALITY FACTOR SPECIFIED	M##-0-#20>	INTEGRITY	RELIABILITY	SURVIVABILITY	< 4- r - @ > ω C	CORRECTZESS	MAINTAINABILITY	VERIFIABILITY	EXPANDABILITY	- NTEROPERAB-L-TY	常田 リのく B~L-TY	TRANSPORTABILITY
EFFICIENCY												
INTEGRITY			*			*		*				
RELIABILITY						*		*				
SURVIVABILITY			*			*		*				
USABILITY			*			*	*	*				
CORRECTNESS												
MAINTAINABILITY			*			*						
VERIFIABILITY, TESTABILITY			*			*	*					
EXPANDABILITY, FLEXIBILITY			*			*	*	*				
INTEROPERABILITY			*			*	*	*				
REUSABILITY			*			*	*	*				
TRANSPORTABILITY	+	—	*	_		*	*	*				****

^{# =} DEPENDENCY

Quality levels for the other specified factors are difficult to measure accurately when there are low quality levels for any of the four complementary factors. For example, if a high quality level for reliability is specified, high quality levels for correctness and verifiability should also be specified. This is because if the scores for reliability are high, but the software is incorrect or difficult to verify, the true reliability may be low due to incorrect software or uncertainty in verification. The complementary quality factors show that the attributes are not independent. Any project, regardless of the type of system or application, should consider the complementary factors in the quality specifications.

The criteria that are attributes of more than one quality factor are shared criteria. For example, Table 6–2 shows simplicity is a criterion for five of the factors. The beneficial effect of this is that these attributes are built into the software only once: likewise, assessment of these attributes need only be done once. Therefore, costs associated with specifying factors that share common criteria are generally less than costs associated with specifying factors that do not share criteria.

Assigning more than one quality factor to an APSE component can have either a beneficial or an adverse effect, depending on the combination of factors that have been specified. Some factors have criteria that conflict with another factor; and some have criteria that cooperate with another factor. Attribute criteria affecting other factors are shown in Table 6-5. Attributes that are basic criteria of a factor are identified with an "x"; criteria that are in a positive or beneficial relationship with another factor are identified with a "+"; and criteria that are in a negative or adverse relationship with another factor are identified with a "-". For example, operability is a criterion of usability and is shown to have a beneficial relationship with maintainability. The assertion is that the operability of usable software aids in software maintenance, even though it is not an essential characteristic of maintainability. The implication is that the effort to maintain software will be less if usability is also a specified quality. An example of a criterion with an adverse relationship is anomaly management. Anomaly management is a criterion of reliability and is shown to have a conflicting relationship with efficiency. The assertion is that the additional code required to perform anomaly management increases the runtime and requires additional memory, thus decreasing the potential efficiency. This implies that efficient use of resources will be more

TABLE 6-5 BENEFICIAL AND ADVERSE EFFECTS OF CRITERIA ON SOFTWARE QUALITY FACTORS

ſ	ACQUISITION CONCERN		P	ERF		ANC	E	0	ESIG	N	A	DAPI	ATK	4767 ON	
_			-		6.1		-	-	6.2		-	_	.3		
ZBW0Z00 Z0-4-6-C00)	CRITERION/ SECTION	OR	- MEE-0-MZ0>	2 INTEGRITY	3 REL-48-L-FY	4 BURY-YAB-J-TY	5 USAB-L-TY	* CORRECTNESS	2 MA-NTA-NAB-L-TY	S VER-F-AB-J-TY	1 BXPAZDAB-J-TY	2 -NTEROPERAS-LITY	S REUSAB-L-TY	4 TRANSPORTABILITY	
PERFORMANCE	ACCURACY ANDMALY MANAGEMENT (FAULT OR ERROR TOLERANCE, ROBUSTNESS AUTONOMY CAPACITY COMMUNICATION SPECTIVENESS COST DISTRIBUTEDNESS MATURITY OPERABUITY (COMMUNICATIVENESS) POWER PROCESSING (EXECUTION) EPPECTIVENESS RECOMPOURABUITY REQUIRED COMPOURATION STORAGE EPPECTIVENESS SYSTEM ACCESSING, IV TRAINING	6.4.1 6.4.2 8.4.6 8.4.6 8.4.1 6.4.11 6.4.12 8.4.16 6.4.20 6.4.21 6.4.22 6.4.24 6.4.24 6.4.25 6.4.21 6.4.24	x - x	×	X	x	. x x x x x x x				•		-		
ZO-UMO	COMPLETENESS CONSISTENCY TRACEASUTY VISSUTY (TEST AVAILABILITY)	6.4.6 6.4.10 6.4.36 6.4.38						×××	x	x	:		:		
404B+4+-0Z	APPLICATION INDEPENDENCE AUGMENTABLITY COMMONALTY (DATA AND COMMUNICATION) OOCUMENT ACCESSIBILITY FUNCTIONAL OVERLAP FUNCTIONAL SCOPE GENERALITY REHOSTABLITY (INDEPENDENCE) RETARGETABLITY (INDEPENDENCE) SYSTEM CLARITY SYSTEM COMPATIBLITY VISTUALITY	6.4.3 6.4.4 6.4.7 6.4.13 6.4.14 6.4.18 6.4.28 6.4.27 6.4.33 6.4.34			-	•			•		x	x x x x	X X X X X X	×	LEGEND
	GRANALARITY MODULARITY PROPRIETARY RIGHTS SELF-DESCRIPTIVENESS SIMPLICITY SOFTWARE PRODUCTION VEHICLE(S)	8.4 17 6.4 16 6.4 29 6.4 26 6.4 20 6.4 30			×	×	×		X X X X X	X X X	XXXXX	x	XXX	×	X = BASIC RELATIONSHI + = POSITIVE EFFECT - = NEGATIVE EFFECT BLANK = NONE OR APPLICATION DEPENDENT

difficult to achieve if reliability is also a specified quality factor. Possible solutions to this conflict include:

- Budget and schedule to try to achieve high goals for both factors
- Lowering goals for one or the other factor, including decreasing emphasis on the specific criterion that conflicts and increasing emphasis on those that do not conflict
- Allocating more resources to the host system (e.g., more efficient processor or more memory) and possibly decreasing emphasis on high software quality goals.

Figure 6-1 shows how the attributes are related to other elements of the E&V Reference Manual and to elements in the E&V Guidebook. The various attributes that are useful in defining assessment objectives for APSEs or APSE components are described in this chapter.




Figure 6-1 Attribute Relationships

6.1 PERFORMANCE

Description:

Performance quality factors deal both with the ability of the software to function and with error occurrences that affect software functioning. Low quality factors predict poor software performance. [@RADC 1985]

Cross References:

Software Quality Factors:	
[Efficiency	6.1.1,
Integrity	6.1.2,
Reliability	6.1.3,
Survivability	6.1.4,
Usability	6.1.5]

<u>დათი განტების განტებ</u>ის გა

6,1.1 Efficiency

Description:

Efficiency deals with utilization of resources. [@RADC 1985] The extent to which a component fulfills its purpose using a minimum of computing resources. Of course, many of the ways of coding efficiently are not necessarily efficient in the sense of being cost-effective, since transportability, maintainability, etc., may be degraded as a result. [@DACS 1979]

Cross References:

Acquisition Concern: [Performance	6.1]
Software-Oriented Criteria: [Communication Effectiveness	6.4.8,
Processing Effectiveness	6.4.22,
Storage Effectiveness	6.4.31]
A 11 12 12 1 - 1 1 1 1 1 1 1 1 1 1 1 - 1 1 1 1 1 1 1 1 1 1 1 - 1 1 1 1 1 1 1 1 1 1 1 - 1 - 1 1 1 1 1 1 1 1 1 1 1 - 1 1 1 1 1 1 1 1 1 1 1 - 1 1 1 1 1 1 1 1 1 1 1 - 1 1 1 1 1 1 1 1 1 1 1 - 1 1 1 1 1 - 1 1 - 1 1 - 1	

Application/Environment Characteristics:

[Real Time Application,

On-Board Computer Application,

Batch Systems]

Complementary Software Quality Factors:

Cooperating Criteria:

Conflicting Criteria:	
[Accuracy	6.4.1,
Anomaly Management	6.4.2,
Commonality	6.4.7,
Generality	6.4.16,
Modularity	6.4.19,
Operability	6.4.20,
Reconfigurability	6.4.24,
Rehostability	6.4.25,
Retargetability	6.4.27,
Self-Descriptiveness	6.4.28,
Simplicity	6.4.29,
System Accessibility	6.4.32
Virtuality	6.4.37]

6.1.2 Integrity

Description:

Integrity deals with software failures due to unauthorized access. [@RADC 1985] The extent to which access to a component or associated data by unauthorized persons can be controlled. [@E&V Requirements]

Cross References:

Acquisition Concern:
[Performance 6.1]

Software-Oriented Criteria:
[System Accessibility 6.4.32]

Application/Environment Characteristics: [Human Lives Affected, Processing of Classified Information]

Complementary Software Quality Factors:
[Reliability 6.1.3,
Correctness 6.2.1,
Verifiability, Testability 6.2.3]

Cooperating Criteria:

Secretaria Visconsista Visconsista Visconsista

Conflicting Criteria:

[Distributedness 6.4.12,
Document Accessibility 6.4.13,
Generality 6.4.16,
System Compatibility 6.4.34]

6.1.3 Reliability

Description:

Reliability concerns any software failure. [@RADC 1985] The extent to which a component can be expected to perform its intended functions in a satisfactory manner. [@DACS 1979]

Cross References:

Acquisition Concern:	
Performance	6.1]

Software-Oriented Criteria: [Accuracy 6.4.1, Anomaly Management 6.4.2, Simplicity 6.4.29]

Application/Environment Characteristics: [Human Lives Affected, Real Time Application, On-Board Computer Application, Batch Systems]

Cooperating Criteria:

Complementary Software Quality Easters:	
Complementary Software Quality Factors: [Correctness	6.2.1,
Verifiability, Testability	6.2.3]

Conflicting Criteria:	
[Generality	6.4.16]

8

8

1

8

18

Ø

E E

S

M

6.1.4 Survivability

Description:

Survivability deals with the continued performance of software (e.g., in a degraded mode) even when a portion of the system has failed. [@RADC 1985]

Cross References:

Acquisition Concern: [Performance	6.1]
Software-Oriented Criteria: [Anomaly Management Autonomy Distributedness Granularity Modularity Reconfigurability	6.4.2, 6.4.5. 6.4.13. 6.4.17 6.4.19, 6.4.24]
Application/Environment Characteristics: [Human Lives Affected, On-Board Computer Application]	
Complementary Software Quality Factors: [Reliability Correctness Verifiability, Testability	6.1.3, 6.2.1, 6.2.3]
Cooperating Criteria:	
Conflicting Criteria: [Generality	6.4.16]

6.1.5 Usability

Description:

Extent to which resources required to acquire, install, learn, operate, prepare input for, and interpret output of a component are minimized.

Cross References:

Conflicting Criteria:

Acquisition Concern: [Performance	6.1]
Software-Oriented Criteria: [Capacity Cost Granularity Maturity Operability Power Required Configuration Training	6.4.6, 6.4.11, 6.4.17, 6.4.18, 6.4.20, 6.4.21, 6.4.26, 6.4.36]
Application/Environment Characteristics: [Interactive Systems]	
Complementary Software Quality Factors: [Reliability Correctness Maintainability Verifiability, Testability	6.1.3, 6.2.1, 6.2.2, 6.2.3]
Cooperating Criteria: [Anomaly Management	6.4.2]

6.2 DESIGN

Description:

Design quality factors deal mainly with software failure and correction. Low quality levels usually result in repeating a portion of the development process (e.g., redesign, recode, reverify); hence the term design. [@RADC 1985]

Cross References:

Software Quality Factors:	
[Correctness	6.2.1,
Maintainability	6.2.2,
Verifiability, Testability	6.2.3]

ენის განისის და ანისის და ანის განის გ

6.2.1 Correctness

Description:

The extent to which software design and implementation conform to specifications and standards. Criteria of correctness deal exclusively with design and documentation formats. [@RADC 1985] Agreement between a component's total response and the stated response in the functional specification (functional correctness), and/or between the component as coded and the programming specification (algorithmic correctness). [@DACS 1979]

Cross References:

Acquisition Concern: [Design	6.2]
Software-Oriented Criteria: [Completeness	6.4.9,
Consistency	6.4.10,
Traceability	6.4.35]

Application/Environment Characteristics:
[Human Lives Affected,
Real Time Application,
On-Board Computer Application,
Batch Systems]

Complementary Software Quality Factors:

Cooperating Criteria:

Conflicting Criteria:

6.2.2 Maintainability

Description:

The ease of effort in locating and fixing software failures. [@RADC 1985] The extent to which a component facilitates updating to satisfy new requirements or to correct deficiencies. This implies that the component is understandable, testable, and modifiable. [@DACS 1979]

Cross References:

Acquisition Concern: [Design	6.2]
Octuars Oriented Orienia	
Software-Oriented Criteria:	6.4.10,
[Consistency Granularity	6.4.17
Modularity	6.4.19,
Proprietary Rights	6.4.23
Self-Descriptiveness	6.4.28.
Simplicity	6.4.29,
Software Production Vehicle(s)	6.4.30,
Visibility	6.4.381
Application/Environment Characteristics: [Long Life Cycle]	
Complementary Software Quality Factors:	
[Reliability	6.1.3,
Correctness	6.2.1]
Cooperating Criteria:	
[Completeness	6.4.9.
Document Accessibility	6.4.13,
Operability	6.4.20,
Reconfigurability	6.4.24,
Traceability	6.4.35]
Conflicting Criteria:	
Communication Effectiveness	6.4.8,
Processing Effectiveness	6.4.22,
Storage Effectiveness	6.4.31]

6.2.3 Verifiability, Testability

Description:

Software design characteristics affecting the effort to verify software operation and performance. [@RADC 1985] The extent to which a component facilitates the establishment of verification criteria and supports evaluation of its performance. This implies that requirements are matched to specific modules, or diagnostic capabilities are provided, etc. [@DACS 1979]

Cross References:

Acquisition Concern: [Design	6.2]
Software-Oriented Criteria: [Granularity Modularity Self-Descriptiveness Simplicity	6.4.17, 6.4.19, 6.4.28, 6.4.29,
Visibility	6.4.38]
Application/Environment Characteristics: [Human Lives Affected]	
Complementary Software Quality Factors: [Reliability Correctness Maintainability	6.1.3, 6.2.1, 6.2.2]
Cooperating Criteria: [Consistency Operability Traceability	6.4.10, 6.4.20, 6.4.35]
Conflicting Criteria: [Communication Effectiveness Processing Effectiveness Storage Effectiveness	6.4.8, 6.4.22, 6.4.31]

6.3 ADAPTATION

Description:

Adaptation quality factors deal mainly with using software beyond its original requirements, such as extending or expanding capabilities and adapting for use in another application or environment. Low quality levels predict relatively high costs for new software use. [@RADC 1985]

Cross References:

Software Quality Factors: [Expandability, Flexibility	6.3.1,
Interoperability	6.3.2,
Reusability	6.3.3,
Transportability	6.3.4]

[©]

6.3.1 Expandability, Flexibility

Description:

The effort in increasing software capabilities or performance or to accommodate changes in requirements. [@RADC 1985] The extent to which a component allows new capabilities to be added and existing capabilities to be easily tailored to user needs. [@DACS 1979]

Cross References:

Acquisition Concern:	
Adaptation	6.3]
Software-Oriented Criteria:	
[Augmentability	6.4.4,
Generality	6.4.16,
Granularity	6.4.17,
Modularity	6.4.19,
Proprietary Rights	6:4.23,
Retargetability	6.4.27,
Self-Descriptiveness	6.4.28,
Simplicity	6.4.29,
Software Production Vehicle(s)	6.4.30,
Virtuality	6.4.37]
Application/Environment Characteristics: [Long Life Cycle,	
Experimental System or High Rate of Change, Many Changes over Life Cycle]	
Complementary Software Quality Factors:	
(Reliability	6.1.3,
Correctness	6.2.1,
Maintainability	6.2.2,
Verifiability, Testability	6.2.3]
Cooperating Criteria:	
(Capacity	6.4.6,
Consistency	6.4.10,
Distributedness	6.4.12,
Traceability	6.4.35]
Conflicting Criteria:	
(Reconfigurability	6.4.24]

6.3.2 Interoperability

Description:

The effort in coupling software of one system to software of one or more other systems. [@RADC 1985] The ability of APSEs to exchange data base objects and their relationships in forms usable by components and user programs without conversion. Interoperability is measured by the degree to which this exchange can be accomplished without conversion. [@E&V Requirements]

Cross References:

Acquisition Concern: [Adaptation	6.3]
Software-Oriented Criteria: [Commonality Functional Overlap Modularity Rehostability Retargetability System Compatibility	6.4.7, 6.4.14, 6.4.19, 6.4.25, 6.4.27, 6.4.34]
Application/Environment Characteristics: [Interrelated Systems]	
Complementary Software Quality Factors: [Reliability Correctness Maintainability Verifiability, Testability	6.1.3, 6.2.1, 6.2.2, 6.2.3]
Cooperating Criteria: [Generality	6.4.16]
Conflicting Criteria:	

6.3.3 Reusability

Description:

The extent to which a component can be adapted for use in another application. [@RADC 1985]

Cross References:

Acquisition Concern:

[Adaptation	6.3]
Software-Oriented Criteria:	
[Application Independence	6.4.3,
Document Accessibility	6.4.13,
Functional Scope	6.4.15,
Generality	6.4.16,
Granularity	6.4.17
Modularity	6.4.19,
Rehostability	6.4.25,
Retargetability	6.4.27,
Self-Descriptiveness	6.4.28,
Simplicity	6.4.29,
System Clarity	6.4.33]
[Many Changes over Life Cycle]	
Complementary Software Quality Factors:	
(Reliability	6.1.3,
Correctness	6.2.1,
Maintainability	6.2.2.
Verifiability, Testability	6.2.3]
Cooperating Criteria:	0.4.0
[Completeness	6.4.9.
Consistency	6.4.10,
Traceability	6.4.35]
Conflicting Criteria:	
[Reconfigurability	6.4.24]

83

8

6.3.4 Transportability

Description:

The extent to which a component can be adapted for use in another environment (e.g., different host or target hardware, operating system, APSE). [@RADC 1985] The ability of a component to be installed on a different APSE without change in functionality. Transportability is measured in the degree to which this installation can be accomplished without reprogramming. [@E&V Requirements]

Cross References:

Acquisition Concern: [Adaptation	6.3]
Software-Oriented Criteria: [Modularity Rehostability Retargetability Self-Descriptiveness	6.4.19, 6.4.25, 6.4.27, 6.4.28]
Application/Environment Characteristics: [Experimental Technology in Hardware Design]	
Complementary Software Quality Factors: [Reliability Correctness Maintainability Verifiability, Testability	6.1.3, 6.2.1, 6.2.2, 6.2.3]
Cooperating Criteria: [Application Independence	6.4.3]
Conflicting Criteria: [Communication Effectiveness Processing Effectiveness Reconfigurability Storage Effectiveness	6.4.8, 6.4.22, 6.4.24, 6.4.31]

6.4 SOFTWARE-ORIENTED CRITERIA

6.4.1 Accuracy

Description:

Those characteristics of software which provide the required precision in calculations and outputs. [@RADC 1985]

Cross References:

Software Quality Factors: [Reliability

6.1.31

Beneficial Quality Factors:

Adverse Quality Factors: [Efficiency

6.1.1]

Guidebook References:

6.4.2 Anomaly Management, Fault or Error Tolerance, Robustness

Description:

Those characteristics of software which provide for continuity of operations under and recovery from non-nominal conditions. [@RADC 1985] The protection of a component from itself, user errors, and system errors. The ability to recover and provide meaningful diagnostics in the event of unforeseen situations. A robust routine will avoid failing for input values where the desired output is well-defined, but the intermediate results of a straightforward implementation may cause the routine to fail. [@E&V Requirements]

Cross References:

Software Quality Factors: [Reliability Survivability	6.1.3, 6.1.4]
Beneficial Quality Factors: [Usability	6.1.5]
Adverse Quality Factors: [Efficiency	6.1.1]

Guidebook References:

6.4.3 Application Independence

Description:

Those characteristics of software which determine its non-dependency on database system, microcode, computer architecture, and algorithms. [@RADC 1985]

Cross References:

Software Quality Factors: [Reusability

6.3.3]

Beneficial Quality Factors: [Transportability

6.3.41

Adverse Quality Factors:

Guidebook References:

6.4.4 Augmentability

Description:

Those characteristics of software which provide for expansion of capability for functions and data. [@RADC 1985]

Cross References:

Software Quality Factors: [Expandability, Flexibility

6.3.1]

8

Beneficial Quality Factors:

Adverse Quality Factors:

Guidebook References:

6.4.5 Autonomy

Description:

Those characteristics of software which determine its non-dependency on interfaces and functions. [@RADC 1985]

Cross References:

Software Quality Factors: [Survivability

6.1.4]

Beneficial Quality Factors:

Adverse Quality Factors:

Guidebook References:

ᡛ᠉ᠣᠣᡛᡐᡡᢂᢘᡳᡙᢘᡡᢏ᠙ᢣᢗ᠅᠐ᢣᢣᠬᢊᠲ᠙ᢣᢗᢘᢐᢘᢗᠵᢗᢛᡳᡓᠵᠣᡳᠣᡳᡈᡳᡈᡎ᠐ᡠᢗᢇ᠅᠂ᡠᠣᡡᢐᢧᡲᠣ᠘᠘ᡠᡠ᠐ᡠᡠ᠐ᡠᡠᠬ᠘ᢣᡠᡠ᠘ᡠᡠ᠘ᡠᡠ᠘ᡠᡠ᠘ᡠᡠ᠘ᡂᡳᡆᠬᡡ᠘ᡠᡳᡂ

S.

C

6.4.6 Capacity

Description:

The upper and lower limits of the functions implemented by a tool. [@E&V Requirements]

6.1.4]

Cross References:

Software Quality. Factors: [Usability

Beneficial Quality Factors:
[Expandability, Flexibility 6.3.1]

Adverse Quality Factors:

Guidebook References:

[Compilation 7.1.6.7, @GB: IDA Benchmarks 6.1]

6.4.7 Commonality (Data and Communication)

Description:

Those characteristics of software which provide for the use of interface standards for protocols, routines, and data representations. [@RADC 1985] The set of assumptions made by the component and made about the component by the remaining components and the system in which it appears. Software components have control, data, and service interfaces. Included in this attribute is conformance to any existing pertinent interface standards such as the CAIS. [@DACS 1979]

Cross References:

Software Quality Factors: [Interoperability

6.3.21

Beneficial Quality Factors:

Adverse Quality Factors: [Efficiency

6.1.11

Guidebook References:

6.4.8 Communication Effectiveness

Description:

Those characteristics of the software which provide for minimum utilization of communications resources in performing functions. [@RADC 1985]

Cross References:

Software Quality Factors:	
[Efficiency	6.1.1]

Beneficial Quality Factors:

Adverse Quality Factors:	
[Maintainability	6.2.2,
Verifiability, Testability	6.2.3,
Transportability	6.3.4]

Guidebook References:

6.4.9 Completeness

Description:

The extent to which a component provides the complete set of operations necessary to perform a function. [@E&V Requirements]

Cross References:

Software Quality Factors:
[Correctness 6.2.1]

Beneficial Quality Factors:
[Maintainability 6.2.2,
Reusability 6.3.3]

Adverse Quality Factors:

Guidebook References:

[Compilation 7.1.6.7, @GB: ACVC 8.1; Kernel 7.2.3.3, @GB: CIVC 8.2]

6.4.10 Consistency

Description:

Those characteristics of software which provide for uniform design and implementation techniques and notation. [@RADC 1985]

Cross References:

Software Quality Factors:	0.04
[Correctness	6.2.1,
Maintainability	6.2.2]
Beneficial Quality Factors:	
[Verifiability, Testability	6.2.3,
Expandability, Flexibility	6.3.1,
Reusability	6.3.3]

Adverse Quality Factors:

Guidebook References:

6.4.11 Cost

Description:

The cost of a complete component or the costs of features of a component. The cost of a component may vary depending on delivery with source code or object code only (for example). Other cost considerations are installation, user assistance, and maintenance support. [@E&V Requirements]

Cross References:

Software Quality Factors: [Usability

6.1.5]

Beneficial Quality Factors:

Adverse Quality Factors:

Guidebook References:

6.4.12 Distributedness

Description:

Those characteristics of software which determine the degree to which software functions are geographically or logically separated within the system. [@RADC 1985]

Cross References:

Software Quality Factors: (Survivability	6.1.4]
Beneficial Quality Factors: [Expandibility, Flexibility	6.3.1]
Adverse Quality Factors:	6.1.21

Guidebook References:

6.4.13 Document Accessibility

Description:

Those characteristics of software which provide for easy access to software and selective use of its components. [@RADC 1985]

Cross References:

Software Quality Factors:
[Reusability 6.3.3]

Beneficial Quality Factors:
[Maintainability 6.2.2]

Adverse Quality Factors:
[Integrity 6.1.2]

Guidebook References:

6.4.14 Functional Overlap

Description:

Those characteristics of software which provide common functions to both systems. [@RADC 1985]

Cross References:

Software Quality Factors: [Interoperability

6.3.2]

8

Beneficial Quality Factors:

Adverse Quality Factors:

Guidebook References:

6.4.15 Functional Scope

Description:

Those characteristics of software which provide commonality of functions among applications. [@RADC 1985]

Cross References:

Software Quality Factors: [Reusability

6.3.31

Beneficial Quality Factors:

Adverse Quality Factors:

Guidebook References:

6.4.16 Generality

Description:

Those characteristics of software which provide breadth to the functions performed with respect to the application. [@RADC 1985]

Cross References:

[Expandability, Flexibility Reusability	6.3.1, 6.3.3]
Beneficial Quality Factors: [Interoperability	6.3.2]
Adverse Quality Factors: [Efficiency Integrity Reliability Survivability	6.1.1, 6.1.2, 6.1.3, 6.1.4]

Guidebook References:

 a_{0}

6.4.17 Granularity

Description:

The degree to which a component has separate limited functions that are composable, user selectable, and communicate through a common data base. [@E&V Requirements]

Cross References:

Software Quality Factors:

[Survivability	6.1.4,
Usability	6.1.5,
Maintainability	6.2.2,
Verifiability, Testability	6.2.3,
Expandability, Flexibility	6.3.1,
Reusability	6.3.3]

Beneficial Quality Factors:

Adverse Quality Factors:

Guidebook References:

6.4.18 Maturity

Description:

The extent to which a component has been used in the development of deliverable software by typical users and to which the feedback from that use has been reflected in modifications to the component. [@E&V Requirements]

Cross References:

Software Quality Factors: [Usability

6.1.5]

Beneficial Quality Factors:

Adverse Quality Factors:

Guidebook References:

6.4.19 Modularity

Description:

Those characteristics of software which provide a structure of highly cohesive components with optimum coupling. [@RADC 1985] The extent to which a component is implemented in a hierarchical structure in which identifiable functions are isolated in separate compilation units.

Cross References:

Software Quality Factors:	
[Survivability	6.1.4,
Maintainability	6.2.2,
Verifiability, Testability	6.2.3,
Expandability, Flexibility	6.3.1,
Interoperability	6.3.2,
Reusability	6.3.3,
Transportability	6.3.4]

Beneficial Quality Factors:

Adverse Quality Factors:
[Efficiency 6.1.1]

Guidebook References:

6.4.20 Operability, Communicativeness

Description:

Those characteristics of software which determine operations and procedures concerned with operation of software and which provide useful inputs and outputs which can be assimilated. [@RADC 1985] The user/component dialog established to control the execution of the component. This is driven by the set of assumptions made by the component and made about the component by the persons who use it.

8

8

8

13

Cross References:

Software Quality Factors: [Usability	6.1.5]
Beneficial Quality Factors: [Maintainability Verifiability, Testability	6.2.2, 6.2.3]
Adverse Quality Factors: [Efficiency	6.1.1]

Guidebook References:

[@GB: Ada-Europe User Interface Checklist	5.2.3;
@GB: Weiderman's Human Interface Checklist	5.3.11

6.4.21 Power

Description:

The extent to which a component has capabilities, such as default options and wild card operations, that contribute to the effectiveness of the user. [@E&V Requirements]

Cross References:

Software Quality Factors:
[Usability 6.1.5]

Beneficial Quality Factors:

Adverse Quality Factors:

Guidebook References:

(Text Editing	7.1.1.1,	
@GB: Text Editing Checklist		5.1.1;
Assembling	7.1.6.6,	
@GB: Assembling Checklist		5.1.2;
Compilation	7.1.6.7,	
@GB: Compilation Checklist		5.1.3;
Linking/Loading	7.1.6.13,	
@GB: Linking/Loading Checklist		5.1.4;
Data Base Management	7.2.1.1,	
@GB: Data Base Management Checklist		5.1.5;
File Management	7.2.1.3,	
@GB: File Management Checklist		5.1.6;
Electronic Mail	7.2.1.4,	
@GB: Electronic Mail Checklist		5.1.7;
Program Library Management	7.2.1.7,	
@GB: Program Library Management Checklist		5.1.8;
Performance Monitoring	7.2.1.10,	

A

B

DD

@GB: Performance Monitoring Checklist		5.1.9;
Scheduling	7.2.2.3,	
@GB: Scheduling Checklist		5.1.10;
Tracking	7.2.2.6,	
@GB: Tracking Checklist		5.1.11;
Configuration Management	7.2.2.7.	
@GB: Configuration Management Checklist		5.1.12:
Input/Output Support	7.2.3.2.	
@GB: Input/Output Support Checklist	, , , , , , , , , , , , , , , , , , , ,	5.1.13;
Import/Export	7.2.3.6.	
@GB: Import/Export Checklist		5.1.14;
Requirements Prototyping	7.3.2.2.	J. 11.1.1,
@GB: Requirements Prototyping Checklist	7.0.2.2,	5.1.15:
Simulation and Modelling	7.3.2.3.	5. 1. 15,
@GB: Simulation and Modelling Checklist	7.0.2.0,	5.1.16;
	7.3.2.5.	5.1.10,
Debugging Charlist	7.3.2.3,	E 4 47.
@GB: Debugging Checklist	7006	5.1.17;
Executable Assertion Checking	7.3.2.6,	5 4 40.
@GB: Executable Assertion Checking Checkl		5.1.18;
Mutation Analysis	7.3.2.9,	
@GB: Mutation Analysis Checklist		5.1.19;
Testing	7.3.2.10,	
@GB: Testing Checklist		5.1.20;
Emulation	7.3.2.13,	
@GB: Emulation Checklist		5.1.21;
Timing	7.3.2.14,	
@GB: Timing Checklist		5.1.22;
Tuning	7.3.2.15,	
@GB: Tuning Checklist		5.1.23;
Real Time Analysis	7.3.2.17,	
@GB: Real Time Analysis Checklist		5.1.24]
G		

6.4.22 Processing (Execution) Effectiveness

Description:

Those characteristics of the software which provide for minimum utilization of processing resources in performing functions. [@RADC 1985] The choice between alternative algorithms based on those taking the least amount of time. [@DACS 19791

Cross References:

Software Quality Factors:

[Efficiency

6.1.1]

Beneficial Quality Factors:

Adverse Quality Factors:

[Maintainability Verifiability, Testability Transportability

6.2.2.

6.2.3.

6.3.4

Guidebook References:

* [Compilation

7.1.6.7, @GB: IDA Benchmarks

6.1;

" Compilation

7.1.6.7, @GB: ACEC

6.21

NOTE: Normally, the concern of evaluation is the quality of a tool. However, this evaluation technique focuses on the products of the tool rather than the tool itself.

6.4.23 Proprietary Rights

Description:

Restrictions on the release, distribution, or use of a component. This includes so called "data rights" restrictions. [@E&V Requirements]

Cross References:

Software Quality Factors: [Maintainability Expandability, Flexibility

6.2.2.

6.3.1]

Beneficial Quality Factors:

Adverse Quality Factors:

Guidebook References:

6.4.24 Reconfigurability

Description:

Those characteristics of software which provide for continuity of system operation when one or more processors, storage units, or communication links fails.

[@RADC 1985]

Cross References:

Software Quality Factors: [Survivability	6.1.4]
Beneficial Quality Factors: [Maintainability	6.2.2]
Adverse Quality Factors: [Efficiency Expandability, Flexibility Reusability Transportability	6.1.1, 6.3.1, 6.3.3, 6.3.4]

Guidebook References:

D

333

X

88

6.4.25 Rehostability

Description:

The ability of an APSE component to be installed on a different host or different operating system with needed reprogramming localized to the KAPSE or machine dependencies. [@E&V Requirements]

Cross References:

Software Quality Factors:	
[Interoperability	6.3.2,
Reusability	6.3.3,
Transportability	6.3.4]

Beneficial Quality Factors:

Adverse Quality Factors:	
[Efficiency	6.1.1]

Guidebook References:

[@GB: Ada-Europe Host and Target Checklist	5.2.1,
@GB: Ada-Europe Machine-Specific Characteristics Checklist	5.2.2]

6.4.26 Required Configuration

Description:

The amount and types of hardware or software facilities needed for the operation of a component. This includes primary and secondary storage and any other required resources. [@E&V Requirements]

Cross References:

Software Quality Factors: [Usability

6.1.5]

Beneficial Quality Factors:

Adverse Quality Factors:

Guidebook References:

ብዶስ የብድስ እብ እበደብደብደብ እስ ኤትኤህኤህኤህኤህኤህኤህኤህ ኤስ ኤስ አለ አለ አለ አለ አለ ኤስ ኤስ ኤስ ኤስ ኤስ ኤስ ኤስ ኤስ

6.4.27 Retargetability

Description:

The ability of an APSE component to accomplish its function with respect to another target. The component may require modification. [@E&V Requirements]

Cross References:

Software Quality Factors:	
(Expandability, Flexibility	6.3.1,
Interoperability	6.3.2,
Reusability	6.3.3,
Transportability	6.3.4]

Beneficial Quality Factors:

Adverse Quality Factors:
[Efficiency 6.1.1]

Guidebook References:

[@GB: Ada-Europe Host and Target Checklist	5.2.1,
@GB: Ada-Europe Machine-Specific Characteristics Checklist	5.2.2]

6.4.28 Self-Descriptiveness

Description:

Those characteristics of software which provide explanation of the implementation of functions. [@RADC 1985] The technical data, including on-line, documentation, listings, and printouts, which serve the purpose of elaborating the design or details of a component. [@DACS 1979]

Cross References:

Software Quality Factors:	
[Maintainability	6.2.2,
Verifiability, Testability	6.2.3,
Expandability, Flexibility	6.3.1,
Reusability	6.3.3,
Transportability	6.3.4]

Beneficial Quality Factors:

Adverse Quality Factors:
[Efficiency 6.1.1]

Guidebook References:

6.4.29 Simplicity

Description:

Those characteristics of software which provide for definition and implementation of functions in the most non-complex and understandable manner. [@RADC 1985] A simple program style is one which makes the program, as a whole, easy to understand. Other things being equal, the style is concise and straightforward. It makes use of process, procedural, and data abstraction, as appropriate, to present a clear exposition of the intent.

Cross References:

Software Quality Factors:	
[Reliability	6.1.3,
Maintainability	6.2.2,
Verifiability, Testability	6.2.3,
Expandability, Flexibility	6.3.1,
Reusability	6.3.3]

Beneficial Quality Factors:

Adverse Quality Factors:	
[Efficiency	6.1.1]

Guidebook References:

6.4.30 Software Production Vehicle(s)

Description:

The methodology(ies), language(s), and technique(s) used to produce the software related to a component. [@E&V Requirements]

Cross References:

Software Quality Factors: [Maintainability Expandability, Flexibility

6.2.2, 6.3.1]

Beneficial Quality Factors:

Adverse Quality Factors:

Guidebook References:

Re

10

6.4.31 Storage Effectiveness

Description:

Those characteristics of the software which provide for minimum utilization of storage resources in performing functions. [@RADC 1985] The choice between alternative source code constructions based on those taking the minimum number of words of object code or in which the information-packing . . . is high. [@DACS 1979]

Cross References:

Software Quality Factors:
[Efficiency 6.1.1]

Beneficial Quality Factors:

Adverse Quality Factors:

[Maintainability 6.2.2,
Verifiability, Testability 6.2.3,
Transportability 6.3.4]

Guidebook References:

*[Compilation 7.1.6.7, @GB: IDA Benchmarks 6.1; Compilation 7.1.6.7, @GB: ACEC 6.2]

^{*}NOTE: Normally, the concern of evaluation is the quality of a tool. However, this evaluation technique focuses on the <u>products</u> of the tool rather than the tool itself.

6.4.32 System Accessibility

Description:

Those characteristics of software which provide for control and audit of access to the software and data. [@RADC 1985]

6.1.21

Cross References:

Software Quality Factors:
[Integrity

Beneficial Quality Factors:

Adverse Quality Factors:
[Efficiency 6.1.1]

Guidebook References:

ᢗᠳᡚᢋᡚᠽᠽᡧᡳᡧᠧᡙᡳᡡᡳᢣᡳᡡᡙᠽᢐᡳᡡᢣᢗᠳᡚᡊᡚᡊᡚᡕᢗᡡᢗᡳᡤᢐᡀᡳᢗᠵᢗᡳᡠᡳᢗᡡᢗᡳᡤᢐᡳᡚᡊᡚᡊᡓᡳᡡᢋᡡᢋᡙᠽᡙᡊᡑᡳᡡᡙᠽᡑᡊᡑᡊᡑᠽᡑᡊᡑᡑᢐ

6.4.33 System Clarity

Description:

Those characteristics of software which provide for clear description of program structure in a non-complex and understandable manner. [@RADC 1985]

Cross References:

Software Quality Factors: [Reusability

6.3.3]

Beneficial Quality Factors:

Adverse Quality Factors:

Guidebook References:

6.4.34 System Compatibility

Description:

Those characteristics of software which provide the hardware, software, and communication compatibility of two systems. [@RADC 1985]

Cross References:

Software Quality Factors: [Interoperability

6.3.2]

Beneficial Quality Factors:

Adverse Quality Factors: [Integrity

6.1.2]

THE THE RESIDENCE OF THE PARTY OF THE PARTY

Guidebook References:

6.4.35 Traceability

Description:

Those characteristics of software which provide a thread of origin from the implementation to the requirements with respect to the specified development envelope and operational environment. [@RADC 1985]

Cross References:

Software Quality Factors: [Correctness	6.2.1]
Beneficial Quality Factors: [Maintainability Verifiability, Testability Expandability, Flexibility Reusability	6.2.2. 6.2.3, 6.3.1, 6.3.3]

Adverse Quality Factors:

Guidebook References:

6.4.36 Training

Description:

Those characteristics of software which provide transition from current operation and provide initial familiarization. [@RADC 1985] The extent to which training and other user help is available from the vendor of a component or from the component itself, including on-line, documentation, listings, and printouts, which serve the purpose of providing operating instructions for using the component to obtain desired results. [@DACS 1979]

Cross References:

Software Quality Factors: [Usability

6.1.5]

Beneficial Quality Factors:

Adverse Quality Factors:

Guidebook References:

6.4.37 Virtuality

Description:

Those characteristics of software which present a system that does not require user knowledge of the physical, logical, or topological characteristics. [@RADC 1985]

Cross References:

Software Quality Factors: [Expandability, Flexibility

6.3.1]

Beneficial Quality Factors:

Adverse Quality Factors: [Efficiency

6.1.1]

Guidebook References:

6.4.38 Visibility, Test Availability

Description:

Those characteristics of software which provide status monitoring of the development and operation. [@RADC 1985] The availability of tests that verify the correctness or effectiveness of a component function or feature. These tests may also verify proper response for an incorrect input or technique. [@E&V Requirements]

Cross References:

Software Quality Factors:
[Maintainability
Verifiability, Testability

6.2.2.

6.2.3]

Beneficial Quality Factors:


Adverse Quality Factors:

Guidebook References:

6-64 slank

THIS PAGE LEFT INTENTIONALLY BLANK

7.	197 388 1551FIE	VEI B S	RSION :	10(U) FORD E	ON AND ANALYI ET AL.	VALIDIC SC JUL 8 1615-8	ATION) IENCES 8 TASO 5-C-18	REFER CORP -TR-52	RENCE READII	MANUAL NG MA F/G	12/8	3.	/4
	2/12 E.2	paratona pare paratona paratona paratona paratona paratona paratona paratona paratona paratona paratona paratona paratona paratona paraton	- B	-	=		### ### ###		<u>-</u>	-		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-
		Personalis STATE S		The same of the sa		Distance And Street Control of the C	TOTAL	The second secon	E III	The state of the s		Time to the control of the control o	The second
=	The same	1 to 1	=	Ē	100	The second	-		144		; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;		
		= :		The same	186.	-	=-	=		 	F .	The state of the s	
The L	= :				7.				The state of the s	**************************************		= =	
American Territoria Territoria Marc 2 Name a	Toronto Toront	The I	Series 2	Townstand State of the Control of th		Burne The !	Figure 1	Uniformity	The I		CONTROL OF THE PARTY OF T		
		 		The same	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	THE CONTRACT OF THE CONTRACT O		TOTAL	The state of the s	Management of the second of th	TOTAL		



THE PROPERTY OF THE PROPERTY O

7.

FUNCTIONS

This chapter provides a functional taxonomy used for characterizing the functional capabilities of a tool, toolset, or APSE. At the highest level, functions are classified into the following three taxa, which are further decomposed as described below:

- Transformation
- Management
- Analysis.

This type of functional classification scheme was first described in the NBS Taxonomy report [@Houghton 1983] and later elaborated in the SEE Taxonomy [@Kean 1985]. The E&V Team has followed the general scheme suggested in the above-referenced documents, but with some further elaboration and modifications designed to make the taxonomy compatible with the rest of the multiple indexing scheme used in other parts of this manual.

Figure 7–1 shows how the functions are related to other elements of the E&V Reference Manual and to elements in the E&V Guidebook. The various functions that are useful in defining assessment objectives for APSEs or APSE components are described in this chapter. The relationships between tools and functions given in this chapter are typical (or traditional) relationships. The real capabilities should be determined by the tool specifications, marketing claims, or the like.




Figure 7-1 Function Relationships

7.1 TRANSFORMATION

Description:

Transformation features describe how the subject is manipulated to accommodate the user's needs. They describe what transformations take place as input to the tool is processed. [@Kean 1985]

Cross References:

Life Cycle Phases:

Tools:

Guidebook References:

7.1.1 Editing

Description:

Selective revision of computer-resident data. [@Kean 1985]

Cross References:

Life Cycle Phases:

Tools:

Guidebook References:

ᢐᡷ᠘ᡮ᠋ᢣ᠒ᢊ᠒ᡀᡚᡥᢛᡳᡠᡳ᠐᠒ᡚᡀᠿᡥᢛ᠒ᡶᡠᠿᢗᡎᢗᡎᢗᡤᡠ᠘ᡎᢗᡎᡠ᠅ᢣ᠅ᠵᢗᠣᢗᡎᢗᠪᢌᡐ᠅ᢢᡳᡙᡠᠸᢛ᠅᠅ᢠᡬᢐᡬᡳᡳᡳ᠔᠘ᡎᠵ᠅ᢣᡳ᠐ᡓᢗᡙᢌᡳᢌᢛᡓᡳᡤᡑᢣ᠘ᡶᢧᢑᢧ

7.1.1.1 Text

Description:

Editing capabilities provided for textual data. [@Kean 1985]

Cross References:

Life Cycle Phases:	
[System Concepts	4.1.2,
System Requirements Analysis	4.2.2,
Software Requirements Analysis	4.3.2,
Preliminary Design	4.4.2.
Detailed Design	4.5.2.
Coding And Unit Testing	4.6.2.
CSC Integration And Testing	4.7.2.
CSCI Testing	4.8.2,
Global	4.12.2]
Tools:	
[Syntax-Directed Editor	5.3.2,

Guidebook References:

Word Processor

Constant Con

[Power	6.4.21,	
@GB: Text Editing	Checklist	5.1.1]

5.4.2]

7.1.1.2 Data

Description:

Editing capabilities provided for data in internal (machine) format.

Cross References:

Life Cycle Phases:

Tools:

Guidebook References:

7.1.1.3 Graphics

Description:

Editing capabilities provided for graphical data. [@Kean 1985]

Cross References:

Life Cycle Phases: [Global

4.12.2]

Tools:

Guidebook References:

7.1.2 Formatting

Description:

Arranging data according to predefined and/or user-defined conventions. [@Kean 1985]

Cross References:

Life Cycle Phases:

Tools:

[Formatter Spreadsheet

5.4.5,

5.5.1]

Guidebook References:

7.1.2.1 MIL-STD Format

Description:

The formatting of documents as specified by the MIL-STD(s).

Life Cycle Phases: [Global

4.12.2]

以

Cross References:

Tools:

Guidebook References:

7.1.2.2 Table Of Contents

Description:

The production of a table of contents by examining the contents to be placed within the document.

Cross References:

Life Cycle Phases: [Global

4.12.2]

Tools:

Guidebook References:

7.1.2.3 Predefined and User-Defined Forms

Description:

The ability to call up or define standard formats such as those that are mentioned in DoD-STD-2167.

Cross References:

4.2.2,
4.3.1, 4.3.2,
4.4.1 - 4.4.4
4.5.1 - 4.5.4
4.6.1 - 4.6.4
4.7.1 - 4.7.4
4.8.1 - 4.8.4
4.11.2]

Tools:

Guidebook References:

7.1.3 On-Line Assistance Processing

Description:

User interface that is part of the input/output process of a programming support environment (e.g., command assistance, assistance, on-line tutoring, definition assistance, etc.). [@Kean 1985]

Cross References:

Life Cycle Phases: [Global

4.12.2]

Tools:

[On-Line Assistance Processor

5.1.8]

Guidebook References:

7.1.4 Sort/Merge

Description:

The process of arranging data in a specific order (e.g., alphabetical order). [@Kean 1985]

Cross References:

Life Cycle Phases: [Global	4.12.2]
Tools: [Address Book Phone Book Dictionary	5.5.3, 5.5.5, 5.5.8]

Guidebook References:

7.1.5 Graphics Generation

Description:

The input, construction, storage, retrieval, manipulation, alteration, and analysis of pictorial data (e.g., generation of system architectures, software designs, financial analysis, maps, graphs, etc.). [@Kean 1985]

Cross References:

Life Cycle Phases: [Global

4.12.2]

Tools:

[Graphics Generator

5.4.4]

Guidebook References:

8

88

7.1.6 Translation

Description:

The conversion from one language form to another. [@Kean 1985]

Cross References:

Life Cycle Phases:

Tools:

Consequent Services Olegones and Olegones Olegones

Guidebook References:

7.1.6.1 Systems Requirements

Description:

The processing of formal systems requirements statements into an internal data base representation for subsequent use. [@Kean 1985]

Cross References:

Life Cycle Phases:
[System Requirements Analysis

4.2.2]

Tools:

Guidebook References:

ᠣᠣᠣᠣᠣᠣᡡᡡᠣᠣᡡᡡᡡᡡᡡᠵᡡᠵᡡᠵᡊᠵᡊᠵᠬᠵᡊᠵᡑᡳᢊᢋᡸᢋᡊᢋᡏᢣ᠘ᢣᢐᢣ᠘ᢣ᠖ᢣ᠘ᢣ᠘ᢣ᠘ᢣ᠘ᢣ᠘ᢣ᠘ᡀᢋ᠘ᡀᡚᡳ᠘ᡀ᠘ᡀ᠘ᡀ᠘ᡀ᠘ᡀ᠘ᡀ᠘᠘᠘᠘᠘᠘᠘

7.1.6.2 Software Requirements

Description:

The processing of formal software requirements statements into an internal data base representation for subsequent use. [@Kean 1985]

Cross References:

Life Cycle Phases: [Software Requirements Analysis

4.3.2]

Tools:

Guidebook References:

7.1.6.3 Requirements To Natural Language

Description:

The transformation of formal requirements language constructs into English language text. [@Kean 1985]

Cross References:

Life Cycle Phases:
[System Requirements Analysis 4.2.2,
Software Requirements Analysis 4.3.2]

Tools:

Guidebook References:

7.1.6.4 Preliminary Design

Description:

The processing of formal preliminary design statements into an internal data base representation for subsequent use. [@Kean 1985]

Cross References:

Life Cycle Phases: [Preliminary Design

4.4.2]

Tools:

Guidebook References:

7.1.6.5 Detailed Design

Description:

The processing of formal detailed design statements into an internal data base representation for subsequent use. [@Kean 1985]

Cross References:

Life Cycle Phases: [Detailed Design

4.5.2]

Tools:

Guidebook References:

7.1.6.6 Assembling

Description:

Translating a program expressed in an assembly language into object code. [@Kean 1985]

Cross References:

Life Cycle Phases:

[Coding And Unit Testing 4.6.2,
CSC Integration And Testing 4.7.2,
CSCI Testing 4.8.2]

Tools: [Assembler 5.3.4]

Guidebook References:

[Power 6.4.21, @GB: Assembling Checklist 5.1.2]

7.1.6.7 Compilation

Description:

Translating a computer program expressed in a procedural or problem-oriented language into object code. [@Kean 1985]

Cross References:

ife Cycle Phases:	
[Coding And Unit Testing	4.6.2,
CSC Integration And Testing	4.7.2,
CSCI Testing	4.8.2]

Tools: [Compiler

5.3.31

Guidebook References:

[Capacity	6.4.6, @GB: IDA Benchmarks	6.1;
Completeness	6.4.9, @GB: ACVC	8.1;
Power	6.4.21, @GB: Compilation Checklist	5.1.3;
*Processing Effectiveness	6.4.22, @GB: IDA Benchmarks	6.1;
*Processing Effectiveness	6.4.22, @GB: ACEC	6.2;
*Storage Effectiveness	6.4.31, @GB: IDA Benchmarks	6.1;
*Storage Effectiveness	6.4.31, @GB: ACEC	6.2]

^{*}NOTE: Normally, the concern of evaluation is the quality of a tool. However, this evaluation technique focuses on the <u>product</u> of the tool rather than the tool itself.

7.1.6.8 Conversion

Description:

Modifying an existing program to enable it to operate with similar functional capabilities in a different environment. [@Kean 1985]

一页

8

8

13

OF.

Cross References:

Life Cycle Phases:	
[Coding And Unit Testing	4.6.2,
CSC Integration And Testing	4.7.2,
CSCI Testing	4.8.2]

Tools:

Guidebook References:

7.1.6.9 Macro Expansion

Description:

Augmenting instructions in a source language with user defined sequences of instructions in the same source language. [@Kean 1985]

Cross References:

Life Cycle Phases:	
[Coding And Unit Testing	4.6.2,
CSC Integration And Testing	4.7.2,
CSCI Testing	4.8.2]

Tools:

Guidebook References:

7.1.6.10 Structure Preprocessing

Description:

Translating a computer program with structured constructs into its equivalent without structured constructs. [@Kean 1985]

Cross References:

Life Cycle Phases:	
[Coding And Unit Testing	4.6.2,
CSC Integration And Testing	4.7.2,
CSCI Testing	4.8.2]

Tools:

Guidebook References:

7.1.6.11 Body Stub Generation

Description:

The creation of null bodies for specifications requiring bodies whose corresponding bodies have yet to be defined. [@Kean 1985]

Cross References:

Life Cycle Phases:
[Coding And Unit Testing 4.6.2,
CSC Integration And Testing 4.7.2]

Tools:

Guidebook References:

7.1.6.12 Preamble Generation

Description:

Generating the preamble for a main program that contains parameters. [@Kean 1985]

Cross References:

Life Cycle Phases:	
[Coding And Unit Testing	4.6.2,
CSC Integration And Testing	4.7.2,
CSCI Testing	4.8.2]

Tools:

Guidebook References:

7.1.6.13 Linking/Loading

Description:

The creation of a load/executable module on the host machine from one or more independently translated object modules or load modules by resolving cross-references among the object modules, and possibly relocating elements.

[@Kean 1985]

Cross References:

Life Cycle Phases:	4.6.2,
[Coding And Unit Testing	
CSC Integration And Testing	4.7.2.
CSCI Testing	4.8.2]
Fools:	
[Linker	5.3.5,
Loader	5.3.6]

Guidebook References:

[Power	6.4.21,	
@GB: Linking/Loa	ading Checklist	5.1.4]

7.1.6.14 Interpretation

Description:

The translation of a source program into some intermediate data structure, then executing the algorithm by carrying out each operation given in the intermediate structure. [@Kean 1985]

Cross References:

Life Cycle Phases:	
[Coding And Unit Testing	4.6.2,
CSC Integration And Testing	4.7.2,
CSCI Testing	4.8.2]

Tools: [Interpreter 5.3.7]

Guidebook References:

7.1.7 Synthesis

Description:

The generation of programs according to predefined rules from a program specification or intermediate language. [@Kean 1985]

Cross References:

Life Cycle Phases:

Tools:

Guidebook References:

7.1.7.1 Design Generation

Description:

The translation or interpretation used to construct program designs.

Cross References:

Life Cycle Phases: [Preliminary Design Detailed Design

4.4.2,

4.5.2]

Œ

O

Tools:

Guidebook References:

7.1.7.2 Requirements Reconstruction

Description:

The extraction of software requirements statements from a program design language.

Cross References:

Life Cycle Phases:	
[Preliminary Design	4.4.2,
Detailed Design	4.5.2,
Coding And Unit Testing	4.6.2,
CSC Integration And Testing	4.7.2,
CSCI Testing	4.8.21

Tools:

Guidebook References:

 \mathbf{D}

7.1.7.3 Program Generation

Description:

The translation or interpretation used to construct computer programs (e.g., language translator generator, syntax analyzer generator, code generator generator, environment definition generator, user interface generator, etc.). [@Kean 1985]

Cross References:

Life Cycle Phases: [Coding And Unit Testing

4.6.2]

Tools:

Guidebook References:

7.1.7.4 Source Reconstruction

Description:

The extraction of lexical and structure attributes from an intermediate language. [@Kean 1985]

Cross References:

Life Cycle Phases:	
[Coding And Unit Testing	4.6.2,
CSC Integration And Testing	4.7.2,
CSCI Testing	4.8.2]

Tools:

Guidebook References:

7.1.7.5 Decompilation

Description:

The translation of machine code sequences into a higher level procedure-oriented language (i.e., back into the same language from which the machine code sequences were generated). [@Kean 1985]

Cross References:

Life Cycle Phases:	
[Coding And Unit Testing	4.6.2,
CSC Integration And Testing	4.7.2.
CSCI Testing	4.8.2]

Tools:

Guidebook References:

7.1.7.6 Disassembling

Description:

The translation of machine code sequences into assembly language sequences. [@Kean 1985]

Cross References:

4.6.2,
4.7.2,
4.8.2]

Tools:

Guidebook References:

7.2 MANAGEMENT

Description:

Features that aid the management or control of system/software development. [@Kean 1985]

Cross References:

Life Cycle Phases:

Tools:

Guidebook References:

7.2.1 Information Management

Description:

The organization, accessing, modification, dissemination, and processing of information that is associated with the development of a software system. [@Kean 1985]

Cross References:

Life Cycle Phases:

Tools:

Guidebook References:

7.2.1.1 Data Base (Object) Management

Description:

Managing a collection of interrelated data stored together with controlled redundancy to serve one or more applications and independent of the programs using the data. [@Kean 1985]

Cross References:

Life Cycle Phases: [Global

4.12.1]

Tools:

[Data Base Manager

5.1.9]

Guidebook References:

[Power 6.4.21,

@GB: Data Base Management Checklist

5.1.5]

7.2.1.2 Documentation Management

Description:

The development and control of software documentation. [@Kean 1985]

Cross References:

Life Cycle Phases: [Global

4.12.11

Tools:

[Document Manager

5.4.1]

Guidebook References:

7.2.1.3 File Management

Description:

Providing and controlling access to files associated with the development of software. [@Kean 1985]

Cross References:

Life Cycle Phases: [Global

4.12.1]

Tools:

COOK STREET SE SOURCE SECONDARY

[File Manager

5.1.6]

Guidebook References:

[Power

6.4.21.

@GB: File Management Checklist

5.1.6]

7.2.1.4 Electronic Mail

Description:

The process of receiving/sending messages from/to other system users. [@Kean 1985]

Cross References:

Life Cycle Phases:

[Global

4.12.1]

Tools:

[Electronic Mail

5.5.4]

Guidebook References:

[Power 6.4.21,

@GB: Electronic Mail Checklist

5.1.7]

ᡯᠸᡳᡧᡳᡚᡧᡚᡳᢨᠧᠸᡧᠧᡧᠧᡧᡧᡚᡚᡚᡚᡚᡚᡧᡚᡧᡚᡧᡚᡧᢗᡧᡳᠽᢆ᠁᠘ᢣᡳ᠘ᢣ᠁᠁᠘᠘᠘᠒ᠵᡧᢣ᠘ᡊᡈᡟᡈᡈᡤᡆᡤᡈᡳᡆᡳᡠᡳ᠘ᢣ᠘ᢓ

7.2.1.5 Electronic Conferencing

Description:

The concurrent on-line correspondence between two or more users. [@Kean 1985]

Cross References:

Life Cycle Phases: [Global

4.12.1]

Tools:

[Electronic Conferencing

5.5.6]

Guidebook References:

7.2.1.6 Specification Management

Description:

The control of requirements specifications. Specification management features are somewhat methodology dependent because associated with them are requirements languages with formal procedures for their use. [@Kean 1985]

2

Cross References:

Life Cycle Phases:	
[Software Requirements Analysis	4.3.1,
Preliminary Design	4.4.1,
Detailed Design	4.5.1]

Tools:

Guidebook References:

7.2.1.7 Program Library Management

Description:

The creation, manipulation, display, and deletion of the various components of a program library. A program library is a repository for all program information (e.g., source programs, object programs, executable programs, documentation, data, etc.). [@Kean 1985]

Cross References:

Life Cycle Phases:	
[Software Requirements Analysis	4.3.1,
Preliminary Design	4.4.1,
Detailed Design -	4.5.1,
Coding And Unit Testing	4.6.1,
CSC Integration And Testing	4.7.1,
CSCI Testing	4.8.1]

Tools:

[Program Library Manager 5.3.1]

Guidebook References:

[Power 6.4.21, @GB: Program Library Management Checklist 5.1.8]

7.2.1.8 Test Data Management

Description:

The development and control of software test data. [@Kean 1985]

Cross References:

Life Cycle Phases:	
[Coding And Unit Testing	4.6.1,
CSC Integration And Testing	4.7.1,
CSCI Testing	4.8.1]

Tools:

Guidebook References:

\$\text{\$\tinx{\$\text{\$\tincet{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{

N

7.2.1.9 Evaluation Results Management

Description:

The cataloguing and maintenance of the results from the operational test and evaluation of the product. [@Kean 1985]

Cross References:

Life Cycle Phases: [Operational Testing And Evaluation

4.10.11

Tools:

Guidebook References:

7.2.1.10 Performance Monitoring

Description:

The monitoring of the performance characteristics of the finished product. [@Kean 1985]

Cross References:

ie Cycle Phases:

Tools:

Guidebook References:

[Power 6.4.21, @GB: Performance Monitoring Checklist

5.1.9]

7.2.2 Project Management

Description:

The management of a system/software development project. [@Kean 1985]

Cross References:

Life Cycle Phases:

Tools:

Guidebook References:

7.2.2.1 Cost Estimation

Description:

The process of determining the amount of labor necessary for the completion of a task, the amount and potential costs of computer time required, etc., prior to and during a project's lifetime. [@Kean 1985]

Cross References:

Life Cycle Phases: [Global

4.12.1]

Tools:

[Cost Estimator

5.2.1]

Guidebook References:

7.2.2.2 Quality Specification

Description:

The selection and prioritization of quality factors required for a given application; availability of techniques to apply trade-off analyses (quality factor vs. quality factor, and quality factor vs. cost) and quantify quality requirements. Potential quality factors include: efficiency, integrity, reliability, survivability, usability, correctness, maintainability, verifiability/testability, expandability/flexibility, interoperability, reusability, and transportability. [@Kean 1985]

Cross References:

Life Cycle Phases: [Global

4.12.11

Tools:

[Quality Analyzer

5.2.21

Guidebook References:

7.2.2.3 Scheduling

Description:

The process of identifying tasks, products to be delivered, delivery dates, personnel needed to complete tasks, etc. for a development project. [@Kean 1985]

Cross References:

Life Cycle Phases: [Global

4.12.1]

Tools:

(Scheduling Calendar

5.2.3, 5.5.7]

Guidebook References:

[Power

6.4.21.

@GB: Scheduling Checklist

5.1.10]

(K

7.2.2.4 Work Breakdown Structure

Description:

The enumeration of all work activities in hierarchic refinements of detail that divides work to be done into short, manageable tasks with quantifiable inputs, outputs, schedules, and assigned responsibilities. [@Kean 1985]

Cross References:

Life Cycle Phases: [Global

4.12.1]

Tools:

[Work Breakdown Structure

5.2.4]

Guidebook References:

7.2.2.5 Resource Estimation

Description:

The estimation of resources attributed to an entity. [@Kean 1985]

Cross References:

4.3.1,
4.4.1,
4.5.1,
4.6.1,
4.7.1,
4.8.1]
5.2.5]

Guidebook References:

7.2.2.6 Tracking

Description:

The tracking of the development of an entity through the software life cycle. [@Kean 1985]

Cross References:

Life Cycle Phases:	
[Software Requirements Analysis	4.3.3,
Preliminary Design	4.4.3,
Detailed Design	4.5.3,
Coding And Unit Testing	4.6.4,
CSC Integration And Testing	4.7.3,
CSCI Testing	4.8.3]

Tools:

[Tracking 5.2.6]

Guidebook References:

[Power 6.4.21, @GB: Tracking Checklist 5.1.11]

7.2.2.7 Configuration Management

Description:

The establishment of baselines for configuration items, the control of changes to these baselines, and the control of releases to the operational environment.

[@Kean 1985]

Cross References:

Life Cycle Phases: [Global

4.12.1]

Tools:

[Configuration Manager

5.2.7]

Guidebook References:

[Power 6.4.21,

@GB: Configuration Management Checklist

5.1.12]

7.2.2.8 Quality Assessment

Description:

The use of field data to determine the achieved level of quality in deployed software systems. A verification that the specified quality requirements have been met. [@Kean 1985]

Cross References:

Life Cycle Phases:

Tools: [Quality Analyzer

5.2.2]

Guidebook References:

N

N.

X

M

7.2.3 Computer System Management

Description:

The management of hardware/software architectures to support the life cycle software engineering environment. Such services include: creating, scheduling, and removing tasks; switching the processor among tasks; sending messages between tasks; providing direct and import/export access; managing distributed systems; sending files from one host machine to another on a network, etc. [@Kean 1985]

Cross References:

Life Cycle Phases:

Tools:

Guidebook References:

7.2.3.1 Command Language Processing

Description:

The processing of command language constructs into functions performed by the operating system. [@Kean 1985]

Cross References:

Life Cycle Phases: [Global

4.12.1]

Tools:

[Command Language Processor

5.1.1]

Guidebook References:

7.2.3.2 Input/Output Support

Description:

The services for accessing standard I/O devices such as disks, tapes, terminals, and printers from within a program.

Cross References:

Life Cycle Phases: [Global

4.12.1]

Tools:

Contract Octobries

The state of the state of Users and Users as a second Users

[Runtime Library

5.3.8]

Guidebook References:

[Power

6.4.21,

@GB: Input/Output Support Checklist

5.1.13]

1880

᠑ᡛᡮᡮᠪᡸᠪ᠔ᡮᠦᢣᢨᡠᢐ᠈ᡛᡟᡭᡪᡠᡆᢦᢀᡤᡠᡎᡐᡠᢗᠵᡳᡟᡆᡳᡆᡶᠽᡊᢏᡠᢢᡓᠸᢖᢣᡆᠧᠬᢢᢗᠵᠵᡳ᠅ᢣᠸᡳᢣᠸ᠙ᢣᡳᡳᢣᡳ᠘ᢋ᠆᠙ᡙᡏᡇᡈ᠆᠐ᢏᡎᠾᡐᡇᡠᡎᠲᠲᠲᡐᡆᡐᡆᡳᡆᡳᠳᡳᡓᡐᡎᡎᡓ

7.2.3.3 Kernel

Description:

The functions which provide access for tools and application programs to services of the native operating system.

Cross References:

Life Cycle Phases: [Global

4.12.1]

Tools:

[Security System

5.1.3]

Guidebook References:

[Completeness

6.4.9, @GB: CIVC

8.2]

7.2.3.4 Math/Statistics

Description:

The services for supporting standard math and statistical operations.

Cross References:

[Global	4.12.3]
Tools: [Runtime Library Spreadsheet Calculator	5.3.8, 5.5.1, 5.5.2]

Guidebook References:

7.2.3.5 Runtime Environment

Description:

The functions that can be expected to be found in the runtime libraries for Ada implementations. It should be noted that the dividing line between the predefined runtime support library on the one hand and the conventions and data structures of a compiler on the other hand is not always obvious. One Ada implementation may use a predefined routine to implement a particular language feature, while another implementation may realize the same feature through conventions for the executable code. Not addressed here are elements of a runtime library that exist because of special characteristics of the underlying computing resource.

[@ARTEWG 1986]

Cross References:

Life Cycle Phases: [Global	4.12.2]
Coloral	7.12.2

Tools:

[Job Scheduler 5.1.4,
Resource Controller 5.1.5,
Runtime Library 5.3.8]

Guidebook References:

[Power	6.4.21,	
@GB: Runtime	Environment Checklist	5.1.14]

7.2.3.6 Import/Export

Description:

The services for communicating objects between various computer systems or networks.

Cross References:

Life Cycle Phases:

[System Integration and Testing 4.9.2, 4.9.3, Operational Testing and Evaluation 4.10.3]

Tools:

[Archive, Backup, and Retrieval System 5.1.2, Import/Export System 5.1.7]

Guidebook References:

[Power 6.4.21, @GB: Import/Export Checklist 5.1.15]

7.3 ANALYSIS

Description:

The features that provide an examination of a substantial whole to determine both qualitative and quantitative properties. [@Kean 1985]

Cross References:

Life Cycle Phases:

Tools:

Guidebook References:

 \mathbf{x}

7.3.1 Static Analysis

Description:

Static analysis features specify operations on the subject without regard to the executability of the subject. They describe the manner in which the subject is analyzed. [@Kean 1985]

Cross References:

Life Cycle Phases:

Tools:

Guidebook References:

7.3.1.1 Comparison

Description:

The determination and assessment of similarities between two or more items. [@Kean 1985]

Cross References:

Life Cycle Phases: [Global

4.12.3]

Tools:

[Comparator

5.6.1]

Guidebook References:

4.12.3]

.7.3.1.2 Spelling Checking

Description:

The identification of incorrectly spelled words. [@Kean 1985]

Cross References:

Life Cycle Phases:
[Global

Tools: [Spell Checker 5.4.3]

Guidebook References:

COST PERSONS IN PROPERTY OF PROPERTY OF

7.3.1.3 Data Flow Analysis

Description:

The analysis of the formal requirements statements to determine interface consistency and data availability. [@Kean 1985]

Cross References:

Life Cycle Phases:	
[Software Requirements Analysis	4.3.3,
Coding And Unit Testing	4.6.3,
CSC Integration And Testing	4.7.3]

Tools: [Data Flow Analyzer 5.6.2]

Guidebook References:

7.3.1.4 Functional Analysis

Description:

The analysis of formally stated requirements to determine their consistency and completeness. [@Kean 1985]

Cross References:

Life Cycle Phases:
[Software Requirements Analysis 4.3.3]

Tools: [Functional Analyzer

5.6.4]

Guidebook References:

7.3.1.5 Interface Analysis

Description:

The checking of interfaces between program elements for consistency and adherence to predefined rules and/or axioms. [@Kean 1985]

Cross References:

Life Cycle Phases:	
[Software Requirements Analysis	4.3.3,
Preliminary Design	4.4.3,
Detailed Design	4.5.3,
Coding And Unit Testing	4.6.3,
CSC Integration And Testing	4.7.3]

Tools: [Interface Analyzer 5.6.4]

Guidebook References:

7.3.1.6 Traceability Analysis

Description:

The checking for internal consistency within the software requirements specifications. [@Kean 1985]

Cross References:

Life Cycle Phases:
[Software Requirements Analysis 4.3.3]

Tools: [Traceability Analyzer 5.6.5]

Guidebook References:

7.3.1.7 Testability Analysis

Description:

The quantitative measurement of the extent to which a component facilitates the establishment of verification criteria and supports evaluation of its performance.

Cross References:

Life Cycle Phases:
[Software Requirements Analysis 4.3.3]

Tools: [Testability Analyzer 5.6.6]

Guidebook References:

7.3.1.8 Test Condition Analysis

Description:

The analysis of formal requirements language statements to determine data values to be examined and mechanisms to be used in the verification of test results.

[@Kean 1985]

Cross References:

Life Cycle Phases:
[Software Requirements Analysis 4.3.3]

Tools: [Test Condition Analyzer 5.6.7]

Guidebook References:

7.3.1.9 Quality Analysis

Description:

The quantitative measurement of specified quality factors for use during the evaluation of software products (and prediction of software quality) at key milestones during development. Factors to be analyzed include: efficiency, integrity, reliability, survivability, usability, correctness, maintainability, verifiability/testability, expandability/flexibility, interoperability, reusability, and transportability. [@Kean 1985]

Cross References:

Life Cycle Phases:	
[Software Requirements Analysis	4.3.3,
Preliminary Design	4.4.3,
Detailed Design	4.5.3,
Coding And Unit Testing	4.6.3,
CSC Integration And Testing	4.7.3,
CSCI Testing	4.8.3]

Tools:

[Quality Analyzer 5.6.8]

Guidebook References:

7.3.1.10 Complexity Measurement

Description:

The determination of how complicated an entity (e.g., routine, program, system, etc.) is by evaluating some number of associated characteristics. [@Kean 1985]

Cross References:

[Preliminary Design	4.4.3.
Detailed Design	4.5.3,
Coding And Unit Testing	4.6.3,
CSC Integration And Testing	4.7.3]
	. I.
Tools:	
[Complexity Measurer	5.6.9]

Guidebook References:

7.3.1.11 Correctness Checking

Description:

The determination of agreement between the component as coded and the programming specification (algorithmic correctness).

Cross References:

Life Cycle Phases:

Tools:

[Correctness Checker

5.6.10]

Guidebook References:

7.3.1.12 Completeness Checking

Description:

The assessment of whether or not an entity has all its parts present and if those parts are fully developed. [@Kean 1985]

5.6.11]

Cross References:

4.4.3,
4.5.3,
4.6.3,
4.7.3]

Tools: [Completeness Checker

Guidebook References:

7.3.1.13 Consistency Checking

Description:

The determination of whether or not an entity is internally consistent in the sense that it is consistent with its specification. [@Kean 1985]

Cross References:

Life Cycle Phases:	
(Preliminary Design	4.4.3,
Detailed Design	4.5.3,
Coding And Unit Testing	4.6.3,
CSC Integration And Testing	4.7.3]

Tools:

[Consistency Checker 5.6.12]

Guidebook References:

7.3.1.14 Reusability Analysis

Description:

The quantitative measurement of specified reusability factors for use during the evaluation of software products (and prediction of software reusability).

Cross References:

Life Cycle Phases:

Tools:

[Reusability Analyzer

5.6.13]

Guidebook References:

ᢣ᠖ᢣᢪᠣᢛᠣᠵᠯᠣᢛᡡᡠᢐᡡᡠᢐᡳᡠᢐᡳᡠᢐᡳᡠᢐᡳᡠᢐᡳᡠᢐᡳᡠᢐᡳᡠᡑᡳᡠᡑᡳᡠᡑᡳᡠᡑᡳᡠᡑᡳᡠᡑᡳᡠᡑᡳᡠᡑᡳᡠᡑᡳ᠐ᢣᡚᡳᡚᡳᡚᠷᡚᢣᡚᢣᡚᢣᡚᢣᡚᢣᡚᢣ᠐ᢣᢗᡧᡎᡈᡳᢕᢣ᠐ᢣ᠘ᢣ᠘ᡓᡆᡚᡕ

7.3.1.15 Syntax And Semantics Checking

Description:

The detection of errors in the syntax and semantics of a formal language.

Cross References:

Life Cycle Phases:

Tools:

[Syntax-Directed Editor 5.3.2, Word Processor 5.4.2, Syntax And Semantics Checking 5.6.14]

Guidebook References:

7.3.1.16 Reachability Analysis

Description:

The detection of sections of code that cannot be executed because of the structure of the code unit that contains it.

Cross References:

Life Cycle Phases:

Tools: [Reachability Analyzer

5.6.15]

Guidebook References:

7.3.1.17 Cross Reference

Description:

The referencing of entities to other entities by logical means. [@Kean 1985]

Cross References:

Life Cycle Phases:	
[Preliminary Design	4.4.3,
Detailed Design	4.5.3,
Coding And Unit Testing	4.6.3,
CSC Integration And Testing	4.7.3]

Tools:

[Cross Referencer 5.6.16]

Guidebook References:

7.3.1.18 Maintainability Analysis

Description:

The quantitative measurement of specified maintainability factors for use during the evaluation of software products (and prediction of software maintainability).

Cross References:

Life Cycle Phases:

Tools:

[Maintainability Analyzer

5.6.17]

Guidebook References:

7.3.1.19 Invocation Analysis

Description:

The analysis of a system/software design for the purpose of determining calling relationships between elements. [@Kean 1985]

Cross References:

Life Cycle Phases:

[Preliminary Design 4.4.3,
Detailed Design 4.5.3,
Coding And Unit Testing 4.6.3]

Tools: [Invocation Analyzer

5.6.18]

Guidebook References:

7.3.1.20 Scanning

Description:

The examination of entities sequentially to identify key areas or structure. [@Kean 1985]

Cross References:

Life Cycle Phases:	
[Preliminary Design	4.4.3,
Detailed Design	4.5.3,
Coding And Unit Testing	4.6.3,
CSC Integration And Testing	4.7.3]

Tools: [Scanner 5.6.19]

Guidebook References:

7.3.1.21 Structured Walkthrough

Description:

The interactive display of source code (or its design) with the capability for branching to subordinate program modules/units. This feature automates code reading such that a walkthrough of a computer program can be performed on a video terminal. [@Kean 1985]

Cross References:

Life Cycle Phases:	
[Preliminary Design	4.4.3,
Detailed Design	4.5.3,
Coding And Unit Testing	4.6.3]

Tools: Walkthrough

[Structured Walkthrough Tool 5.6.20]

Guidebook References:

7.3.1.22 Auditing

Description:

The conducting of an examination to determine whether or not predefined rules have been followed. [@Kean 1985]

Cross References:

Life Cycle Phases:	
[Coding And Unit Testing	4.6.3,
CSC Integration And Testing	4.7.3]

Tools: [Auditor 5.6.21]

Guidebook References:

7.3.1.23 Error Checking

Description:

The determination of discrepancies, their importance, and/or their cause. [@Kean 1985]

4.6.3,

4.7.3]

Cross References:

Life Cycle Phases:
[Coding And Unit Testing
CSC Integration And Testing

Tools: [Error Checker 5.6.22]

Guidebook References:

7.3.1.24 Statistical Analysis

Description:

The performance of statistical data collection and analysis. [@Kean 1985]

Cross References:

Life Cycle Phases: [Coding And Unit Testing

4.6.3]

Tools:

[Statistical Analyzer

5.6.23]

Guidebook References:

7.3.1.25 Statistical Profiling

Description:

The analysis of a computer program to determine statement types, number of occurrences of each statement type, and the percentage of each statement type in relation to the complete program. [@Kean 1985]

Cross References:

Life Cycle Phases:	
[Coding And Unit Testing	4.6.3,
CSC Integration And Testing	4.7.3]

Tools:

[Statistical Profiler 5.6.24]

Guidebook References:

7.3.1.26 Structure Checking

Description:

The detection of structural flaws within a program (e.g., improper loop nestings, unreferenced labels, unreachable statements, and statements with no successors). Flaws detected by this function are not illegal or erroneous, but do constitute bad style. [@Kean 1985]

Cross References:

4.6.3,
4.7.3]

Tools: [Structure Checker 5.6.25]

Guidebook References:

7.3.1.27 Type Analysis

Description:

The evaluation of whether or not the domain of values attributed to an entity are properly and consistently defined. [@Kean 1985]

Cross References:

Life Cycle Phases:
[Coding And Unit Testing 4.6.3,
CSC Integration And Testing 4.7.3]

Tools: [Type Analyzer

5.6.26]

Guidebook References:

7.3.1.28 Units Analysis

Description:

The determination of whether or not the units or physical dimensions attributed to an entity are properly defined and consistently used. [@Kean 1985]

Cross References:

Life Cycle Phases:	
[Coding And Unit Testing	4.6.3,
CSC Integration And Testing	4.7.3]

Tools: [Units Analyzer 5.6.27]

Guidebook References:

7.3.1.29 I/O Specification Analysis

Description:

The analysis of the input and output specifications in a program usually for the generation of test data. [@Kean 1985]

Cross References:

Life Cycle Phases:
[Coding And Unit Testing 4.6.3,
CSC Integration And Testing 4.7.3]

Tools:
[I/O Specification Analyzer

5.6.28]

Guidebook References:

7.3.1.30 Sizing Analysis

Description:

The quantitative measurement of the maximum amount of primary (and secondary) storage required to run a program.

Cross References:

Life Cycle Phases:


Tools:


[Sizing Analyzer

5.6.29]

Guidebook References:

ᢗᡒᢧᢐᡳᢗᠬᢗᠬᠵ᠙ᡪᢗᡕᢗᡕᢗᠬᢗ᠃ᢗ᠃ᢗᠵᢘ᠂ᡕ᠘ᡕ᠘ᡳ᠐ᠵᢗᠵᡎᡳᡯᡳᠵᢏ᠂ᡀᡊᡓ᠂ᢣ᠘ᡙᡡᡡ᠂ᠮᢣ᠁ᡀᡳ᠁ᢣ᠁ᠵᡓᠵᢗᢢ᠑ᡷᡎᡳ᠒ᢞ᠐ᢌᢐᢠᡧᢧᡛᠵᡳ᠒ᢢ᠒





20000000 | D. ACOCOC

POSSOCIAL PARAMENTAL RESPONSAL BOOKSERS

7.3.2 **Dynamic Analysis**

Description:

Dynamic analysis features specify operations that are determined during or after execution takes place. Dynamic analysis features differ from those classified as static by virtue of the fact that they require some form of symbolic or machine execution. They describe the techniques used by the tool to derive meaningful information about a program's execution behavior. [@Kean 1985]

Cross References:

Life Cycle Phases:

Tools:

Guidebook References:

7.3.2.1 Requirements Simulation

Description:

The execution of code enhanced requirements statements to examine functional interfaces and performance. [@Kean 1985]

Cross References:

Life Cycle Phases: [System Requirements Analysis Software Requirements Analysis	4.2.3, 4.3.3]	
Tools: [Requirements Simulator	5.7.1]	

Guidebook References:

7.3.2.2 Requirements Prototyping

Description:

The rapid construction of critical functions of a system early in the life cycle for the purpose of understanding the requirements. During this activity, these results are intended to be thrown away. [@Kean 1985]

Cross References:

Life Cycle Phases:

[System Requirements Analysis 4.2.3, Software Requirements Analysis 4.3.3]

Tools:

[Requirements Prototype 5.7.2]

Guidebook References:

[Power 6.4.21,

@GB: Requirements Prototyping Checklist 5.1.16]

7.3.2.3 Simulation And Modeling

Description:

The representation of selected characteristics of the behavior of one physical or abstract system by another system (e.g., the representation of physical phenomena by means of operations performed by a computer system, the representation of operations of a computer system by those of another computer system, etc.).
[@Kean 1985]

Cross References:

4.4.3,
4.5.3]

Tools:		
[Simulation And Modeling Too	ols	5.7.3]

Guidebook References:

[Power	6.4.21,	
@GB: Simulation ar	nd Modeling Checklist	5.1.171

7.3.2.4 Design Prototyping

Description:

The rapid construction of critical functions of a system early in the life cycle for the purpose of understanding the requirements. During this activity, the results will be retained for the purpose of incrementally developing the product. [@Kean 1985]

Cross References:

Life Cycle Phases:	
[Préliminary Design	4.4.3,
Detailed Design	4.5.3]

Tools: [Design Prototype 5.7.4]

Guidebook References:

7.3.2.5 Debugging

Description:

The process of locating, analyzing, and correcting suspected faults in a program. [@Kean 1985]

Cross References:

Life Cycle Phases:

[Coding And Unit Testing 4.6.3,
CSC Integration And Testing 4.7.3,
CSCI Testing 4.8.3]

Tools: [Debugger 5.7.5]

Guidebook References:

[Power 6.4.21, @GB: Debugging Checklist 5.1.18]

7.3.2.6 Executable Assertion Checking

Description:

The checking of user-embedded statements that assert relationships between elements of a program. An assertion is a logical expression that specifies a condition or relation among the program variables. Checking may be performed with symbolic or run-time data. [@Kean 1985]

Cross References:

Life Cycle Phases:
[Coding And Unit Testing 4.6.3,
CSC Integration And Testing 4.7.3]

Tools:

[Executable Assertion Checker 5.7.6]

Guidebook References:

[Power 6.4.21, @GB: Executable Assertion Checking Checklist 5.1.19]

7.3.2.7 Constraint Evaluation (Contention)

Description:

The generation and/or solution of path input or output constraints for determining test input or proving programs correct. [@Kean 1985]

Cross References:

Life Cycle Phases:
[Coding And Unit Testing 4.6.3,
CSC Integration And Testing 4.7.3]

Tools: [Constraint Evaluator

5.7.7]

Guidebook References:

7.3.2.8 Coverage/Frequency Analysis

Description:

The determination and assessment of measures associated with the invocation of program structural elements to determine the adequacy of a test run. Coverage analysis is useful when attempting to execute each statement, branch, path, or program. [@Kean 1985]

Cross References:

Life Cycle Phases:	
[Coding And Unit Testing	4.6.3,
CSC Integration And Testing	4.7.3,
CSCI Testing	4.8.3]

Tools:

[Coverage/Frequency Analyzer 5.7.8]

Guidebook References:

7.3.2.9 Mutation Analysis

Description:

The application of test data to a program and its "mutants" (i.e., programs that contain one or more likely errors) in order to determine test data adequacy.

[@Kean 1985]

Cross References:

Life Cycle Phases:
[Coding And Unit Testing 4.6.3,
CSC Integration And Testing 4.7.3]

Tools: [Mutation Analyzer 5.7.9]

Guidebook References:

[Power 6.4.21, @GB: Mutation Analysis Checklist 5.1.20]

7.3.2.10 Testing

Description:

The identification of necessary test cases to accomplish testing objectives, the generation of actual test data for each test case to support both structural and functional testing, the execution of the test cases, and the analysis of the test results.

Cross References:

Life Cycle Phases:	
[Coding And Unit Testing	4.6.3,
CSC Integration And Testing	4.7.3,
CSCI Testing	4.8.3]

Tools:

[Testing Analyzer 5.7.10]

Guidebook References:

[Power 6.4.21, @GB: Testing Checklist 5.1.21]

7.3.2.11 Regression Testing

Description:

The rerunning of test cases which a program has previously executed correctly in order to detect errors spawned by changes or corrections made during software development and maintenance. [@Kean 1985]

5.7.11]

Cross References:

Life Cycle Phases:	
[Coding And Unit Testing	4.6.3,
CSC Integration And Testing	4.7.3,
CSCI Testing	4.8.3]
Tooler	

Guidebook References:

[Regression Testing Analyzer

7.3.2.12 Resource Utilization

Description:

The analysis of resource utilization associated with system hardware or software. [@Kean 1985]

Cross References:

4.6.3
4.7.3,
4.8.3

Tools:

[Resource Utilization Analyzer 5.7.12]

Guidebook References:

7.3.2.13 **Emulation**

Description:

The imitation of all or part of one computer system by another, primarily by hardware, so that the imitating computer system accepts the same data, executes the same programs, and achieves the same results as the imitated system.

[@Kean 1985]

8

Cross References:

4.6.3,
4.7.3.
4.8.3]

Tools: [Emulator 5.7.13]

Guidebook References:

[Power	6.4.21,	
@GB: Emulation Checklist		5.1.22]

7.3.2.14 Timing

Description:

The reporting of actual CPU, wall-clock, or other times associated with parts of a program. [@Kean 1985]

Cross References:

Life Cycle Phases:
[Coding And Unit Testing 4.6.3,
CSC Integration And Testing 4.7.3,
CSCI Testing 4.8.3]

Tools: [Timing Analyzer

5.7.14]

Guidebook References:

[Power 6.4.21,

@GB: Timing Checklist 5.1.23]

7.3.2.15 Tuning

Description:

The activity of optimizing parts of a program which account for significant amounts of execution time. The optimization follows the determination of a "performance profile" which is the identification of the parts of a program which use the most execution time.

Cross References:

Life Cycle Phases:	
[Coding And Unit Testing	4.6.3.
CSC Integration And Testing	4.7.3,
CSCI Testing	4.8.3]

Tools:	
[Tuning Analyzer	5.7.15]

Guidebook References:

[Power	6.4.21,	
@GB: Tuning Checklist		5.1.24]

7.3.2.16 Reliability Analysis

Description:

The determination of the ability of an item to perform a required function under stated conditions for a stated period of time. [@Kean 1985]

Cross References:

Life Cycle Phases:

Tools: [Reliability Analyzer

5.7.16]

Guidebook References:

7.3.2.17 Real Time Analysis

Description:

The determination of the behavior of a program which must recognize, interpret, and respond to external, asynchronous events at speeds which allow the system to handle all such events in a "reasonable" amount of time.

Cross References:

Life Cycle Phases:

Tools:

[Real Time Analyzer

5.7.17]

Guidebook References:

[Power 6.4.21,

@GB: Real Time Analysis Checklist

5.1.25]

7.3.3 Formal Verification

Description:

The use of rigorous mathematical techniques to prove the consistency between an algorithmic solution and a rigorous, complete specification of the intent of the solution. [@Kean 1985]

Cross References:

Life Cycle Phases:	
[Preliminary Design	4.4.3,
Detailed Design	4.5.3,
Coding And Unit Testing	4.6.3]

Tools:

[Formal Verification System 5.7.18]

Guidebook References:

7.3.4 Symbolic Execution

Description:

The reconstruction of the logic and computations along a program path by executing the path with symbolic rather than actual values of data. [@Kean 1985]

X

20

Cross References:

4.5.3,
4.6.3,
4.7.3]

Tools: [Symbolic Execution System 5.7.19]

Guidebook References:

7.3.5 Problem Report Analysis

Description:

The analysis of problem reports for the purpose of determining the validity of the reported problem and a corrective action. [@Kean 1985]

Cross References:

4.7.3,
4.8.3,
4.9.3,
4.10.3]

Tools:

[Problem Report Analyzer 5.2.8]

Guidebook References:

7.3.6 Change Request Analysis

Description:

The analysis of change requests to determine the necessity of the change, technical/economic impacts, and approach to accomplishing the change. [@Kean 1985]

Cross References:

Life Cycle Phases:

Tools: [Change Request Analyzer

5.2.9]

Guidebook References:

7.3.6.1 Change Impact Analysis

Description:

The ability to determine, for a proposed support/enhancement operation, the impact of proposed changes to the software system. For example, changes could be specified at the requirements, design, or code levels and, utilizing the traceability mechanisms which link elements of various life cycle activities, the impact(s) of the changes could be identified. Impact(s) would include those to requirements, design, code, test cases/test data, and associated documentation. [@Kean 1985]

Cross References:

Life Cycle Phases: [Change Requirements

4.11.3]

Tools:

Guidebook References:

7-120 Black

THIS PAGE LEFT INTENTIONALLY BLANK

APPENDIX A CITATIONS

- [ACVC 1986] "Ada Validation Policies and Procedures," Ada Joint Program Office, Draft, 24 January 1986.
- [ARTEWG 1986] "A Canonical Model and Taxonomy of Ada Runtime Environments," Proposed by the Ada Runtime Environments Working Group of SIGAda, 13 November 1986.
- [Barstow and Shrobe 1981] D.R. Barstow and H.E. Shrobe, "Observations on interactive Programming Environments," [@IEEE 1981], 286-301, 1981.
- [Buxton 1980] [@DoD 1980].
- [CAIS] [@DoD 1986].
- [Castor 1983] V.L. Castor, "Criteria for the Evaluation of ROLM Corporation's Ada Work Center," Wright-Patterson AFB, 10 January 1983.
- [DACS 1979] The DACS Glossary, A Bibliography of Software Engineering Terms, RADC/COED, Griffiss AFB, NY, October 1979.
- [DoD-STD-2167] Defense System Software Development, U.S. Department of Defense, 4 June 1985.
- [DoD 1980] J.N. Buxton, "Requirements for Ada Programming Support Environments -- STONEMAN," U.S. Department of Defense, February 1980.
- [DoD 1983] ANSI/MIL-STD-1815A-1983, Reference Manual for the Ada Programming Language, U.S. Department of Defense, 17 February 1983.
- [DoD 1986] "Military Standard Common Ada Programming Support Environment (APSE) interface Set (CAIS)," U.S. Department of Defense, DoD-STD-1838, 9 October 1986.
- [E&V Classification] "E&V Classification Schema Report", AFWAL/AAAF, Wright-Patterson AFB, OH, Version 1.0, 15 June 1987.
- [E&V Guidebook] [@GB].

20

- [E&V Plan] [@E&V Report 1984: E&V Plan A.].
- [E&V Report 1984] Evaluation and Validation (E&V) Team Public Report, Volume I, Air Force Wright Aeronautical Laboratories, Wright-Patterson AFB, 30 November 1984.
- [E&V Report 1987] Evaluation and Validation (E&V) Team Public Report, Volume III, Air Force Wright Aeronautical Laboratories, Wright-Patterson AFB, in preparation.
- [E&V Requirements] [@E&V Report 1984: E&V Requirements B.].
- [E&V Workshop 1984] V.L. Castor, et al., "Ada Programming Support Environment (APSE) Evaluation and Validation (E&V) Workshop Report," Institute for Defense Analysis, December 1984.
- [GB] "E&V Guidebook," AFWAL/AAAF, Wright-Patterson AFB, OH, Version 1.0, in preparation.
- [Gutz et al 1981] S. Gutz, A.I. Wasserman, and M.J. Spier, "Personal Development Systems for the Professional Programmer," <u>Computer</u>, April 1981.
- [Henderson 1987] P.B. Henderson, "Software Development/Programming Environments," <u>ACM Software Engineering Notes</u>, Volume 12, Number 1, January 1987.
- [Houghton 1983] R.C. Houghton, Jr., "A Taxonomy of Tool Features for the Ada Programming Support Environment (APSE)," U.S. Department of Commerce, National Bureau of Standards, December 1982, Issued February 1983.
- [Houghton and Wallace 1987] R.C. Houghton, Jr. and D.R. Wallace, "Characteristics and Functions of Software Engineering Environments," <u>ACM Software Engineering Notes</u>, Volume 12, Number 1, January 1987.
- [IEEE 1981] <u>Tutorial: Software Development Environments</u>, ed. A.I. Wasserman, IEEE Catalog No. EHO 187-5, 1981.
- [IEEE 1983] "IEEE Standard Glossary of Software Engineering Terminology," IEEE Std 729–1983.
- [IEEE Expert 1986] IEEE Expert, Winter 1986.
- [Kean 1985] E.S. Kean and F.S. Lamonica, "A Taxonomy Of Tool Features For A Life Cycle Software Engineering Environment," Rome Air Development Center, Griffiss AFB, June 1985.

- [Lehman and Turski 1987] M.M. Lehman and W.M. Turski, "Essential Properties of IPSEs," <u>ACM Software Engineering Notes</u>, Volume 12, Number 1, January 1987.
- [Lyons and Nissen 1986] "Selecting an Ada Environment," eds. T.G.L. Lyons and J.C.D. Nissen, Ada-Europe Environments Working Group, Cambridge University Press, 1986.)
- [NBS Taxonomy] [@Houghton 1983].
- [McDermid and Ripken 1984] J. McDermid and K. Ripken, "Life Cycle Support in the Ada Environment," Cambridge University Press, 1984.
- [McDermid 1985] Integrated Project Support Environments, ed. J. McDermid, Peter Peregrinus (IEEE), 1985.
- [McKay 1987] McKay, C.W., "A Proposed Framework for the Tools and Rules to Support the Life Cycle of the Space Station Program," Proceedings of the IEEE Compass '87 Conference, June 1987.
- [Notkin and Habermann 1981] D.S. Notkin and A.N. Habermann, "Software Development Environment Issues as Related to Ada," [@IEEE 1981], 107-133, 1981.
- [PIWG 1987] Ada Slices, Official Newsletter of the ACM SIGAda User's Committee Performance Issues Working Group, "PIWG," 5 March 1987.
- [RADC 1985] T.P. Bowen, G.B. Wigle, and J.T.Tsai, "Specification of Software Quality Attributes Software Quality Specification Guidebook," Rome Air Development Center, Griffiss AFB, RADC-TR-85-37, Volume II (of three), February 1985.
- [SEE Taxonomy] [@Kean 1985].
- [STONEMAN] [@DoD 1980].
- [Texas Instruments 1985] The APSE Interactive Monitor, Texas Instruments, Slide Presentation to the E&V Team, 5 September 1985.
- [Wasserman 1981a] A.I. Wasserman, "The Ecology of Software Development Environments," [@IEEE 1981].
- [Wasserman 1981b] A.I. Wasserman, "Toward Integrated Software Development Environments," [@IEEE 1981].

[Zualkernan et al 1986] I. Zualkernan, W.T. Tsai, and D. Volovik, "Expert Systems and Software Engineering: Ready for Marriage?," <u>IEEE Expert</u>, Winter, 1986.

A-4Blank

THIS PAGE LEFT INTENTIONALLY BLANK

APPENDIX B GLOSSARY

B.1 ACRONYMS AND ABBREVIATIONS

This section provides a list of all acronyms and abbreviations used in this manual, with the associated meanings.

APSE ARTEWG CAIS CAIS CBD CRISD CSC CSCI CSDM CSOM DACS DBDD DOD ECP E&V FSM GB HWCI IDD IEEE IPSE IRS LLCSC MCCS OCD PIWG PSE RADC RFP RM	Ada Programming Support Environment Ada Runtime Environments Working Group (SIGAda) Common APSE Interface Set Commerce Business Daily Computer Resources Integrated Support Document Computer Software Component Computer Software Configuration Item Computer System Diagnostic Manual Computer System Operator's Manual Data and Analysis Center for Software Data Base Design Document Department of Defense Engineering Change Proposal Evaluation and Validation Firmware Support Manual E&V Guidebook Hardware Configuration Item Interface Design Document Institute of Electrical and Electronics Engineers Integrated Project Support Environment Interface Requirements Specification Lower-level Computer Software Component Mission-Critical Computer System Operational Concept Document Performance Issues Working Group (SIGAda) Programming Support Environment Rome Air Development Center Request for Proposal E&V Reference Manual
RFP	Request for Proposal
RMGB SCMP SCN	Reference Manual/Guidebook Software Configuration Management Plan Specification Change Notice

SEE Software Engineering Environment SIGAda Special Interest Group for Ada of the Association for Computing Machinery (ACM) SOW Statement of Work SPM Software Programmer's Manual
SPM Software Programmer's Manual
SI MI SOITMAIG I TOGICALITICO SI MICHIGA
SPS Software Product Specification
SQEP Software Quality Evaluation Plan
SRS Software Requirements Specification
SSPM Software Standards & Procedures Manual
SSS System/Segment Specification
STD Software Test Description
STLDD Software Top Level Design Document
STP Software Test Plan
STPR Software Test Procedure
STR Software Test Report
SUM Software User's Manual
TLCSC Top-level Computer Software Component
VDD Version Description Document
WBS Work Breakdown Structure

数

8

APPENDIX C FORMAL GRAMMAR

This appendix specifies sections of the Reference Manual and Guidebook (RMGB) as a formal grammar. The sections include chapters four through seven of the Reference Manual (RM), all explicit references, the table of contents, the composite index, and the reference appendix. The specification is presented as a partitioned grammar for convenience.

(The grammar is presented in a modified Backus-Naur form. Brackets represent optionality when alone, and may be marked by an asterisk '*' to denote 0-N instances of the production, or by a sharp '#' to denote 1-N instances. Angle brackets denote comments in place of productions which are too elaborate to express here. All terminals of the grammar are expressed as quoted literals, or composite literals based on characters and character strings.)

C.1 FORMAL REFERENCES

Throughout the RMGB, whenever formal references are made, a single consistent set of grammar rules are used. This includes reference from one volume to the other, reference from one section in a volume to another section in the same document, and reference to documents outside the RMGB.

```
reference_list ::= "[" references [";" references ] " "]"

references ::= reference [ ", " reference ] "

reference ::= "@" phrase [":" [ phrase ] [ designator_list ]

| [ phrase ] designator_list

phrase ::= <text lacking special characters>
```

Q

170

```
designator_list ::= designator [ "," designator ] "

designator ::= leads "." | leads [ "." digits ] "

leads ::= digits | caps

digits ::= ('0'-'9')

caps ::= ('A'-'Z')
```

C.2 INDEXES

The index format of the RMGB builds on the reference specifications above, and is derived from MIL-STD-1815A.

```
index ::= [ entry ]#
entry ::= topic [ redirector ] [ reference_list ]
topic ::= phrase [ "(" designator_list ")" ]
redirector ::= "[" "see" [ "also" ] ":' phrase_list "]"
phrase list ::= phrase [ "," phrase ] "
```

C.3 FORMAL CHAPTERS

Constitution Constitution Providence Constitution of the Provi

Those chapters of the RM which are derived from the classification schema are formally defined here.

C.3.1 Chapter Components

The following rules define the components which are used to compose formal chapter entries.

```
descriptor ::= designator phrase [description]
description ::= "Description:" text
```

text ::= < prose text >

functions ::= "Functions:" reference list

deliverables ::= "Deliverables:" reference-list

gb_references ::= "Guidebook:" reference_list

life-cycle-phases ::= "Life Cycle Phases:" reference_list

tools ::= "Tools:" reference list

quality_factors ::= "Software Quality Factors:"

reference list

acquisition_concern ::= "Acquisition Concern:"

reference_list

software_criteria ::= "Software-Oriented Criteria:"

reference list

characteristics ::= "Application/Environment Characteristics:"

reference list

complementary_factors ::= "Complementary Software Quality Factors:"

reference list

cooperating criteria ::= "Cooperating Criteria:"

reference list

conflicting criteria ::= "Conflicting Criteria:"

reference list

beneficial_factors ::= "Beneficial Quality Factors:"

reference list

adverse_factors ::= "Adverse Quality Factors:"

reference list

შისების შემების შემების

C.3.2 Chapter Entries

Each numbered section of the formal chapters follows a specific grammar rule. The following rules define the format of each class of chapter entries.

life_cycle_phase ::= descriptor management transformation analysis

oper_and_support

management ::= descriptor functions deliverables

transformation ::= descriptor functions deliverables

analysis ::= descriptor functions deliverables

oper_and_support ::= descriptor functions deliverables

apse ::= descriptor [toolset]*

toolset ::= descriptor [tool]*

tool ::= descriptor functions

attribute ::= descriptor [concern]* [factor]*

[criterion]*

concern ::= descriptor quality factors

factor ::= descriptor acquisition concern

software criteria characteristics

complementary factors cooperating criteria

conflicting_criteria

criterion ::= descriptor quality factors

beneficial factors adverse factors

gb references

function ::= descriptor life cycle phases tools

gb references

C.3.3 Formal Chapter Ordering

Property State Sta

The formal portion of the RM is found in chapters four through seven. Each of the classes of chapter entries is found in a distinct chapter.

formal_chapters ::= [life_cycle phase]*

[apse]

[attribute]*

[function]*

C.4 TABLE OF CONTENTS

The table of contents shares some features with the rest of the formal aspects of the RMGB.

table_of_contents ::= [chapter] * index

chapter ::= designator phrase designator_page

designator_page ::= designator "-" digits

index ::= "Index" digits

C.5 CITATIONS

The citations are found in Appendix A, and have a formal structure as defined in the following grammar. The (semantic) form of citation text is taken from the standard for IEEE Software Magazine.

citations ::= [citation]*

citations ::= key body "."

key ::= "[" text "]"

body ::= text | key

c-6 Black

THIS PAGE LEFT INTENTIONALLY BLANK

8

8

83

X

INDEX

Accuracy	(6.4.1)
Adaptation [Adaptation Attributes (of Whole APSEs)	(6.3) 3.3.3]
Address Book	(5.5.3)
[Functions: Change Impact Analysis Change Request Analysis Coverage/Frequency Analysis Data Flow Analysis Dynamic Analysis Punctional Analysis Interface Analysis Invocation Analysis Invocation Analysis Invocation Analysis Maintainability Analysis Mutation Analysis Problem Report Analysis Quality Analysis Reachability Analysis Real Time Analysis Reliability Analysis Reusability Analysis Sizing Analysis Static Analysis Static Analysis Statistical Analysis Test Condition Analysis Testability Analysis Testability Analysis Traceability Analysis Conding Analysis Life Cycle Phases: Change Requirements Coding And Unit Testing CSC Integration And Testing CSCI Testing CSCI Testing	7.3, 7.3.6.1, 7.3.6, 7.3.2.8, 7.3.1.3, 7.3.2, 7.3.1.4, 7.3.1.5, 7.3.1.19, 7.3.1.29, 7.3.1.18, 7.3.2.9, 7.3.1.16, 7.3.2.17, 7.3.2.16, 7.3.1.14, 7.3.1.30, 7.3.1, 7.3.1.24, 7.3.1.8, 7.3.1.7, 7.3.1.6, 7.3.1.27, 7.3.1.28; 4.11.3, 4.6.3, 4.7.3, 4.8.3, 4.8.3,
Detailed Design Global Operational Testing And Evaluation	4.5.3, 4.12.3, 4.10.3,

成

d

Preliminary Design Software Requirements Analysis System Concepts System Integration And Testing System Requirements Analysis	4.4.3, 4.3.3, 4.1.3, 4.9.3, 4.2.3]
Anomaly Management	(6.4.2)
Application Independence	(6.4.3)
APSE [APSE Tool Categories Life Cycle Phases Whole APSE Issues	5.; 4.; 3.]
Archive [Archive, Backup, and Retrieval System	5.1.2]
Assemble [Assembler Assembling	5.3.4; 7.1.6.6]
Assertion [Executable Assertion Checker Executable Assertion Checking	5.7.6; 7.3.2.6]
Assistance [see: On-Line Assistance]	
Attributes [Central Role of Attributes and Functions Key Attributes of Whole APSEs	(6.) 2.3; 3.3]
Audit [Auditing Auditor	7.3.1.22; 5.6.21]
Augmentability	(6.4.4)
Autonomy	(6.4.5)
Backup [see: Archive, Backup, and Retrieval System]	
Benchmarks and Test Suites	(3.4.1)
Body Stub Generation	(7.1.6.11)
Calculator	(5.5.2)
Calendar	(5.5.7)
Capacity	(6.4.6)

Change [see also: Deliverables: Engineering Change Proposal, Specification Change Notice]	
[Change Impact Analysis Change Request Analysis Change Request Analyzer Change Requirements	7.3.6.1; 7.3.6; 5.2.9; 4.11]
Classification Schema	(2.1)
Coding And Unit Testing	(4.6)
Command Language Processing Command Language Processor	7.2.3.1; 5.1.1]
Commonality (Data and Communication)	(6.4.7)
Communication Effectiveness	(6.4.8)
Communicativeness [Operability	6.4.20]
Comparator	(5.6.1)
Comparison	(7.3.1.1)
Compile [Compilation Compilation System: Compiler	7.1.6.7; 5.3, 5.3.3]
Completeness [Completeness Checker Completeness Checking	(6.4.9) 5.6.11; 7.3.1.12]
Complexity [Complexity Measurement Complexity Measurer	7.3.1.10; 5.6.9]
Component [APSE Tool Categories	5.]
Computer [see also: Deliverables: Computer Resources Integrated Support Document]	
[Computer Management System Computer System Management	5.1; 7.2.3]
Concept [see also: Deliverables: Operational Concept Document] [System Concepts	4.1]

Conferencing [see: Electronic]	
Configuration [see also: Deliverables: Software Configuration Management Plan]	
[Configuration Management: Configuration Manager Required Configuration	7.2.2.7; 5.2.7, 6.4.26]
Consistency [Consistency Checker Consistency Checking	(6.4.10) 5.6.12; 7.3.1.13]
Constraint Evaluation Constraint Evaluator	7.3.2.7; 5.7.7]
Contention [see: Constraint]	
Conversion	(7.1.6.8)
Correctness Checker Correctness Checking	(6.2.1) 5.6.10; 7.3.1.11]
Cost [Cost Estimator Cost Estimation	(6.4.11) 5.2.1; 7.2.2.1]
Coverage [Coverage/Frequency Analysis Coverage/Frequency Analyzer	7.3.2.8; 5.7.8]
CRISD [see: Deliverables: Computer Resources Integrated Support Document]	
Cross Reference [Cross Reference Cross Referencer	7.3.1.17; 5.6.16]
CSC Integration And Testing	(4.7)
CSCI Testing	(4.8)
CSDM [see: Deliverables: Computer System Diagnostic Manual]	
CSOM [see: Deliverables: Computer System Operator's Manual]	
Data	

[see also: Deliverables: Data Base Design Document] [Data Base Management Data Base Manager Data Editing Data Flow Analysis Data Flow Analyzer Test Data Management	7.2.1.1; 5.1.9; 7.1.1.2; 7.3.1.3; 5.6.2; 7.2.1.8]
DBDD [see: Deliverables: Data Base Design Document]	
Debug [Debugger Debugging	5.7.5; 7.3.2.5]
Decision Aids	(3.4.3)
Decompilation	(7.1.7.5)
Deliverables [Computer Resources Integrated Support Document (CRISD): Detailed Design Preliminary Design Computer System Diagnostic Manual (CSDM): Coding And Unit Testing CSC Integration And Testing CSCI Testing Detailed Design Preliminary Design Computer System Operator's Manual (CSOM): Coding And Unit Testing CSC Integration And Testing CSC Integration And Testing	
CSCI Tresting CSCI Testing Detailed Design Preliminary Design	4.8.4, 4.5.4, 4.4.4;
Data Base Design Document (DBDD): Detailed Design Preliminary Design	4.5.2, 4.4.2;
Engineering Change Proposal (ECP): Change Requirements Firmware Support Manual (FSM):	4.11.2;
Detailed Design Interface Design Document (IDD):	4.5.4;
Detailed Design	4.5.2,
Preliminary Design Interface Requirements Specification (IRS):	4.4.2;
Software Requirements Analysis Operational Concept Document (OCD):	4.3.2;

0

388

8

X

X

8

X

8

X

X

V

Software Requirements Analysis	4.3.2,
System Requirements Analysis	4.2.2;
Prime Item Development Specification:	,
System Requirements Analysis	4.2.2;
Software Configuration Management Plan (SCMP):	
Coding And Unit Testing	4.6.1,
CSC Integration And Testing	4.7.1,
CSCI Testing	4.8.1,
Detailed Design	4.5.1,
	4.4.1,
Preliminary Design	4.3.1;
Software Requirements Analysis	4.3.1,
Software Detailed Design Document (SDDD):	450
Detailed Design	4.5.2,
Preliminary Design	4.4.2;
Software Development File (SDF):	400
Coding And Unit Testing	4.6.2,
CSC Integration And Testing	4.7.2,
CSC Integration And Testing	4.7.2,
CSCI Testing	4.8.2,
Detailed Design	4.5.2;
Software Development Plan (SDP):	
Coding And Unit Testing	4.6.1,
CSC Integration And Testing	4.7.1,
CSCI Testing	4.8.1,
Detailed Design	4.5.1,
Preliminary Design	4.4.1,
Software Requirements Analysis	4.3.1;
Software Product Specification (SPS):	
CSCI Testing	4.8.2;
Software Programmer's Manual (SPM):	
Detailed Design	4.5.4;
Software Quality Evaluation Plan (SQEP):	
Coding And Unit Testing	4.6.1,
CSC Integration And Testing	4.7.1.
CSCI Testing	4.8.1,
Detailed Design	4.5.1,
Preliminary Design	4.4.1,
Software Requirements Analysis	4.3.1;
Software Requirements Specification (SRS):	,
Software Requirements Analysis	4.3.2;
Software Standards And Procedures Manual (SSPM):	1.0.2,
Coding And Unit Testing	4.6.1,
CSC Integration And Testing	4.7.1,
CSCI Testing	4.7.1,
Detailed Design	4.0.1,

The state of the s

Preliminary Design	4.4.1,
Software Requirements Analysis	4.3.1;
Software Test Description (STD):	
Detailed Design	4.5.3;
Software Test Plan (STP):	
Preliminary Design	4.4.3;
Software Test Procedure (STPR):	
Coding And Unit Testing	4.6.3,
CSC Integration And Testing	4.7.3;
Software Test Report (STR):	
CSCI Testing	4.8.3;
Software Top Level Design Document (STLDD):	
Preliminary Design	4.4.2;
Software User's Manual (SUM):	
Coding And Unit Testing	4.6.4.
CSC Integration And Testing	4.7.4,
CSCI Testing	4.8.4,
CSCI Testing	4.8.4,
Detailed Design	4.5.4,
Preliminary Design	4.4.4;
Specification Change Notice (SCN):	4.44.0
Change Requirements	4.11.2;
System/Segment Specification (SSS):	4.0.0
System Requirements Analysis	4.2.2;
Version Description Document (VDD):	4 9 01
CSCI Testing	4.8.2]
Design	(6.2)
[see also: Deliverables: Data Base Design Document,	
Interface Design Document,	
Software Detailed Design	
Document,	
Software Top Level Design	
Document]	
[Design Attributes (of Whole APSEs)	3.3.2;
Design Generation	7.1.7.1;
Design Prototype	5.7.4;
Design Prototyping	7.3.2.4;
Detailed Design	4.5;
Detailed Design Translation	7.1.6.5;
Preliminary Design	4.4;
Preliminary Design Translation	7.1.6.4]
Desktop System	(5.5)

W

Detailed Design		
[see: Design]		
Development Methodology [see: Methodology]		
Diagnostic [see: Deliverables: Computer System Diagnostic Manual]		
Dictionary	(5.5.8)	
Disassembling	(7.1.7.6)	
Distributedness	(6.4.12)	
Document		
[see also: Deliverables]		
[Document Accessibility	6.4.13; 5.4,	
Document System Document System	5.4,	
Document Manager	5.4.1;	
Documentation Management	7.2.1.2]	
Dynamic	7.0.0	
[Dynamic Analysis Dynamic Analyzer System	7.3.2; 5.7]	
E&V	•,	
[Approaches to Whole-APSE E&V	3.4;	
E&V Categories	2.4.2;	
Locating and Applying E&V Technology	2.4.2]	
ECP		
[see: Deliverables: Engineering Change Proposal]		
Edit [Editing:	7.1.1,	
Text	7.1.1.1,	
Data	7.1.1.2,	
Graphics Syntax-Directed Editor	7.1.1.3; 5.3.2;	
Word Processor	5.4.2]	
Efficiency	(6.1.1)	
Electronic		
[APSE Tool Categories:		
Electronic Conferencing	5.5.6,	
Electronic Mail Functions:	5.5.4;	
Electronic Conferencing	7.2.1.5,	
Electronic Mail	7.2.1.4]	
index-8		
nidox-0		

Emulate	
[Emulation Emulator	7.3.2.13; 5.7.13]
Environment [APSE Definitions and Alternate Names	3.1]
Error Checker Error Checking Error Tolerance (Anomaly Management)	5.6.22; 7.3.1.23; 6.4.2]
Estimate [Cost Estimation Cost Estimator Resource Estimation Resource Estimator	7.2.2.1; 5.2.1; 7.2.2.5; 5.2.5]
Evaluation [see also: E&V] [Constraint Evaluation Evaluation Results Management Operational Testing And Evaluation	7.3.2.7; 7.2.1.9; 4.10]
Execute [Executable Assertion Checker Executable Assertion Checking Processing (Execution) Effectiveness Symbolic Execution Symbolic Execution System	5.7.6; 7.3.2.6; 6.4.22; 7.3.4; 5.7.19]
Expandability	(6.3.1)
Expansion [Macro Expansion	7.1.6.9]
Experiments, Monitored	(3.4.4)
Expert System, APSE Viewed as a Knowledge-Based	(3.2.5)
Export [see: Import/Export]	
Fault Tolerance [Anomaly Management	6.4.2]
File [File Management File Manager	7.2.1.3; 5.1.6]
Flexibility [Expandability	6.3.1]

Forms	
[Predefined and User-Defined Forms	7.1.2.3]
Formal Verification [Formal Verification System	(7.3.3) 5.7.18]
Format [Formal Verification System [Formatter Formatting: MIL-STD Format Table of Contents	5.7.18] 5.4.5; 7.1.2, 7.1.2.1; 7.1.2.2]
Framework, APSE Viewed as a Stable	(3.2.6)
Frequency [see: Coverage]	
FSM [see: Deliverables: Firmware Support Manual]	
Function [Central Role of Attributes and Functions Functional Analysis Functional Analyzer Functional Overlap Functional Scope Functions	2.3; 7.3.1.4; 5.6.3; 6.4.14; 6.4.15; 7.]
Generality	(6.4.16)
Global	(4.12)
Granularity	(6.4.17)
Graphics [Graphics Editing Graphics Generation Graphics Generator	7.1.1.3; 7.1.5; 5.4.4]
Help [see: On-Line Assistance]	
WO .	
[I/O Specification Analysis I/O Specification Analyzer Input/Output Support	7.3.1.29; 5.6.28; 7.2.3.2]
IDD	
[see: Deliverables: Interface Design Document]	
Import/Export System	(7.2.3.6) 5.1.7]

Input [see: I/O]	
Index	
[Index Relationships Using The Reference Indexes Directly	2.4; 2.3.1]
Information Management [APSE Viewed as an Information Management System Functions: Information Managemen	3.2.3; 7.2.1]
Integration [CSC Integration And Testing System Integration And Testing	4.7; 4.9]
Integrity	(6.1.2)
Interactive System, APSE Viewed as a User-Oriented	(3.2.4)
Interface [see also: Deliverables: Interface Design Document, Interface Requirements Specification]	
[Interface Analysis Interface Analyser	7.3.1.5; 5.6.4]
Interoperability	(6.3.2)
Interpret [Interpretation Interpreter	7.1.6.14 5.3.7]
Invocation [Invocation Analysis Invocation Analyzer	7.3.1.19 5.6.18]
IPSE	
[see also: APSE] [Life Cycle Phases	4.]
RS [see: Deliverables: Interface Requirements Specification]	
Job Scheduler	(5.1.4)
Kernel	(7.2.3.3)
Kernel	(7.2.3.3)
Language [see also: Command Language]	7400
[Requirements To Natural Language Translation	7.1.6.3]

25

00

8

Z

80

Library	
Program Library Management Program Library Manager Runtime Library	7.2.1.7; 5.3.1; 5.3.8]
Life Cycle Phases	(4.)
Link	
[Linker Linking/Loading	5.3.5; 7.1,6.13]
Load (Linking/Loading Logder	7.1.6.13; 5.3.6]
Macro Expansion	(7.1.6.9)
Mail [see: Electronic]	
Maintainability [Maintainability Analysis Maintainability Analyzer	(6.2.2) 7.3.1.18; 5.6.17]
Management [see also: Deliverables: Software Configuration Management Plan]	
[APSE Tool Categories:	5.1,
Computer Management System Project Management System	5.1, 5.2;
APSE Viewed as an Information Management System Attributes:	3.2.3;
Anomaly Management	6.4.2;
Functions:	7.2,
Computer System Management	7.2.3,
Configuration Management Data Base Management	7.2.2.7, 7.2.1.1,
Documentation Management	7.2.1.1,
Evaluation Results Management	7.2.1.9,
Evaluation Results Management	7.2.1.9,
File Management	7.2.1.3,
Information Management	7.2.1,
Program Library Management	7.2.1.7,
Project Management	7.2.2,
Specification Management	7.2.1.6,
Test Data Management	7.2.1.8;
Life Cycle Phases:	20.00
Change Requirements	4.11.1,
Coding And Unit Testing	4.6.1,

CSC Integration And Testing	4.7.1,
CSCI Testing	4.8.1,
Detailed Design	4.5.1,
Global Charatianal Testing And Evaluation	4.12.1, 4.10.1,
Operational Testing And Evaluation Preliminary Design	4.4.1,
Software Requirements Analysis	4.3.1,
System Concepts	4.1.1,
System Integration And Testing	4.9.1,
System Requirements Analysis	4.2.1]
Math/Statistics	(7.2.3.4)
Maturity	(6.4.18)
Merge	- 4 49
[Sort/Merge	7.1.4]
Methodology-Support System, APSE Viewed as a	(3.2.2)
Modelling	7000
[Simulation And Modelling Simulation And Modelling Tools	7.3.2.3; 5.7.3]
Modularity	(6.4.19)
Monitoring [Performance Monitoring	7.2.1.10]
Mutation .	
[Mutation Analysis	7.3.2.9;
Mutation Analyzer	5.7.9]
Natural Language	
[Requirements To Natural Language Translation	7.1.6.3]
OCD	
[see: Deliverables: Operational Concept Document]	
On-Line Assistance	
[On-Line Assistance Processing	7.1.3;
On-Line Assistance Processor	5.1.8]
Operability	(6.4.20)
Operation And Support	
[Change Requirements	4.11.4;
Coding And Unit Testing CSC Integration And Testing	4.6.4; 4.7.4;
CSCI Testing	4.7.4,
Detailed Design	4.5.4;
Global	4.12.4;

Operational Testing And Evaluation Preliminary Design Software Requirements Analysis System Concepts System Integration And Testing System Requirements Analysis	4.10.4; 4.4.4; 4.3.4; 4.1.4; 4.9.4; 4.2.4]
Operational Testing And Evaluation	(4.10)
Output [see: I/O]	
Performance [Performance Attributes (of Whole APSEs) Performance Monitoring	(6.1) 3.3.1; 7.2.1.10]
Phases [Life Cycle Phases	4.]
Phone Book	(5.5.5)
Power	(6.4.21)
Preamble Generation	(7.1.6.12)
Preliminary Design [see: Design]	
Problem Report Analysis Problem Report Analysis Problem Report Analyzer	7.3.5; 5.2.8]
Processing (Execution) Effectiveness	(6.4.22)
Program [see also: Deliverables: Software Programmer's Manual]	
[Program Generation Program Library Management Program Library Manager	7.1.7.3; 7.2.1.7; 5.3.1]
Project Management [Project Management System	(7.2.2) 5.2]
Proprietary Rights	(6.4.23)
Prototype [Design Prototype Design Prototyping Requirements Prototype Requirements Prototyping	5.7.4; 7.3.2.4; 5.7.2; 7.3.2.2]

T

Quality [see also: Deliverables: Software Quality	
Evaluation Plan; Attributes]	
[Quality Analysis	7.3.1.9;
Quality Analyzer	5.2.2;
Quality Analyzer	5.6.8;
Quality Assessment	7.2.2.8;
Quality Specification	7.2.2.2;
Questionnaires	(3.4.2)
Reachability	
[Reachability Analysis	7.3.1.16;
Reachability Analyzer	5.6.15]
Real Time	
[Real Time Analysis	7.3.2.17;
Real Time Analyzer	5.7.17]
Reconfigurability	(6.4.24)
Reference	
[Cross Reference	7.3.1.17;
Cross Referencer	5.6.16;
Structure And Use Of The Reference Manual 2.]	
Regression Testing	(7.3.2.11)
[Regression Testing Analyzer	5.7.11]
Rehostability	(6.4.25)
Reliability	(6.1.3)
(Reliability Analysis	7.3.2.16;
Reliability Analyzer	5.7.16]
Requirements	
(see also: Deliverables: Interface Requirements	
Specification,	
Software Requirements Specification]	
[Change Requirements	4.11;
Required Configuration	6.4.26
Requirements Prototype	5.7.2;
Requirements Prototyping	7.3.2.2;
Requirements Reconstruction	7.1.7.2;
Requirements Simulation	7.3.2.1;
Requirements Simulator	5.7.1;
Requirements To Natural Language Translation	7.1.6.3;
Software Requirements Analysis	4.3;
Software Requirements Translation	7.1.6.1;

System Requirements Analysis System Requirements Translation	4.2; 7.1.6.2]
Resource [see also: Deliverables: Computer Resources Integrated	
Support Document] [Resource Controller Resource Estimation Resource Estimator Resource Utilization Resource Utilization Analyzer	5.1.5; 7.2.2.5; 5.2.5; 7.3.2.12; 5.7.12]
Retargetability	(6.4.27)
Retrieval [Archive, Backup, and Retrieval System	5.1.2]
Reusability [Reusability Analysis Reusability Analyzer	(6.3.3) 7.3.1.14; 5.6.13]
Robustness [Anomaly Management	6.4.2]
Runtime [Runtime Library Runtime Environment	5.3.8; 7.2.3.5]
Scan [Scanner Scanning	5.6.19; 7.3.1.20]
Schedule [Job Scheduler Scheduler Scheduling	5.1.4; 5.2.3; 7.2.2.3]
SCMP [see: Deliverables: Software Configuration Management Plan]	
SCN [see: Deliverables: Specification Change Notice]	
SDDD [see: Deliverables: Software Detailed Design Document]	
SDF	
[see: Deliverables: Software Development File]	

CONTRACTOR | CONTRACTOR | INCOME

SDP	
[see: Deliverables: Software Development Plan]	
Security System	(5.1.3)
Self-Descriptiveness	(6.4.28)
Simplicity	(6.3.29)
Simulate [Requirements Simulation Requirements Simulator Simulation and Modelling Simulation and Modelling Tools	7.3.2.1; 5.7.1; 7.3.2.3; 5.7.3]
Sizing [Sizing Analysis Sizing Analyzer	7.3.1.30; 5.6.29]
Software [Software-Oriented Criteria: Software Production Vehicle(s) Software Requirements: Software Requirements Analysis Software Requirements Translation	6.4, 6.4.30; 4.3, 7.1.6.2]
Sort/Merge	(7.1.4)
Source Reconstruction	(7.1.7.4)
Specification [see also : Deliverables: Interface Requirements Specification, Software Product Specification, Software Requirements Specification, System/Segment Specification; Requirements] [I/O Specification Analysis I/O Specification Analyzer Quality Specification Specification Management	7.3.1.29; 5.6.28; 7.2.2.2; 7.2.1.6]
Spelling	
[Spell Checker Spelling Checking	5.4.3; 7.3.1.2]
SPM [see: Deliverables: Software Programmer's Manual]	

8

00

Spreadsheet	(5.5.1)
SPS [see: Deliverables: Software Product Specification]	
SQEP	
[see: Deliverables: Software Quality Evaluation Plan]	
SRS	
[see: Deliverables: Software Requirements Specification]	
SSPM	
[see: Deliverables: Software Standards and Procedures Manual]	
SSS	
[see: Deliverables: System/Segment Specification]	
Static	
[Static Analysis Static Analyzer System	7.3.1; 5.6]
Statistic [Math/Statistics Statistical Analysis Statistical Analyzer	7.2.3.4; 7.1.3.24; 5.6.23;
Statistical Profiler Statistical Profiling	5.6.24; 7.1.3.25]
STD	
[see: Deliverables: Software Test Description]	
STLDD	
[see: Deliverables: Software Top Level Design Document]	
Storage Effectiveness	(6.4.31)
STP	
[see: Deliverables: Software Test Plan]	
STPR	
[see: Deliverables: Software Test Procedure]	
STR	
[see: Deliverables: Software Test Report]	

Structure	
[Structure And Use Of The Reference Manual	2.;
Structure Checker	5.6.25;
Structure Checking	7.3.1.26;
Structure Preprocessing	7.1.6.10]
SUM	
[see: Deliverables: Software User's Manual]	
Support	
[see: Operation And Support]	
Survivability	(6.1.4)
Symbolic Execution	(7.3.4)
[Symbolic Execution System	5.7.19]
Syntax	
[Syntax-Directed Editor	5.3.2;
Syntax And Semantics Checker	5.6.14;
Syntax And Semantics Checking	7.3.1.15]
Synthesis	(7.1.7)
System	
[see also: Deliverables: Computer System Diagnostic Manual,	
Computer System Operator's Manual,	
System/Segment Specification]	
(System Accessibility	6.4.32;
System Clarity	6.4.33;
System Compatibility	6.4.34;
System Concepts System Interesting And Tooling	4.1;
System Integration And Testing	4.9; 4.2;
System Requirements Analysis System Requirements Translation	7.1.6.1]
Table Of Contents Formatting	(7.1.2.2)
Test	
[see also: Deliverables: Software Test Description,	
Software Test Plan,	
Software Test Procedure,	
Software Test Report] [Coding And Unit Testing	4.6;
CSC Integration And Testing	4.0, 4.7;
CSCI Testing	4.8;
Operational Testing And Evaluation	4.10;
Regression Testing	7.3.2.11:
Regression Testing Analyzer	5.7.11;
System Integration And Testing	4.9;

Test Condition Analysis Test Condition Analyzer Test Data Management Test Suites, Benchmarks and Testability (Verifiability) Testability Analysis Testability Analyzer Testing Testing Analyzer	7.3.1.8; 5.6.7; 7.2.1.8; 3.4.1; 6.2.3; 7.3.1.7; 5.6.6; 7.3.2.10; 5.7.10]
Text Editing	(7.1.1.1)
Timing [Timing Timing Analyzer Tool	7.3.2.14; 5.7.14]
[APSE Tool Categories APSE Viewed as a Collection of Tool	3.2.1]
Traceability [Traceability Analysis Traceability Analyzer	(6.4.35) 7.3.1.6; 5.6.5]
Tracking [Function Tool	7.2.2.6; 5.2.6]
Training	(6.4.36)
Transformation [Change Requirements Coding And Unit Testing CSC Integration And Testing CSCI Testing Detailed Design Global Operational Testing And Evaluation Preliminary Design Software Requirements Analysis System Concepts System Integration And Testing System Requirements Analysis	(7.1) 4.11.2; 4.6.2; 4.7.2; 4.8.2; 4.5.2; 4.10.2; 4.4.2; 4.3.2; 4.1.2; 4.9.2; 4.2.2]
Translation	(7.1.6)
Transportability	(6.3.4)
Tuning [Tuning Analyzer	(7.3.2.15) 5.7.15]

Type (Type Analysis Type Analyzer	7.3.1.27 5.6.26]
Unit	0.0.20,
[Coding and Unit Testing Units Analysis Units Analyzer	4.6; 7.3.1.28; 5.6.27]
Usability	(6.1.5)
Validation [see E&V]	
VDD [see: Deliverables: Version Description Document]	
Verifiability	(6.2.3)
Verification [Formal Verification Formal Verification	7.3.3; 5.7.18]
Virtuality	(6.4.37)
Visibility	(6.4.38)
Walkthrough [Structured Walkthrough Structured Walkthrough Tool	7.3.1.21; 5.6.20]
Whole APSE Issues	(3.)
Word Processor	(5.4.2)
Work Breakdown Structure [Function Tool	7.2.2.4; 5.2.4]

THIS PAGE LEFT INTENTIONALLY BLANK

END DATE FILMED DTIC 11-88